

Preisliste

2022/2023

ARELUX[®]
TECHNICAL LIGHTING

Art-Nr.:	Produktbeschreibung			
AX01SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 319mm 2W 24V DC 3000K	CHF	137.75	A
AX02SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 611mm 4.5W 24V DC 3000K	CHF	147.60	A
AX03SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 1114mm 9W 24V DC 3000K	CHF	237.75	A
AX04SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 1617mm 14W 24V DC 3000K	CHF	319.75	A
AX05SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 611mm 3W 24V DC 3000K	CHF	157.45	A
AX06SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 1114mm 5W 24V DC 3000K	CHF	220.55	A
AX07SR WW	XAXE LINEAR LIGHT FITTING VERTICAL 1617mm 8W 24V DC 3000K	CHF	250.05	A
AX01HS WW	XAXE LINEAR LIGHT FITTING HORIZONTAL SUSPENDE 6.5W 24V DC 3000K	CHF	196.75	A
AX01VS WW	XAXE LINEAR LIGHT FITTING VERTICAL SUSPENDE 5W 24V DC 3000K	CHF	139.35	A
MCKS01SCT	XCLICK M SURFACE STRUCTURAL ELEMENT TRACK 10cm with CIRCUIT for 48V DC IP20 BK	CHF	36.90	A
AX01B WW	XAXE LINEAR LIGHT FITTING 528mm 5W 24V DC 3000K CRI.90	CHF	104.95	A
AX02B WW	XAXE LINEAR LIGHT FITTING 1031mm 10W 24V DC 3000K CRI.90	CHF	170.50	A
AX03B WW	XAXE LINEAR LIGHT FITTING 2036mm 20W 24V DC 3000K CRI.90	CHF	334.50	A
AX01C90	XAXE CONNECTOR MECHANIC ANGULAR 90° DIFFERENT PLANES	CHF	31.15	A
AX01EC180	XAXE CONNECTOR MEHCANIC & ELECTRICAL ANGULAR 180° SAME PLAN	CHF	95.90	A
AX01EC90	XAXE CONNECTOR MECHANIC & ELECTRICAL ANGULAR 90° DIFFERENT PLANES	CHF	98.40	A
AX01ACV	XAXE ADHESIVE TAPE ROLL (18m) for MASKING	CHF	4.20	A
AX01DB	XAXE DRIVER BOX + DRIVER 220-240V AC 76.8W	CHF	341.90	A
SMCKS02TDB	XCLICK S/M SURFACE new BOX FOR DRIVER, TRIMLESS MOUNTING WH	CHF	115.25	A
RO01 TK	XROD LINEAR SUSP. TRACK 48V DC 0.6 Mr BK	CHF	161.35	A
RO02 TK	XROD LINEAR SUSP. TRACK 48V DC 1.2 Mr BK	CHF	206.35	A
RO03 TK	XROD LINEAR SUSP. TRACK 48V DC 1.8 Mr BK	CHF	321.40	A
RO01WW OP	XROD LINEAR CYLINDRICAL SUSP. 13.2W/48V DC WW CRI.90 large optics 0.6 Mr BK	CHF	171.90	A
RO01WW SP	XROD LINEAR CYLINDRICAL SUSP. 12.1W/48V DC WW CRI.90 20grd. 0.6 Mr BK	CHF	220.90	A
RO01WW SP+OP	XROD LINEAR CYLINDRICAL SUSP. DIRECT/INDIRECT LIGHT 25.3W/48V DC WW CRI.90 large+20grd. 0.6 Mr BK	CHF	276.35	A
RO02WW OP	XROD LINEAR CYLINDRICAL SUSP. 26.3W/48V DC WW CRI.90 large optics 1.2 Mr BK	CHF	276.35	A
RO02WW SP	XROD LINEAR CYLINDRICAL SUSP. 24.3W/48V DC WW CRI.90 20grd. 1.2 Mr BK	CHF	382.20	A
RO02WW SP+OP	XROD LINEAR CYLINDRICAL SUSP. DIRECT/INDIRECT LIGHT 50.6W/48V DC WW CRI.90 large+20grd. 1.2 Mr BK	CHF	497.25	A
RO03WW OP	XROD LINEAR CYLINDRICAL SUSP. 39.5W/48V DC WW CRI.90 large optics 1.8 Mr BK	CHF	440.35	A
RO03WW SP	XROD LINEAR CYLINDRICAL SUSP. 36.4W/48V DC WW CRI.90 20grd. 1.8 Mr BK	CHF	595.10	A
RO03WW SP+OP	XROD LINEAR CYLINDRICAL SUSP. DIRECT/INDIRECT LIGHT 74.7W/48V DC WW CRI.90 large+20grd. 1.8 Mr BK	CHF	751.15	A
RO01C90	XROD 90grd CONNECTOR 48V DC BK	CHF	41.00	A
RO01LC	XROD LINEAR CONNECTOR 48V DC BK	CHF	38.35	A
RO01TC	XROD T CONNECTOR 48V DC BK	CHF	46.35	A
RO01XC	XROD X CONNECTOR 48V DC BK	CHF	51.60	A
RO01EC	XROD END CAP BK	CHF	21.60	A
RO01RDB	XROD AL. ROD for SUSP. and POWER SUPPLY 562mm BK	CHF	71.40	A
RO01RNC	XROD AL. ROD for SUSP. to CEILLING 593mm BK	CHF	71.40	A
RO02RDB	XROD AL. ROD for SUSP. and POWER SUPPLY 862mm BK	CHF	83.40	A
RO02RNC	XROD AL. ROD for SUSP. to CEILLING 893mm BK	CHF	92.55	A
RO01DB	XROD DRIVER BOX BK	CHF	415.25	A
RO01RFC	XROD AL. ROD for SUSP. to FALSE CEILLING 593mm BK	CHF	76.25	A
RO02RFC	XROD AL. ROD for SUSP. to FALSE CEILLING 893mm BK	CHF	94.30	A
SMCKS03TDB	XCLICK S/M BOX FOR DRIVER TRIMLESS MVH 330x103x15mm	CHF	99.60	A
SCKR01	XCLICK S RECESSED PROFILE 2,5m 48V DC IP20 BK	CHF	195.20	A
SCKR01C90	XCLICK S RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	72.40	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
SCKR01EAC	XCLICK S RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK	CHF	70.10	A
SCKR01IAC	XCLICK S RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK	CHF	71.20	A
SCKS01	XCLICK S SURFACE PROFILE 2,5m 48V DC IP20 BK	CHF	182.20	A
SCKS01C90	XCLICK S SURFACE CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	51.80	A
SCKS01IAC	XCLICK S SURFACE CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK	CHF	48.00	A
SCKS01SCT	XCLICK S SURFACE STRUCTURAL ELEMENT TRACK 10cm with CIRCUIT for 48V DC IP20 BK	CHF	26.90	A
SCKRS01CV	XCLICK S FRONT COVER 2,5m BK	CHF	22.80	A
SCKRS01FC	XCLICK S FLEXIBLE ANGLE CONNECTOR WITH CABLE 48V DC IP20 BK	CHF	53.40	A
SCKRS01LC	XCLICK S LINEAR CONNECTOR 48V DC IP20 BK	CHF	34.20	A
SCKRS01PC0.5	XCLICK S POWER SUPPLY CONNECTOR WITH CABLE 48V DC IP20 BK	CHF	38.00	A
SCKS01CF	XCLICK S SURFACE FIXING ELEMENT FOR WALL/CEILING MOUNTING BK	CHF	7.55	A
SCKS01PC1.7	XCLICK S SURFACE POWER SUPPLY CONNECTOR WITH CABLE 1,7m 48V DC IP20 BK	CHF	49.40	A
SCKRS01EC	XCLICK S END CAP WITHOUT HOLE BK	CHF	12.60	A
SCKRS02EC	XCLICK S END CAP WITH HOLE BK	CHF	12.60	A
SCKS01MSU	XCLICK S SURFACE MECHANICAL SUSP+WIRE BK	CHF	22.80	A
SMCKS01CSU	XCLICK S/M SURFACE ELEMENT FOR CEILING SUSPENSION fi.20x30 mm BK	CHF	32.15	A
SMCKS01SDB	XCLICK S/M SURFACE BOX FOR 100W DRIVER, CEILING MOUNTING BK	CHF	71.50	A
SMCKS02SDB	XCLICK S/M SURFACE BOX FOR 200W DRIVER, CEILING MOUNTING BK	CHF	99.90	A
SCKRS01UWW OP	XCLICK S LINEAR LIGHT FITTING 11,4W 48V DC 2700K CRI.80 306x14,6x24,5 mm IP20 BK	CHF	113.95	A
SCKRS01WW OP	XCLICK S LINEAR LIGHT FITTING 11,4W 48V DC 3000K CRI.80 306x14,6x24,5 mm IP20 BK	CHF	113.95	A
SCKRS02UWW OP	XCLICK S LINEAR LIGHT FITTING 20W 48V DC 2700K CRI.80 606x14,6x24,5 mm IP20 BK	CHF	167.20	A
SCKRS02WW OP	XCLICK S LINEAR LIGHT FITTING 20W 48V DC 3000K CRI.80 606x14,6x24,5 mm IP20 BK	CHF	167.20	A
SCKRS03UWW OP	XCLICK S LINEAR LIGHT FITTING 30W 48V DC 2700K CRI.80 906x14,6x24,5 mm IP20 BK	CHF	217.30	A
SCKRS03WW OP	XCLICK S LINEAR LIGHT FITTING 30W 48V DC 3000K CRI.80 906x14,6x24,5 mm IP20 BK	CHF	217.30	A
SCKRS04UWW OP	XCLICK S LINEAR LIGHT FITTING 40W 48V DC 2700K CRI.80 1196x14,6x24,5 mm IP20 BK	CHF	281.15	A
SCKRS04WW OP	XCLICK S LINEAR LIGHT FITTING 40W 48V DC 3000K CRI.80 1196x14,6x24,5 mm IP20 BK	CHF	281.15	A
SCKRS05UWW OP	XCLICK S LINEAR LIGHT FITTING 50W 48V DC 2700K CRI.80 1496x14,6x24,5 mm IP20 BK	CHF	315.35	A
SCKRS05WW OP	XCLICK S LINEAR LIGHT FITTING 50W 48V DC 3000K CRI.80 1496x14,6x24,5 mm IP20 BK	CHF	315.35	A
SCKRS21UWW SP BK	XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 2700K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 BK	CHF	186.15	A
SCKRS21UWW SP MWH	XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 2700K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 MWH	CHF	181.50	A
SCKRS21UWW SP SGD	XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 2700K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 SGD	CHF	181.50	A
SCKRS21WW SP BK	XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 3000K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 BK	CHF	186.15	A
SCKRS21WW SP MWH	XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 3000K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 MWH	CHF	181.50	A
SCKRS21WW SP SGD	XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 3000K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 SGD	CHF	181.50	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
SCKRS22UWW SP BK	XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 2700K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 BK	CHF	262.15	A
SCKRS22UWW SP MWH	XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 2700K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 MWH	CHF	249.10	A
SCKRS22UWW SP SGD	XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 2700K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 SGD	CHF	249.10	A
SCKRS22WW SP BK	XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 3000K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 BK	CHF	262.15	A
SCKRS22WW SP MWH	XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 3000K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 MWH	CHF	249.10	A
SCKRS22WW SP SGD	XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 3000K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 SGD	CHF	249.10	A
SCKRS31UWW SP BK	XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 2700K CRI.90 IP20 14° UGR<19 BK	CHF	170.75	A
SCKRS31UWW SP MWH	XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 2700K CRI.90 IP20 14° UGR<19 MWH	CHF	170.75	A
SCKRS31UWW SP SGD	XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 2700K CRI.90 IP20 14° UGR<19 SGD	CHF	170.75	A
SCKRS31WW SP BK	XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 3000K CRI.90 IP20 14° UGR<19 BK	CHF	170.75	A
SCKRS31WW SP MWH	XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 3000K CRI.90 IP20 14° UGR<19 MWH	CHF	170.75	A
SCKRS31WW SP SGD	XCLICK S ADJ. MINI PROJECTOR GOLD 5,4W 48V DC 3000K CRI.90 IP20 14° UGR<19 BK	CHF	170.75	A
SCKRS32UWW SP BK	XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 2700K CRI.90 IP20 26° UGR<10 BK	CHF	191.90	A
SCKRS32UWW SP MWH	XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 2700K CRI.90 IP20 26° UGR<10 MWH	CHF	191.90	A
SCKRS32UWW SP SGD	XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 2700K CRI.90 IP20 26° UGR<10 SGD	CHF	191.90	A
SCKRS32WW SP BK	XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 3000K CRI.90 IP20 26° UGR<10 BK	CHF	191.90	A
SCKRS32WW SP MWH	XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 3000K CRI.90 IP20 26° UGR<10 MWH	CHF	191.90	A
SCKRS32WW SP SGD	XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 3000K CRI.90 IP20 26° UGR<10 SGD	CHF	191.90	A
SCKRS33UWW SP BK	XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 2700K CRI.90 IP20 26° UGR<10 BK	CHF	252.75	A
SCKRS33UWW SP MWH	XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 2700K CRI.90 IP20 26° UGR<10 MWH	CHF	252.75	A
SCKRS33UWW SP SGD	XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 2700K CRI.90 IP20 26° UGR<10 GD	CHF	252.75	A
SCKRS33WW SP BK	XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 3000K CRI.90 IP20 26° UGR<10 BK	CHF	252.75	A
SCKRS33WW SP MWH	XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 3000K CRI.90 IP20 26° UGR<10 MWH	CHF	252.75	A
SCKRS33WW SP SGD	XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 3000K CRI.90 IP20 26° UGR<10 GD	CHF	252.75	A
SCKRS11UWW GB	XCLICK S DECO. SPHERICAL LIGHT FITTING 6W 48V DC 2700K CRI.90 IP20 BK	CHF	246.45	A
SCKRS11WW GB	XCLICK S DECO. SPHERICAL LIGHT FITTING 6W 48V DC 3000K CRI.90 IP20 BK	CHF	246.45	A
SCKRS12UWW PN	XCLICK S DECO. PANEL LIGHT FITTING 11,2W 48V DC 2700K CRI.90 IP20 MWH	CHF	201.85	A
SCKRS12WW PN	XCLICK S DECO. PANEL LIGHT FITTING 11,2W 48V DC 3000K CRI.90 IP20 MWH	CHF	201.85	A
SCKRS14UWW SU BK	XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 2700K CRI.90 IP20 19° UGR<10 BK	CHF	218.30	A
SCKRS14UWW SU MWH	XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 2700K CRI.90 IP20 19° UGR<10 MWH	CHF	218.30	A
SCKRS14UWW SU SGD	XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 2700K CRI.90 IP20 19° UGR<10 SGD	CHF	218.30	A

Art-Nr.:	Produktbeschreibung			
SCKRS14WW SU BK	XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 3000K CRI.90 IP20 19°	CHF	218.30	A
	UGR<10 BK			
SCKRS14WW SU MWH	XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 3000K CRI.90 IP20 19°	CHF	218.30	A
	UGR<10 MWH			
SCKRS14WW SU SGD	XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 3000K CRI.90 IP20 19°	CHF	218.30	A
	UGR<10 SGD			
SCKRS15UWW SU	XCLICK S DECO. SPHERICAL SUSP. LIGHT FITTING 4,6W 48V DC 2700K	CHF	280.80	A
	CRI.90 IP20 UGR<16 BK			
SCKRS15WW SU	XCLICK S DECO. SPHERICAL SUSP. LIGHT FITTING 4,6W 48V DC 3000K	CHF	280.80	A
	CRI.90 IP20 UGR<16 BK			
MCKR01	XCLICK M RECESSED PROFILE 2,5m 48V DC IP20 BK	CHF	314.65	A
MCKR01C90	XCLICK M RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	133.00	A
MCKR01EAC	XCLICK M RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES	CHF	138.75	A
	48V DC IP20 BK			
MCKR01IAC	XCLICK M RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES	CHF	136.20	A
	48V DC IP20 BK			
MCKS01	XCLICK M SURFACE PROFILE 2,5m 48V DC IP20 BK	CHF	282.50	A
MCKS01C90	XCLICK M SURFACE CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	71.70	A
MCKS01IAC	XCLICK M SURFACE CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES	CHF	68.10	A
	48V DC IP20 BK			
MCKRS01CV	XCLICK M RECESSED/SURFACE FRONT COVER 2,5m BK	CHF	32.15	A
MCKRS01FC	XCLICK M FLEXIBLE ANGLE CONNECTOR WITH CABLE 48V DC IP20 BK	CHF	75.10	A
MCKRS01LC	XCLICK M LINEAR CONNECTOR 48V DC IP20 BK	CHF	42.90	A
MCKRS01PC0.5	XCLICK M POWER SUPPLY CONNECTOR WITH CABLE 48V DC IP20 BK	CHF	47.20	A
MCKS01CF	XCLICK M SURFACE FIXING ELEMENT FOR WALL/CEILING MOUNTING BK	CHF	17.85	A
MCKS01PC1.7	XCLICK M SURFACE POWER SUPPLY CONNECTOR WITH CABLE 1,7m 48V	CHF	69.15	A
	DC IP20 BK			
MCKRS01EC	XCLICK M END CAP WITHOUT HOLE BK	CHF	12.60	A
MCKRS02EC	XCLICK M END CAP WITH HOLE BK	CHF	12.60	A
MCKS01MSU	XCLICK M SURFACE MECHANICAL SUSP+WIRE BK	CHF	21.45	A
MCKRS01NW OP	XCLICK M LINEAR DALI LIGHT FITTING 19,2W 48V DC 4000K CRI.90	CHF	214.60	A
	306x32.5x42,5mm IP20 BK			
MCKRS01WW OP	XCLICK M LINEAR DALI LIGHT FITTING 19,2W 48V DC 3000K CRI.90	CHF	214.60	A
	306x32.5x42,5mm IP20 BK			
MCKRS02NW OP	XCLICK M LINEAR DALI LIGHT FITTING 38,4W 48V DC 4000K CRI.90	CHF	300.35	A
	601x32.5x42,5mm IP20 BK			
MCKRS02WW OP	XCLICK M LINEAR DALI LIGHT FITTING 38,4W 48V DC 3000K CRI.90	CHF	300.35	A
	601x32.5x42,5mm IP20 BK			
MCKRS03NW OP	XCLICK M LINEAR DALI LIGHT FITTING 57,6W 48V DC 4000K CRI.90	CHF	399.70	A
	896x32.5x42,5mm IP20 BK			
MCKRS03WW OP	XCLICK M LINEAR DALI LIGHT FITTING 57,6W 48V DC 3000K CRI.90	CHF	399.70	A
	896x32.5x42,5mm IP20 BK			
MCKRS04NW OP	XCLICK M LINEAR DALI LIGHT FITTING 76,8W 48V DC 4000K CRI.90	CHF	484.25	A
	1191x32.5x42,5mm IP20 BK			
MCKRS04WW OP	XCLICK M LINEAR DALI LIGHT FITTING 76,8W 48V DC 3000K CRI.90	CHF	484.25	A
	1191x32.5x42,5mm IP20 BK			
MCKRS05NW OP	XCLICK M LINEAR DALI LIGHT FITTING 96W 48V DC 4000K CRI.90	CHF	557.30	A
	1486x32.5x42,5mm IP20 BK			
MCKRS05WW OP	XCLICK M LINEAR DALI LIGHT FITTING 96W 48V DC 3000K CRI.90	CHF	557.30	A
	1486x32.5x42,5mm IP20 BK			
MCKRS21NW SP	XCLICK M FIXED DALI PROJECTOR 11W 48V DC 4000K CRI.90 IP20 18°	CHF	228.90	A
	156x32.5x42,5mm UGR<10 BK			
MCKRS21WW SP	XCLICK M FIXED DALI PROJECTOR 11W 48V DC 3000K CRI.90 IP20 18°	CHF	228.90	A
	156x32.5x42,5mm UGR<10 BK			
MCKRS31NW SP BK	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 20°	CHF	256.15	A
	UGR<16 BK			

Art-Nr.:	Produktbeschreibung			
MCKRS31NW SP MWH	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 20°	CHF	256.15	A
	UGR<16 MWH			
MCKRS31NW SP SGD	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 20°	CHF	256.15	A
	UGR<16 SGD			
MCKRS31WW SP BK	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 20°	CHF	256.15	A
	UGR<16 BK			
MCKRS31WW SP MWH	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 20°	CHF	256.15	A
	UGR<16 MWH			
MCKRS31WW SP SGD	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 20°	CHF	256.15	A
	UGR<16 SGD			
MCKRS32NW SP BK	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 20°	CHF	315.90	A
	UGR<16 BK			
MCKRS32NW SP MWH	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 20°	CHF	315.90	A
	UGR<16 MWH			
MCKRS32NW SP SGD	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 20°	CHF	315.90	A
	UGR<16 WGD			
MCKRS32WW SP BK	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 20°	CHF	315.90	A
	UGR<16 BK			
MCKRS32WW SP MWH	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 20°	CHF	315.90	A
	UGR<16 MWH			
MCKRS32WW SP SGD	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 20°	CHF	315.90	A
	UGR<16 SGD			
MCKRS33NW SP BK	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 15°-30°	CHF	303.95	A
	BK			
MCKRS33NW SP MWH	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 15°-30°	CHF	300.65	A
	MWH			
MCKRS33NW SP SGD	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 15°-30°	CHF	300.65	A
	WGD			
MCKRS33WW SP BK	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 15°-30°	CHF	303.95	A
	BK			
MCKRS33WW SP MWH	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 15°-30°	CHF	300.65	A
	MWH			
MCKRS33WW SP SGD	XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 15°-30°	CHF	300.65	A
	SGD			
MCKRS34NW SP BK	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 15°-30°	CHF	366.35	A
	BK			
MCKRS34NW SP MWH	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 15°-30°	CHF	366.35	A
	MWH			
MCKRS34NW SP SGD	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 15°-30°	CHF	366.35	A
	SGD			
MCKRS34WW SP BK	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 15°-30°	CHF	366.35	A
	BK			
MCKRS34WW SP MWH	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 15°-30°	CHF	366.35	A
	MWH			
MCKRS34WW SP SGD	XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 15°-30°	CHF	366.35	A
	SGD			
MCKRS14NW SU BK	XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 4000K CRI.90	CHF	280.55	A
	IP20 18° UGR<19 BK			
MCKRS14NW SU MWH	XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 4000K CRI.90	CHF	280.55	A
	IP20 18° UGR<19 MWH			
MCKRS14NW SU SGD	XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 4000K CRI.90	CHF	280.55	A
	IP20 18° UGR<19 SGD			
MCKRS14WW SU BK	XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 3000K CRI.90	CHF	280.55	A
	IP20 18° UGR<19 BK			
MCKRS14WW SU MWH	XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 3000K CRI.90	CHF	280.55	A
	IP20 18° UGR<19 MWH			
MCKRS14WW SU SGD	XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 3000K CRI.90	CHF	280.55	A
	IP20 18° UGR<19 SGD			
STMRO1EAC	XTRIM S RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES	CHF	123.00	A
	48V DC IP20 BK			
STMRO1FD	XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL.	CHF	104.15	A
	48V DC 0.5M BK			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
STMRS01IAC	XTRIM S RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK	CHF	123.00	A
STMRS01INT	XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 0.5M IP20 BK	CHF	91.15	A
STMRS02FD	XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1M BK	CHF	188.75	A
STMRS02INT	XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1M IP20 BK	CHF	175.75	A
STMRS03FD	XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1.5M BK	CHF	253.80	A
STMRS03INT	XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1.5M IP20 BK	CHF	240.85	A
STMRS04FD	XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2M BK	CHF	318.95	A
STMRS04INT	XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2M IP20 BK	CHF	305.90	A
STMRS05FD	XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2,5m BK	CHF	397.00	A
STMRS05INT	XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2,5m IP20 BK	CHF	384.05	A
STMRS01C90	XTRIM S RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	125.20	A
STMRS01LC	XTRIM S LINEAR CONNECTOR 48V DC IP20 BK	CHF	22.70	A
STMRS01PIN	XTRIM S ELECTRICAL PIN CONNECTOR (1 connector = 2 pins = set)	CHF	5.85	A
STMRS01C90	XTRIM S SURFACE CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	105.40	A
STMRS01DPC	XTRIM S SURFACE CONNECTOR 90grd DIFFERENT PLANES 48V DC IP20 BK	CHF	115.25	A
STMRS01FD	XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 0.5M BK	CHF	106.80	A
STMRS01INT	XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 0,5M IP20 BK	CHF	93.70	A
STMRS02FD	XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1M BK	CHF	188.75	A
STMRS02INT	XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1M IP20 BK	CHF	175.75	A
STMRS03FD	XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1.5M BK	CHF	240.85	A
STMRS03INT	XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1,5M IP20 BK	CHF	227.85	A
STMRS04FD	XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2M BK	CHF	312.45	A
STMRS04INT	XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2M IP20 BK	CHF	299.45	A
STMRS05FD	XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2,5m BK	CHF	377.55	A
STMRS05INT	XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2,5m IP20 BK	CHF	364.50	A
STMRS01UWW OP	XTRIM S LINEAR LIGHT FITTING 11,3W 48V DC 2700K CRI.80 300x14,6x24,5 mm IP20 BK	CHF	104.15	A
STMRS01WW OP	XTRIM S LINEAR LIGHT FITTING 11,3W 48V DC 3000K CRI.80 300x14,6x24,5 mm IP20 BK	CHF	104.15	A
STMRS02UWW OP	XTRIM S LINEAR LIGHT FITTING 20W 48V DC 2700K CRI.80 600x14,6x24,5 mm IP20 BK	CHF	166.60	A
STMRS02WW OP	XTRIM S LINEAR LIGHT FITTING 20W 48V DC 3000K CRI.80 600x14,6x24,5 mm IP20 BK	CHF	166.60	A
STMRS03UWW OP	XTRIM S LINEAR LIGHT FITTING 30W 48V DC 2700K CRI.80 900x14,6x24,5 mm IP20 BK	CHF	222.25	A
STMRS03WW OP	XTRIM S LINEAR LIGHT FITTING 30W 48V DC 3000K CRI.80 900x14,6x24,5 mm IP20 BK	CHF	222.25	A
STMRS04UWW OP	XTRIM S LINEAR LIGHT FITTING 40W 48V DC 2700K CRI.80 1190x14,6x24,5 mm IP20 BK	CHF	319.35	A

Art-Nr.:	Produktbeschreibung			
STMRS04WW OP	XTRIM S LINEAR LIGHT FITTING 40W 48V DC 3000K CRI.80 1190x14,6x24,5 mm IP20 BK	CHF	319.35	A
STMRS05UWW OP	XTRIM S LINEAR LIGHT FITTING 50W 48V DC 2700K CRI.80 1490x14,6x24,5 mm IP20 BK	CHF	388.75	A
STMRS05WW OP	XTRIM S LINEAR LIGHT FITTING 50W 48V DC 3000K CRI.80 1490x14,6x24,5 mm IP20 BK	CHF	388.75	A
STMRS31UWW SP	XTRIM S FIX SPOTLIGHT 3W 48V DC 2700K CRI.90 IP20 20° UGR<10 BK	CHF	104.75	A
STMRS31WW SP	XTRIM S FIX SPOTLIGHT 3W 48V DC 3000K CRI.90 IP20 20° UGR<10 BK	CHF	104.75	A
STMRS33UWW SP	XTRIM S SPOT FIX 3,15W 48V DC 2700K CRI.90 IP20 20° UGR<10 BK	CHF	135.15	A
STMRS33WW SP	XTRIM S SPOT FIX 3,15W 48V DC 3000K CRI.90 IP20 20° UGR<10 BK	CHF	135.15	A
STMRS41UWW SP BK	XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 2700K CRI.90 IP20 14° UGR<16 BK	CHF	171.75	A
STMRS41UWW SP MWH	XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 2700K CRI.90 IP20 14° UGR<16 MWH	CHF	171.75	A
STMRS41UWW SP SGD	XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 2700K CRI.90 IP20 14° UGR<16 SGD	CHF	171.75	A
STMRS41WW SP BK	XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 3000K CRI.90 IP20 14° UGR<16 BK	CHF	171.75	A
STMRS41WW SP MWH	XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 3000K CRI.90 IP20 14° UGR<16 MWH	CHF	171.75	A
STMRS41WW SP SGD	XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 3000K CRI.90 IP20 14° UGR<16 SGD	CHF	171.75	A
STMRS42UWW SP BK	XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 2700K CRI.90 IP20 6° UGR<16 BK	CHF	286.70	A
STMRS42UWW SP MWH	XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 2700K CRI.90 IP20 6° UGR<16 MWH	CHF	286.70	A
STMRS42UWW SP SGD	XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 2700K CRI.90 IP20 6° UGR<16 SGD	CHF	286.70	A
STMRS42WW SP BK	XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 3000K CRI.90 IP20 6° UGR<16 BK	CHF	286.70	A
STMRS42WW SP MWH	XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 3000K CRI.90 IP20 6° UGR<16 MWH	CHF	286.70	A
STMRS42WW SP SGD	XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 3000K CRI.90 IP20 6° UGR<16 SGD	CHF	286.70	A
STMRS43UWW SP BK	XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 2700K CRI.90 IP20 28grd UGR<16 BK	CHF	196.30	A
STMRS43UWW SP MWH	XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 2700K CRI.90 IP20 28grd UGR<16 MWH	CHF	196.30	A
STMRS43UWW SP SGD	XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 2700K CRI.90 IP20 28grd UGR<16 SGD	CHF	196.30	A
STMRS43WW SP BK	XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 3000K CRI.90 IP20 28grd UGR<16 BK	CHF	196.30	A
STMRS43WW SP MWH	XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 3000K CRI.90 IP20 28grd UGR<16 MWH	CHF	196.30	A
STMRS43WW SP SGD	XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 3000K CRI.90 IP20 28grd UGR<16 SGD	CHF	196.30	A
STMRS21UWW SP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 2700K CRI.90 150 mm IP20 UGR<16 BK	CHF	256.85	A
STMRS21UWW SP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 2700K CRI.90 150 mm IP20 UGR<16 MWH (5,1,2)	CHF	256.85	A
STMRS21UWW SP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 2700K CRI.90 150 mm IP20 UGR<16 SGD (5,1,2)	CHF	256.85	A
STMRS21WW SP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 3000K CRI.90 150 mm IP20 UGR<16 BK	CHF	256.85	A
STMRS21WW SP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 3000K CRI.90 150 mm IP20 UGR<16 MWH	CHF	256.85	A
STMRS21WW SP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 3000K CRI.90 150 mm IP20 UGR<16 SGD	CHF	256.85	A
STMRS22UWW SP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 2700K CRI.90 300mm IP20 UGR<16 BK	CHF	444.30	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung				
STMRS22UWW SP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 2700K CRI.90 300mm	CHF	444.30	A	
	IP20 UGR<16 MWH				
STMRS22UWW SP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 2700K CRI.90 300mm	CHF	444.30	A	
	IP20 UGR<16 SGD				
STMRS22WW SP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 3000K CRI.90 300mm	CHF	444.30	A	
	IP20 UGR<16 BK				
STMRS22WW SP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 3000K CRI.90 300mm	CHF	444.30	A	
	IP20 UGR<16 MWH				
STMRS22WW SP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 3000K CRI.90 300mm	CHF	444.30	A	
	IP20 UGR<16 SGD				
STMRS11UWW OP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 2700K CRI.80 150 mm	CHF	194.40	A	
	IP20 BK				
STMRS11UWW OP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 2700K CRI.80 150 mm	CHF	194.40	A	
	IP20 MWH				
STMRS11UWW OP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 2700K CRI.80 150 mm	CHF	194.40	A	
	IP20 SGD				
STMRS11WW OP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 3000K CRI.80 150 mm	CHF	194.40	A	
	IP20 BK				
STMRS11WW OP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 3000K CRI.80 150 mm	CHF	194.40	A	
	IP20 MWH				
STMRS11WW OP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 3000K CRI.80 150 mm	CHF	194.40	A	
	IP20 SGD				
STMRS12UWW OP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 2700K CRI.80 300 mm	CHF	277.70	A	
	IP20 BK				
STMRS12UWW OP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 2700K CRI.80 300 mm	CHF	277.70	A	
	IP20 MWH (5,1.2)				
STMRS12UWW OP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 2700K CRI.80 300 mm	CHF	277.70	A	
	IP20 SGD				
STMRS12WW OP BK	XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 3000K CRI.80 300 mm	CHF	277.70	A	
	IP20 BK				
STMRS12WW OP MWH	XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 3000K CRI.80 300 mm	CHF	277.70	A	
	IP20 MWH				
STMRS12WW OP SGD	XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 3000K CRI.80 300 mm	CHF	277.70	A	
	IP20 SGD				
STMRS51UWW SF	XTRIM S DECO. SPHERICAL LIGHT FITTING 7,5W 48V DC 2700K CRI.90 IP20	CHF	312.40	A	
	BK				
STMRS51WW SF	XTRIM S DECO. SPHERICAL LIGHT FITTING 7,5W 48V DC 3000K CRI.90 IP20	CHF	312.40	A	
	BK				
STMRS53UWW PN	XTRIM S DECO. PANEL LIGHT FITTING 14W 48V DC 2700K CRI.90 IP20 PAW	CHF	290.20	A	
STMRS53WW PN	XTRIM S DECO. PANEL LIGHT FITTING 14W 48V DC 3000K CRI.90 IP20 PAW	CHF	290.20	A	
MTMR01FD	XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V	CHF	221.30	A	
	DC 0.5M BK				
MTMR01INT	XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC	CHF	195.20	A	
	0,5M IP20 BK				
MTMR02FD	XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V	CHF	377.55	A	
	DC 1M BK				
MTMR02INT	XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1M	CHF	351.50	A	
	IP20 BK				
MTMR03FD	XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V	CHF	507.65	A	
	DC 1.5M BK				
MTMR03INT	XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC	CHF	481.65	A	
	1,5M IP20 BK				
MTMR04FD	XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V	CHF	689.95	A	
	DC 2M BK				
MTMR04INT	XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2M	CHF	663.90	A	
	IP20 BK				
MTMR05FD	XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V	CHF	781.10	A	
	DC 2,5m BK				
MTMR05INT	XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC	CHF	755.00	A	
	2,5m IP20 BK				

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
MTMR01C90	XTRIM M RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK	CHF	249.90	A
MTMR01EAC	XTRIM M RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK	CHF	209.50	A
MTMR01IAC	XTRIM M RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK	CHF	253.65	A
MTMR01LC	XTRIM M RECESSED LINEAR CONNECTOR 48V DC IP20 BK	CHF	35.95	A
MTMR01NW OP	XTRIM M LINEAR DALI LIGHT FITTING 24W 48V DC 4000K CRI.80 300x34x71mm IP20 BK	CHF	284.75	A
MTMR01WW OP	XTRIM M LINEAR DALI LIGHT FITTING 24W 48V DC 3000K CRI.80 300x34x71mm IP20 BK	CHF	284.70	A
MTMR02NW OP	XTRIM M LINEAR DALI LIGHT FITTING 48W 48V DC 4000K CRI.80 595x34x71mm IP20 BK	CHF	423.45	A
MTMR02WW OP	XTRIM M LINEAR DALI LIGHT FITTING 48W 48V DC 3000K CRI.80 595x34x71mm IP20 BK	CHF	423.50	A
MTMR03NW OP	XTRIM M LINEAR DALI LIGHT FITTING 72W 48V DC 4000K CRI.80 890x34x71mm IP20 BK	CHF	513.90	A
MTMR03WW OP	XTRIM M LINEAR DALI LIGHT FITTING 72W 48V DC 3000K CRI.80 890x34x71mm IP20 BK	CHF	513.90	A
MTMR04NW OP	XTRIM M LINEAR DALI LIGHT FITTING 96W 48V DC 4000K CRI.80 1185x34x71mm IP20 BK	CHF	711.50	A
MTMR04WW OP	XTRIM M LINEAR DALI LIGHT FITTING 96W 48V DC 3000K CRI.80 1185x34x71mm IP20 BK	CHF	711.50	A
MTMR05NW OP	XTRIM M LINEAR DALI LIGHT FITTING 120W 48V DC 4000K CRI.80 1480x34x71mm IP20 BK	CHF	891.20	A
MTMR05WW OP	XTRIM M LINEAR DALI LIGHT FITTING 120W 48V DC 3000K CRI.80 1480x34x71mm IP20 BK	CHF	891.20	A
MTMR31NW SP	XTRIM M FIX DALI SPOTLIGHT 11W 48V DC 4000K CRI.90 IP20 8° UGR<10 BK	CHF	299.75	A
MTMR31WW SP	XTRIM M FIX DALI SPOTLIGHT 11W 48V DC 3000K CRI.90 IP20 8° UGR<10 BK	CHF	299.75	A
MTMR41NW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 4000K CRI.90 IP20 20° BK	CHF	469.55	A
MTMR41NW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 4000K CRI.90 IP20 20° MWH	CHF	469.55	A
MTMR41NW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 4000K CRI.90 IP20 20° SGD	CHF	469.55	A
MTMR41WW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 3000K CRI.90 IP20 20° BK	CHF	469.55	A
MTMR41WW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 3000K CRI.90 IP20 20° MWH	CHF	469.55	A
MTMR41WW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 3000K CRI.90 IP20 20° SGD	CHF	469.55	A
MTMR43NW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 4000K CRI.90 IP20 20° BK	CHF	603.05	A
MTMR43NW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 4000K CRI.90 IP20 20° MWH	CHF	603.05	A
MTMR43NW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 4000K CRI.90 IP20 20° SGD	CHF	603.05	A
MTMR43WW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 3000K CRI.90 IP20 20° BK	CHF	603.05	A
MTMR43WW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 3000K CRI.90 IP20 20° MWH	CHF	603.05	A
MTMR43WW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 3000K CRI.90 IP20 20° SGD	CHF	603.05	A
MTMR42NW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 4000K CRI90 20° BK	CHF	476.55	A
MTMR42NW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 4000K CRI90 20° MWH	CHF	476.55	A
MTMR42NW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 4000K CRI90 20° SGD	CHF	476.55	A

Art-Nr.:	Produktbeschreibung			
MTMR42WW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 3000K CRI90 20° BK	CHF	476.55	A
MTMR42WW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 3000K CRI90 20° MWH	CHF	476.55	A
MTMR42WW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 3000K CRI90 20° SGD	CHF	476.55	A
MTMR44NW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 4000K CRI90 20° BK	CHF	603.05	A
MTMR44NW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 4000K CRI90 20° MWH	CHF	603.05	A
MTMR44NW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 4000K CRI90 20° SGD	CHF	603.05	A
MTMR44WW SP BK	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 3000K CRI90 20° BK	CHF	603.05	A
MTMR44WW SP MWH	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 3000K CRI90 20° MWH	CHF	603.05	A
MTMR44WW SP SGD	XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 3000K CRI90 20° SGD	CHF	603.05	A
NE01R	XNEO REC. PROFILE 24V DC 2m	CHF	153.05	A
NE01RC90	XNEO REC. 90 degr. ANGLE CONNECTOR 24V DC SAME PLANE	CHF	75.45	A
NE01REAC	XNEO REC. EXTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES	CHF	92.65	A
NE01RIAC	XNEO REC. INTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES	CHF	94.30	A
NE01S	XNEO SURF. PROFILE 24V DC 2m	CHF	174.25	A
NE01SC90	XNEO SURF. 90 degr. ANGLE CONNECTOR 24V DC SAME PLANE	CHF	73.75	A
NE01SEAC	XNEO SURF. EXTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES	CHF	94.30	A
NE01SIAC	XNEO SURF. INTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES	CHF	94.30	A
NE01EC	XNEO END CAP	CHF	6.80	A
NE01LC	XNEO LINEAR CONNECTION ELEMENT 24V DC	CHF	13.20	A
NE01PC	XNEO POWER SUPPLY & LINEAR CONNECTION ELEMENT 24V DC	CHF	19.80	A
NE02CV	XNEO FRON COVER 1.5m BK	CHF	14.85	A
NE01CV	XNEO FRON COVER 1.5m MWH	CHF	14.85	A
NE01SC	XNEO MONOPOLAR CONNECTOR FOR LED STRIP 24V DC	CHF	15.90	A
NE01WW BK	XNEO ADJ. LINEAR FITTINGS 5.3W 24V DC 3000K BK	CHF	132.20	A
NE01WW MWH	XNEO ADJ. LINEAR FITTINGS 5.3W 24V DC 3000K MWH	CHF	132.20	A
NE01WW SGD	XNEO ADJ. LINEAR FITTINGS 5.3W 24V DC 3000K SGD	CHF	132.20	A
NE02WW BK	XNEO ADJ. LINEAR FITTINGS 10.8W 24V DC 3000K BK	CHF	161.55	A
NE02WW MWH	XNEO ADJ. LINEAR FITTINGS 10.8W 24V DC 3000K MWH	CHF	161.55	A
NE02WW SGD	XNEO ADJ. LINEAR FITTINGS 10.8W 24V DC 3000K SGD	CHF	161.55	A
NE03WW BK	XNEO ADJ. MINI PROJ. 6.3W 24V DC 3000K 32 degr. BK	CHF	175.90	A
NE03WW MWH	XNEO ADJ. MINI PROJ. 6.3W 24V DC 3000K 32 degr. MWH	CHF	175.90	A
NE03WW SGD	XNEO ADJ. MINI PROJ. 6.3W 24V DC 3000K 32 degr. SGD	CHF	175.90	A
NE04WW BK	XNEO ADJ. MINI PROJ. 9.6W 24V DC 3000K 25 degr. BK	CHF	198.35	A
NE04WW MWH	XNEO ADJ. MINI PROJ. 9.6W 24V DC 3000K 25 degr. MWH	CHF	198.35	A
NE04WW SGD	XNEO ADJ. MINI PROJ. 9.6W 24V DC 3000K 25 degr. SGD	CHF	198.35	A
NE05WW BK	XNEO DECORATIVE SUSP. 6.3W 24V DC 3000K 32 degr. BK	CHF	190.95	A
NE05WW MWH	XNEO DECORATIVE SUSP. 6.3W 24V DC 3000K 32 degr. MWH	CHF	190.95	A
NE05WW SGD	XNEO DECORATIVE SUSP. 6.3W 24V DC 3000K 32 degr. SGD	CHF	190.95	A
UNS03NW SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SBK	CHF	249.75	A
UNS03NW SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SWH	CHF	249.75	A
UNS03NWDALI SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SBK	CHF	342.60	A
UNS03NWDALI SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SWH	CHF	342.60	A
UNS03WW SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 3000K CRI.90 1186mm IP20 60° UGR<16 SBK	CHF	249.75	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung				
UNS03WW SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 3000K	CHF	249.75	A	
	CRI.90 1186mm IP20 60° UGR<16 SWH				
UNS03WWDALI SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 3000K	CHF	342.60	A	
	CRI.90 1186mm IP20 60° UGR<16 SBK				
UNS03WWDALI SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 3000K	CHF	342.60	A	
	CRI.90 1186mm IP20 60° UGR<16 SWH				
UNS04NW SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 4000K	CHF	286.90	A	
	CRI.90 1480mm IP20 60° UGR<16 SBK				
UNS04NW SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 4000K	CHF	286.90	A	
	CRI.90 1480mm IP20 60° UGR<16 SWH				
UNS04NWDALI SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 4000K	CHF	398.35	A	
	CRI.90 1480mm IP20 60° UGR<16 SBK				
UNS04NWDALI SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 4000K	CHF	398.35	A	
	CRI.90 1480mm IP20 60° UGR<16 SWH				
UNS04WW SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 3000K	CHF	286.90	A	
	CRI.90 1480mm IP20 60° UGR<16 SBK				
UNS04WW SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 3000K	CHF	286.90	A	
	CRI.90 1480mm IP20 60° UGR<16 SWH				
UNS04WWDALI SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 3000K	CHF	398.35	A	
	CRI.90 1480mm IP20 60° UGR<16 SBK				
UNS04WWDALI SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 3000K	CHF	398.35	A	
	CRI.90 1480mm IP20 60° UGR<16 SWH				
UNS05NW SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 4000K	CHF	166.20	A	
	CRI.90 600mm IP20 60° UGR<16 SBK				
UNS05NW SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 4000K	CHF	166.20	A	
	CRI.90 600mm IP20 60° UGR<16 SWH				
UNS05WW SBK	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 3000K	CHF	166.20	A	
	CRI.90 600mm IP20 60° UGR<16 SBK				
UNS05WW SWH	XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 3000K	CHF	166.20	A	
	CRI.90 600mm IP20 60° UGR<16 SWH				
UNS034C90NW SBK	XUNO SYSTEM 90dgr CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20	CHF	185.95	A	
	60° UGR<16 SBK				
UNS034C90NW SWH	XUNO SYSTEM 90dgr CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20	CHF	185.95	A	
	60° UGR<16 SWH				
UNS034C90NWDALI SBK	XUNO SYSTEM 90dgr CONNECTOR DALI 30W 4000K 220-240V AC CRI.90	CHF	274.85	A	
	IP20 60° UGR<16 SBK				
UNS034C90NWDALI SWH	XUNO SYSTEM 90dgr CONNECTOR DALI 30W 4000K 220-240V AC CRI.90	CHF	274.85	A	
	IP20 60° UGR<16 SWH				
UNS034C90WW SBK	XUNO SYSTEM 90dgr CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20	CHF	185.95	A	
	60° UGR<16 SBK				
UNS034C90WW SWH	XUNO SYSTEM 90dgr CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20	CHF	185.95	A	
	60° UGR<16 SWH				
UNS034C90WWDALI SBK	XUNO SYSTEM 90dgr CONNECTOR DALI 30W 3000K 220-240V AC CRI.90	CHF	274.85	A	
	IP20 60° UGR<16 SBK				
UNS034C90WWDALI SWH	XUNO SYSTEM 90dgr CONNECTOR DALI 30W 3000K 220-240V AC CRI.90	CHF	274.85	A	
	IP20 60° UGR<16 SWH				
UNS034TCNW SBK	XUNO SYSTEM T-shape CONNECTOR 4000K 30W 220-240V AC CRI.90 IP20	CHF	202.10	A	
	60° UGR<16 SBK				
UNS034TCNW SWH	XUNO SYSTEM T-shape CONNECTOR 4000K 30W 220-240V AC CRI.90 IP20	CHF	202.10	A	
	60° UGR<16 SWH				
UNS034TCNWDALI SBK	XUNO SYSTEM T-shape CONNECTOR 4000K DALI 30W 220-240V AC CRI.90	CHF	291.05	A	
	IP20 60° UGR<16 SBK				
UNS034TCNWDALI SWH	XUNO SYSTEM T-shape CONNECTOR 4000K DALI 30W 220-240V AC CRI.90	CHF	291.05	A	
	IP20 60° UGR<16 SWH				
UNS034TCWW SBK	XUNO SYSTEM T-shape CONNECTOR 3000K 30W 220-240V AC CRI.90 IP20	CHF	202.10	A	
	60° UGR<16 SBK				
UNS034TCWW SWH	XUNO SYSTEM T-shape CONNECTOR 3000K 30W 220-240V AC CRI.90 IP20	CHF	202.10	A	
	60° UGR<16 SWH				
UNS034TCWWDALI SBK	XUNO SYSTEM T-shape CONNECTOR 3000K DALI 30W 220-240V AC CRI.90	CHF	291.05	A	
	IP20 60° UGR<16 SBK				
UNS034TCWWDALI SWH	XUNO SYSTEM T-shape CONNECTOR 3000K DALI 30W 220-240V AC CRI.90	CHF	291.05	A	
	IP20 60° UGR<16 SWH				

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
UNS034LC	XUNO SYSTEM LINEAR CONNECTOR	CHF	28.85	A
UNS034LCDALI	XUNO SYSTEM LINEAR CONNECTOR for DALI	CHF	32.95	A
UNS034XCNW SBK	XUNO SYSTEM X-shape CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK	CHF	218.25	A
UNS034XCNW SWH	XUNO SYSTEM X-shape CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH	CHF	218.25	A
UNS034XCNWDALI SBK	XUNO SYSTEM X-shape CONNECTOR DALI 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK	CHF	315.25	A
UNS034XCNWDALI SWH	XUNO SYSTEM X-shape CONNECTOR DALI 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH	CHF	315.25	A
UNS034XCWW SBK	XUNO SYSTEM X-shape CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK	CHF	218.25	A
UNS034XCWW SWH	XUNO SYSTEM X-shape CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH	CHF	218.25	A
UNS034XCWWDALI SBK	XUNO SYSTEM X-shape CONNECTOR DALI 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK	CHF	315.25	A
UNS034XCWWDALI SWH	XUNO SYSTEM X-shape CONNECTOR DALI 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH	CHF	315.25	A
UNS034CB SBK	XUNO SYSTEM CONNECTION BOX WITH 2P+N BLOCK TERMINAL, IP20 SBK	CHF	24.25	A
UNS034CB SWH	XUNO SYSTEM CONNECTION BOX WITH 2P+N BLOCK TERMINAL, IP20 SWH	CHF	24.25	A
UNS034PK SBK	XUNO SYSTEM POWER SUPPLY KIT, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SBK	CHF	37.10	A
UNS034PK SWH	XUNO SYSTEM POWER SUPPLY KIT, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SWH	CHF	37.10	A
UNS034PKDALI SBK	XUNO SYSTEM POWER SUPPLY KIT for DALI, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SBK	CHF	41.25	A
UNS034PKDALI SWH	XUNO SYSTEM POWER SUPPLY KIT for DALI, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SWH	CHF	41.25	A
RP50NW15 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 4000K CRI 80 120° 570mm MBK OSRAM	CHF	105.45	A
RP50NW15 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 570mm MBK	CHF	111.75	A
RP50NW15 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 4000K CRI 80 120° 570mm MWH OSRAM	CHF	105.45	A
RP50NW15 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 570mm MWH	CHF	111.75	A
RP50NW15DALI MBK	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 570mm MBK	CHF	164.85	A
RP50NW15DALI MWH	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 570mm MWH	CHF	164.85	A
RP50NW30 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 4000K CRI 80 120° 1140mm MBK OSRAM	CHF	191.25	A
RP50NW30 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1140mm MBK	CHF	204.15	A
RP50NW30 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 4000K CRI 80 120° 1140mm MWH OSRAM	CHF	191.25	A
RP50NW30 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1140mm MWH	CHF	204.15	A
RP50NW30DALI MBK	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MBK	CHF	249.70	A
RP50NW30DALI MWH	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MWH	CHF	249.70	A
RP50NW45 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 4000K CRI 80 120° 1710mm MBK OSRAM	CHF	277.60	A
RP50NW45 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1710mm MBK	CHF	292.30	A
RP50NW45 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 4000K CRI 80 120° 1710mm MWH OSRAM	CHF	277.60	A
RP50NW45 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1710mm MWH	CHF	292.30	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
RP50NW45DALI MBK	XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 4000K	CHF	356.80	A
	TRIDONIC CRI.80 IP40 120° 1710mm MBK			
RP50NW45DALI MWH	XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 4000K	CHF	356.80	A
	TRIDONIC CRI.80 IP40 120° 1710mm MWH			
RP50NW60 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 4000K CRI 80	CHF	360.10	A
	120° 2280mm MBK OSRAM			
RP50NW60 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC	CHF	385.00	A
	CRI.80 IP40 120° 2280mm MBK			
RP50NW60 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 4000K CRI 80	CHF	360.10	A
	120° 2280mm MWH OSRAM			
RP50NW60 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC	CHF	385.00	A
	CRI.80 IP40 120° 2280mm MWH			
RP50NW60DALI MBK	XROPE SURF./SUSP. DALI LIGHT FITTING 58.8W 220-240V AC 4000K	CHF	432.15	A
	TRIDONIC CRI.80 IP40 120° 2280mm MBK			
RP50NW60DALI MWH	XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC	CHF	432.15	A
	DALI CRI.80 IP40 120° 2280mm MWH			
RP50WW15 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 3000K CRI 80	CHF	105.45	A
	120° 570mm MBK OSRAM			
RP50WW15 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC	CHF	111.75	A
	CRI.80 IP40 120° 570mm MBK			
RP50WW15 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 3000K CRI 80	CHF	105.45	A
	120° 570mm MWH OSRAM			
RP50WW15 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC	CHF	111.75	A
	CRI.80 IP40 120° 570mm MWH			
RP50WW15DALI MBK	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC	CHF	164.85	A
	DALI CRI.80 IP40 120° 570mm MBK			
RP50WW15DALI MWH	XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC	CHF	164.85	A
	DALI CRI.80 IP40 120° 570mm MWH			
RP50WW30 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 3000K CRI 80	CHF	191.25	A
	120° 1140mm MBK OSRAM			
RP50WW30 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC	CHF	204.15	A
	CRI.80 IP40 120° 1140mm MBK			
RP50WW30 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 3000K CRI 80	CHF	191.25	A
	120° 1140mm MWH OSRAM			
RP50WW30 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC	CHF	204.15	A
	CRI.80 IP40 120° 1140mm MWH			
RP50WW30DALI MBK	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC	CHF	249.70	A
	DALI CRI.80 IP40 120° 1140mm MBK			
RP50WW30DALI MWH	XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC	CHF	249.70	A
	DALI CRI.80 IP40 120° 1140mm MWH			
RP50WW45 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 3000K CRI 80	CHF	277.60	A
	120° 1710mm MBK OSRAM			
RP50WW45 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC	CHF	292.30	A
	CRI.80 IP40 120° 1710mm MBK			
RP50WW45 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 3000K CRI 80	CHF	277.60	A
	120° 1710mm MWH OSRAM			
RP50WW45 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC	CHF	292.30	A
	CRI.80 IP40 120° 1710mm MWH			
RP50WW45DALI MBK	XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 3000K	CHF	356.80	A
	TRIDONIC CRI.80 IP40 120° 1710mm MBK			
RP50WW45DALI MWH	XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 3000K	CHF	356.80	A
	TRIDONIC CRI.80 IP40 120° 1710mm MWH			
RP50WW60 MBK O.	XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 3000K CRI 80	CHF	360.10	A
	120° 2280mm MBK OSRAM			
RP50WW60 MBK T.	XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC	CHF	385.00	A
	CRI.80 IP40 120° 2280mm MBK			
RP50WW60 MWH O.	XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 3000K CRI 80	CHF	360.10	A
	120° 2280mm MWH OSRAM			
RP50WW60 MWH T.	XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC	CHF	385.00	A
	CRI.80 IP40 120° 2280mm MWH			
RP50WW60DALI MBK	XROPE SURF./SUSP. DALI LIGHT FITTING 58.8W 220-240V AC 3000K	CHF	432.15	A
	TRIDONIC CRI.80 IP40 120° 2280mm MBK			

Art-Nr.:	Produktbeschreibung			
RP50WW6DALI MWH	XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC	CHF	432.15	A
	DALI CRI.80 IP40 120° 2280mm MWH			
RP50NW12TC MBK	XROPE T-shape CONNECTOR 3X4W 220-240V AC 4000K CRI.80 IP40 120°	CHF	195.25	A
	MBK			
RP50NW12TC MWH	XROPE T-shape CONNECTOR 3X4W 220-240V AC 4000K CRI.80 IP40 120°	CHF	195.25	A
	MWH			
RP50NW16XC MBK	XROPE X-shape CONNECTOR 4X4W 220-240V AC 4000K CRI.80 IP40 120°	CHF	266.50	A
	MBK			
RP50NW16XC MWH	XROPE X-shape CONNECTOR 4X4W 220-240V AC 4000K CRI.80 IP40 120°	CHF	266.50	A
	MWH			
RP50NW8LC MBK	XROPE 90° CONNECTOR 2X4W 220-240V AC 4000K CRI.80 IP40 120° MBK	CHF	156.65	A
RP50NW8LC MWH	XROPE 90° CONNECTOR 2X4W 220-240V AC 4000K CRI.80 IP40 120° MWH	CHF	156.65	A
RP50WW12TC MBK	XROPE T-shape CONNECTOR 3X4W 220-240V AC 3000K CRI.80 IP40 120°	CHF	195.25	A
	MBK			
RP50WW12TC MWH	XROPE T-shape CONNECTOR 3X4W 220-240V AC 3000K CRI.80 IP40 120°	CHF	195.25	A
	MWH			
RP50WW16XC MBK	XROPE X-shape CONNECTOR 4X4W 220-240V AC 3000K CRI.80 IP40 120°	CHF	266.50	A
	MBK			
RP50WW16XC MWH	XROPE X-shape CONNECTOR 4X4W 220-240V AC 3000K CRI.80 IP40 120°	CHF	266.50	A
	MWH			
RP50WW8LC MBK	XROPE 90° CONNECTOR 2X4W 220-240V AC 3000K CRI.80 IP40 120° MBK	CHF	156.65	A
RP50WW8LC MWH	XROPE 90° CONNECTOR 2X4W 220-240V AC 3000K CRI.80 IP40 120° MWH	CHF	156.65	A
PRF080CK01	XROPE SET OF 4 STEEL CLAMPS for LINEAR CONNECTION OF 2	CHF	15.00	A
	PRF080/200 PROFILES			
PRF080PK MBK	XROPE CEILING CUP for ELECTRICAL CONNECTIONS MASKING with	CHF	49.55	A
	POWER SUPPLY CBL. With L=1.5 m MBK			
PRF080PK MWH	XROPE CEILING CUP for ELECTRICAL CONNECTIONS MASKING with	CHF	49.55	A
	POWER SUPPLY CBL. With L=1.5 m MWH			
PRF080SK01	XROPE SUSPENSION KIT, with MAX. LENGTH 1.5 m	CHF	25.65	A
PRF080TP02 MBK	XROPE SET OF 2 END CAPS MBK	CHF	7.70	A
PRF080TP02 MWH	XROPE SET OF 2 END CAPS MWH	CHF	7.70	A
RP50A300	XROPE OPAL POLYCARBONATE DIFFUSER with LEGTH=3 m	CHF	34.95	A
TE60NW15 MWH	XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 4000K CRI.80 IP40	CHF	74.50	A
	120° 570mm MWH			
TE60NW15DALI MWH	XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC	CHF	126.25	A
	DALI CRI.80 IP40 120° 570mm MWH			
TE60NW30 MWH	XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 4000K CRI.80 IP40	CHF	130.05	A
	120° 1140mm MWH			
TE60NW30DALI MWH	XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC	CHF	175.20	A
	DALI CRI.80 IP40 120° 1140mm MWH			
TE60NW45 MWH	XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 4000K CRI.80 IP40	CHF	188.30	A
	120° 1710mm MWH			
TE60NW45DALI MWH	XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC	CHF	245.10	A
	DALI CRI.80 IP40 120° 1710mm MWH			
TE60NW60 MWH	XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 4000K CRI.80 IP40	CHF	236.50	A
	120° 2280mm MWH			
TE60NW60DALI MWH	XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC	CHF	288.05	A
	DALI CRI.80 IP40 120° 2280mm MWH			
TE60WW15 MWH	XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 3000K CRI.80 IP40	CHF	74.50	A
	120° 570mm MWH			
TE60WW15DALI MWH	XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC	CHF	126.25	A
	DALI CRI.80 IP40 120° 570mm MWH			
TE60WW30 MWH	XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 3000K CRI.80 IP40	CHF	130.05	A
	120° 1140mm MWH			
TE60WW30DALI MWH	XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC	CHF	175.20	A
	DALI CRI.80 IP40 120° 1140mm MWH			
TE60WW45 MWH	XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 3000K CRI.80 IP40	CHF	188.30	A
	120° 1710mm MWH			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
TE60WW45DALI MWH	XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MWH	CHF	245.10	A
TE60WW60 MWH	XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 3000K CRI.80 IP40 120° 2280mm MWH	CHF	236.50	A
TE60WW60DALI MWH	XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MWH	CHF	288.05	A
TE60NW12TC MWH	XTRACE T-shape CONNECTOR 3X4W 220-240V AC 4000K CRI.80 IP40 120° MWH	CHF	167.45	A
TE60NW16XC MWH	XTRACE X-shape CONNECTOR 4X4W 220-240V AC 4000K CRI.80 IP40 120° MWH	CHF	208.95	A
TE60NW8LC MWH	XTRACE 90° CONNECTOR 2X4W 220-240V AC 4000K CRI.80 IP40 120° MWH	CHF	111.50	A
TE60WW12TC MWH	XTRACE T-shape CONNECTOR 3X4W 220-240V AC 3000K CRI.80 IP40 120° MWH	CHF	167.45	A
TE60WW16XC MWH	XTRACE X-shape CONNECTOR 4X4W 220-240V AC 3000K CRI.80 IP40 120° MWH	CHF	208.95	A
TE60WW8LC MWH	XTRACE 90° CONNECTOR 2X4W 220-240V AC 3000K CRI.80 IP40 120° MWH	CHF	111.50	A
PRF063AR01	XTRACE REFLECTOR (SET OF 2 AL. PROFILES with 0.5 m)	CHF	1.65	A
PRF063CK01	XTRACE SET OF 4 STEEL CLAMPS for LINEAR CONNECTION OF 2 PRF063/200 PROFILES	CHF	14.95	A
PRF063ST01	XTRACE FIXING CLIPS for REC. MOUNTING (SET of 4 pcs)	CHF	30.50	A
PRF063TP02	XTRACE SET OF 2 END CAPS MWH	CHF	6.15	A
TE60A300	XTRACE OPAL POLYCARBONATE DIFFUSER with LEGTH=3 m	CHF	33.35	A
AM01NW SBK	XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 4000K ext. diameter 600 IP20 105° SBK	CHF	572.30	A
AM01NW SGD	XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 4000K ext. diameter 600 IP20 105° SGD	CHF	637.50	A
AM01NW SWH	XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 4000K ext. diameter 600 IP20 105° SWH	CHF	572.30	A
AM01WW SBK	XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 3000K ext. diameter 600 IP20 105° SBK	CHF	572.30	A
AM01WW SGD	XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 3000K ext. diameter 600 IP20 105° SGD	CHF	637.50	A
AM01WW SWH	XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 3000K ext. diameter 600 IP20 105° SWH	CHF	572.30	A
AM02NW SBK	XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 4000K ext. diameter 900 IP20 105° SBK	CHF	808.80	A
AM02NW SGD	XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 4000K ext. diameter 900 IP20 105° SGD	CHF	874.05	A
AM02NW SWH	XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 4000K ext. diameter 900 IP20 105° SWH	CHF	808.80	A
AM02WW SBK	XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 3000K ext. diameter 900 IP20 105° SBK	CHF	808.80	A
AM02WW SGD	XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 3000K ext. diameter 900 IP20 105° SGD	CHF	874.05	A
AM02WW SWH	XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 3000K ext. diameter 900 IP20 105° SWH	CHF	808.80	A
AM03NW SBK	XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 4000K ext. diameter 1200 IP20 105° SBK	CHF	1'039.00	A
AM03NW SGD	XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 4000K ext. diameter 1200 IP20 105° SGD	CHF	1'169.50	A
AM03NW SWH	XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 4000K ext. diameter 1200 IP20 105° SWH	CHF	1'039.00	A
AM03WW SBK	XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 3000K ext. diameter 1200 IP20 105° SBK	CHF	1'039.00	A
AM03WW SGD	XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 3000K ext. diameter 1200 IP20 105° SGD	CHF	1'169.50	A
AM03WW SWH	XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 3000K ext. diameter 1200 IP20 105° SWH	CHF	1'039.00	A
AM04NW SBK	XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 4000K ext. diameter 1540 IP20 105° SBK	CHF	1'275.55	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
AM04NW SGD	XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 4000K ext. diameter 1540 IP20 105° SGD	CHF	1'438.65	A
AM04NW SWH	XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 4000K ext. diameter 1540 IP20 105° SWH	CHF	1'275.55	A
AM04WW SBK	XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 3000K ext. diameter 1540 IP20 105° SBK	CHF	1'275.55	A
AM04WW SGD	XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 3000K ext. diameter 1540 IP20 105° SGD	CHF	1'438.65	A
AM04WW SWH	XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 3000K ext. diameter 1540 IP20 105° SWH	CHF	1'275.55	A
AM01CBDALI SBK	XAMBIT CANOPY with DALI DRIVER for AM01 SBK	CHF	218.40	A
AM01CBDALI SGD	XAMBIT CANOPY with DALI DRIVER for AM01 SGD	CHF	240.90	A
AM01CBDALI SWH	XAMBIT CANOPY with DALI DRIVER for AM01 SWH	CHF	218.40	A
AM02CBDALI SBK	XAMBIT CANOPY with DALI DRIVER for AM02 SBK	CHF	238.40	A
AM02CBDALI SGD	XAMBIT CANOPY with DALI DRIVER for AM02 SGD	CHF	261.35	A
AM02CBDALI SWH	XAMBIT CANOPY with DALI DRIVER for AM02 SWH	CHF	238.40	A
AM03CBDALI SBK	XAMBIT CANOPY with DALI DRIVER for AM03 SBK	CHF	304.20	A
AM03CBDALI SGD	XAMBIT CANOPY with DALI DRIVER for AM03 SGD	CHF	335.10	A
AM03CBDALI SWH	XAMBIT CANOPY with DALI DRIVER for AM03 SWH	CHF	304.20	A
AM04CBDALI SBK	XAMBIT CANOPY with DALI DRIVER for AM04 SBK	CHF	311.75	A
AM04CBDALI SGD	XAMBIT CANOPY with DALI DRIVER for AM04 SGD	CHF	342.55	A
AM04CBDALI SWH	XAMBIT CANOPY with DALI DRIVER for AM04 SWH	CHF	311.75	A
AM05CBDALI SBK	XAMBIT CANOPY with DALI DRIVER for AM05 SBK	CHF	328.85	A
AM05CBDALI SGD	XAMBIT CANOPY with DALI DRIVER for AM05 SGD	CHF	359.25	A
AM05CBDALI SWH	XAMBIT CANOPY with DALI DRIVER for AM05 SWH	CHF	328.85	A
AM05NW SBK	XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 4000K ext. diameter 2040 IP20 105° SBK	CHF	1'659.35	A
AM05NW SGD	XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 4000K ext. diameter 2040 IP20 105° SGD	CHF	1'876.85	A
AM05NW SWH	XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 4000K ext. diameter 2040 IP20 105° SWH	CHF	1'659.35	A
AM05WW SBK	XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 3000K ext. diameter 2040 IP20 105° SBK	CHF	1'659.35	A
AM05WW SGD	XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 3000K ext. diameter 2040 IP20 105° SGD	CHF	1'876.85	A
AM05WW SWH	XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 3000K ext. diameter 2040 IP20 105° SWH	CHF	1'659.35	A
PXR01CCT SBK	XPILL RND PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 fi.400 mm IP20 110° SBK	CHF	255.25	A
PXR01CCT SWH	XPILL RND PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 fi.400 mm IP20 110° SWH	CHF	255.25	A
PXR02CCT SBK	XPILL RND PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 fi.500 mm IP20 110° SBK	CHF	389.20	A
PXR02CCT SWH	XPILL RND PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 fi.500 mm IP20 110° SWH	CHF	389.20	A
PXR03CCT SBK	XPILL RND PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 fi.600 mm IP20 110° SBK	CHF	511.35	A
PXR03CCT SWH	XPILL RND PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 fi.600 mm IP20 110° SWH	CHF	511.35	A
PXR04NW SBK	XPILL RND PANEL 80W 220-240V AC 4000K CRI.80 fi.800 mm IP20 110° SBK	CHF	744.65	A
PXR04NW SWH	XPILL RND PANEL 80W 220-240V AC 4000K CRI.80 fi.800 mm IP20 110° SWH	CHF	744.65	A
PXR04WW SBK	XPILL RND PANEL 80W 220-240V AC 3000K CRI.80 fi.800 mm IP20 110° SBK	CHF	744.65	A
PXR04WW SWH	XPILL RND PANEL 80W 220-240V AC 3000K CRI.80 fi.800 mm IP20 110° SWH	CHF	744.65	A
PXR0123SU SBK	XPILL RND SUS. SYSTEM for PXR01/02/03 fi.175 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SBK	CHF	80.80	A
PXR0123SU SWH	XPILL RND SUS. SYSTEM for PXR01/02/03 fi.175 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SWH	CHF	80.80	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PXR045SU SBK	XPILL RND SUS. SYSTEM for PXR04 fi.210 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SBK	CHF	88.30	A
PXR045SU SWH	XPILL RND SUS. SYSTEM for PXR04 fi.210 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SWH	CHF	88.30	A
PXR05NW SBK	XPILL RND PANEL 100W 220-240V AC 4000K CRI.80 fi.1000 mm IP20 110° SBK	CHF	1'180.90	A
PXR05NW SWH	XPILL RND PANEL 100W 220-240V AC 4000K CRI.80 fi.1000 mm IP20 110° SWH	CHF	1'180.90	A
PXR05WW SBK	XPILL RND PANEL 100W 220-240V AC 3000K CRI.80 fi.1000 mm IP20 110° SBK	CHF	1'180.90	A
PXR05WW SWH	XPILL RND PANEL 100W 220-240V AC 3000K CRI.80 fi.1000 mm IP20 110° SWH	CHF	1'180.90	A
PXQ0123SU SBK	XPILL SQ. SUS. SYSTEM for PXR01/02/03 175x175 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SBK	CHF	80.05	A
PXQ0123SU SWH	XPILL SQ. SUS. SYSTEM for PXR01/02/03 175x175 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SWH	CHF	80.05	A
PXQ01CCT SBK	XPILL SQ. PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 400X400 mm IP20 110° SBK	CHF	283.70	A
PXQ01CCT SWH	XPILL SQ. PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 400X400 mm IP20 110° SWH	CHF	283.70	A
PXQ02CCT SBK	XPILL SQ. PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 500X500 mm IP20 110° SBK	CHF	417.75	A
PXQ02CCT SWH	XPILL SQ. PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 500X500 mm IP20 110° SWH	CHF	417.75	A
PXQ04SU SBK	XPILL SQ. SUS. SYSTEM for PXR04 210x210 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SBK	CHF	80.05	A
PXQ04SU SWH	XPILL SQ. SUS. SYSTEM for PXR04 210x210 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SWH	CHF	80.05	A
PXQ03CCT SBK	XPILL SQ. PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 600X600 mm IP20 110° SBK	CHF	522.45	A
PXQ03CCT SWH	XPILL SQ. PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 600X600 mm IP20 110° SWH	CHF	522.45	A
PXQ04NW SBK	XPILL SQ. PANEL 80W 220-240V AC 4000K CRI.80 800X800 mm IP20 110° SBK	CHF	768.70	A
PXQ04NW SWH	XPILL SQ. PANEL 80W 220-240V AC 4000K CRI.80 800X800 mm IP20 110° SWH	CHF	768.70	A
PXQ04WW SBK	XPILL SQ. PANEL 80W 220-240V AC 3000K CRI.80 800X800 mm IP20 110° SBK	CHF	768.70	A
PXQ04WW SWH	XPILL SQ. PANEL 80W 220-240V AC 3000K CRI.80 800X800 mm IP20 110° SWH	CHF	768.70	A
FS30NW SBK	XFOCUS SUSPENDED 1x10W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SBK	CHF	147.65	A
FS30NW SWH	XFOCUS SUSPENDED 1x10W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SWH	CHF	147.65	A
FS30REF15	XFOCUS SUSPENDED OPTICAL SYSTEM 15° for FS30	CHF	9.20	A
FS30WW SBK	XFOCUS SUSPENDED 1x10W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SBK	CHF	147.65	A
FS30WW SWH	XFOCUS SUSPENDED 1x10W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SWH	CHF	147.65	A
FS31NW SBK	XFOCUS SUSPENDED 1x20W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SBK	CHF	190.65	A
FS31NW SWH	XFOCUS SUSPENDED 1x20W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SWH	CHF	190.65	A
FS31REF15	XFOCUS SUSPENDED OPTICAL SYSTEM 15° for FS31	CHF	9.55	A
FS31WW SBK	XFOCUS SUSPENDED 1x20W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SBK	CHF	190.65	A
FS31WW SWH	XFOCUS SUSPENDED 1x20W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SWH	CHF	190.65	A
CSQ30120NW MWH	XCASE LED PANEL 40W 220-240V AC 4000K CRI.82 300x1200 mm IP40 110° MWH	CHF	234.45	A
CSQ30120WW MWH	XCASE LED PANEL 40W 220-240V AC 3000K CRI.83 300x1200 mm IP40 110° MWH	CHF	234.45	A

Art-Nr.:	Produktbeschreibung			
CSQ3060NW MWH	XCASE LED PANEL 30W 220-240V AC 4000K CRI.82 300x600 mm IP40 110°	CHF	150.05	A
	MWH			
CSQ3060WW MWH	XCASE LED PANEL 30W 220-240V AC 3000K CRI.83 300x600 mm IP40 110°	CHF	150.05	A
	MWH			
CSQ6060NW MWH	XCASE LED PANEL 40W 220-240V AC 4000K CRI.82 600x600 mm IP40 110°	CHF	211.00	A
	MWH			
CSQ6060WW MWH	XCASE LED PANEL 40W 220-240V AC 3000K CRI.83 600x600 mm IP40 110°	CHF	211.00	A
	MWH			
EN01NW	XEON RND. CEILING FITTING 24W 180-250V AC 4000K CRI.80 fi.300 mm	CHF	56.40	A
	IP43 160° WH			
EN01WW	XEON RND. CEILING FITTING 24W 180-250V AC 3000K CRI.80 fi.300 mm	CHF	56.40	A
	IP43 160° WH			
EN02NW	XEON RND. CEILING FITTING 36W 180-250V AC 4000K CRI.80 fi.440 mm	CHF	105.80	A
	IP43 160° WH			
EN02WW	XEON RND. CEILING FITTING 36W 180-250V AC 3000K CRI.80 fi.440 mm	CHF	105.80	A
	IP43 160° WH			
EN03NW	XEON RND. CEILING FITTING 56W 180-250V AC 4000K CRI.80 fi.540 mm	CHF	128.50	A
	IP43 160° WH			
EN03WW	XEON RND. CEILING FITTING 56W 180-250V AC 3000K CRI.80 fi.540 mm	CHF	128.50	A
	IP43 160° WH			
EN04NW	XEON SQ. CEILING FITTING 24W 180-250V AC 4000K CRI.80 330x330 mm	CHF	58.75	A
	IP43 160° WH			
EN04WW	XEON SQ. CEILING FITTING 24W 180-250V AC 3000K CRI.80 330x330 mm	CHF	58.75	A
	IP43 160° WH			
EN05NW	XEON SQ. CEILING FITTING 36W 180-250V AC 4000K CRI.80 430x430 mm	CHF	108.90	A
	IP43 160° WH			
EN05WW	XEON SQ. CEILING FITTING 36W 180-250V AC 3000K CRI.80 430x430 mm	CHF	108.90	A
	IP43 160° WH			
EN06NW	XEON SQ. CEILING FITTING 56W 180-250V AC 4000K CRI.80 530x530 mm	CHF	137.15	A
	IP43 160° WH			
EN06WW	XEON SQ. CEILING FITTING 56W 180-250V AC 3000K CRI.80 530x530 mm	CHF	137.15	A
	IP43 160° WH			
DC01NW MWH	XDECO SURF. FITTING 25W 220-240V AC 4000K CRI.80 600x120 mm IP20	CHF	91.90	A
	110° MWH			
DC01WW MWH	XDECO SURF. FITTING 25W 220-240V AC 3000K CRI.80 600x120 mm IP20	CHF	91.90	A
	110° MWH			
DC02NW MWH	XDECO SURF. FITTING 48W 220-240V AC 4000K CRI.80 1200x120 mm IP20	CHF	147.65	A
	110° MWH			
DC02WW MWH	XDECO SURF. FITTING 48W 220-240V AC 3000K CRI.80 1200x120 mm IP20	CHF	147.65	A
	110° MWH			
KF01NW MWH	XKRAFT SURF. FITTING 25W 220-240V AC 4000K CRI.80 540x145 mm IP20	CHF	66.25	A
	110° MWH			
KF01WW MWH	XKRAFT SURF. FITTING 25W 220-240V AC 3000K CRI.80 540x145 mm IP20	CHF	66.25	A
	110° MWH			
KF02NW MWH	XKRAFT SURF. FITTING 48W 220-240V AC 4000K CRI.80 1140x145 mm	CHF	123.05	A
	IP20 110° MWH			
KF02WW MWH	XKRAFT SURF. FITTING 48W 220-240V AC 3000K CRI.80 1140x145 mm	CHF	123.05	A
	IP20 110° MWH			
BA01NW SBK	XBOARD CEILING FITTING 10W 220-240V AC 4000K IP20 38° SBK	CHF	93.95	A
BA01NW SWH	XBOARD CEILING FITTING 10W 220-240V AC 4000K IP20 38° SWH	CHF	93.95	A
BA01WW SBK	XBOARD CEILING FITTING 10W 220-240V AC 3000K IP20 38° SBK	CHF	93.95	A
BA01WW SWH	XBOARD CEILING FITTING 10W 220-240V AC 3000K IP20 38° SWH	CHF	93.95	A
BA02NW SBK	XBOARD CEILING FITTING 18W 220-240V AC 4000K IP20 38° SBK	CHF	107.80	A
BA02NW SWH	XBOARD CEILING FITTING 18W 220-240V AC 4000K IP20 38° SWH	CHF	107.80	A
BA02WW SBK	XBOARD CEILING FITTING 18W 220-240V AC 3000K IP20 38° SBK	CHF	107.80	A
BA02WW SWH	XBOARD CEILING FITTING 18W 220-240V AC 3000K IP20 38° SWH	CHF	107.80	A
RX02NW MBK	XROLL RND. CEILING FITTING 9W 220-240V AC 4000K CRI.80 IP44 120°	CHF	54.80	A
	MBK			
RX02NW MWH	XROLL RND. CEILING FITTING 9W 220-240V AC 4000K CRI.80 IP44 120°	CHF	54.80	A
	MWH			
RX02NW SGD	XROLL RND. CEILING FITTING 9W 220-240V AC 4000K CRI.80 IP44 120°	CHF	57.80	A
	SGD			

Art-Nr.:	Produktbeschreibung			
RX02WW MBK	XROLL RND. CEILING FITTING 9W 220-240V AC 3000K CRI.80 IP44 120°	CHF	54.80	A
	MBK			
RX02WW MWH	XROLL RND. CEILING FITTING 9W 220-240V AC 3000K CRI.80 IP44 120°	CHF	54.80	A
	MWH			
RX02WW SGD	XROLL RND. CEILING FITTING 9W 220-240V AC 3000K CRI.80 IP44 120°	CHF	57.80	A
	SGD			
RX03NW MBK	XROLL RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP40 120°	CHF	91.95	A
	MBK			
RX03NW MWH	XROLL RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP40 120°	CHF	91.95	A
	MWH			
RX03NW SGD	XROLL RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP40 120°	CHF	99.85	A
	SGD			
RX03WW MBK	XROLL RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP40 120°	CHF	91.95	A
	MBK			
RX03WW MWH	XROLL RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP40 120°	CHF	91.95	A
	MWH			
RX03WW SGD	XROLL RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP40 120°	CHF	99.85	A
	SGD			
SM01NW SBK	XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 4000K CRI.80 IP20 120°	CHF	86.05	A
	SBK			
SM01NW SWH	XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 4000K CRI.80 IP20 120°	CHF	86.05	A
	SWH			
SM01WW SBK	XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 3000K CRI.80 IP20 120°	CHF	86.05	A
	SBK			
SM01WW SWH	XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 3000K CRI.80 IP20 120°	CHF	86.05	A
	SWH			
SM02NW SBK	XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 4000K CRI.80 IP20 120° SBK	CHF	148.85	A
	IP20 120° SBK			
SM02NW SWH	XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 4000K CRI.80 IP20 120° SWH	CHF	148.85	A
	IP20 120° SWH			
SM02WW SBK	XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 3000K CRI.80 IP20 120° SBK	CHF	148.85	A
	IP20 120° SBK			
SM02WW SWH	XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 3000K CRI.80 IP20 120° SWH	CHF	148.85	A
	IP20 120° SWH			
VS01UWW MBK	XVOSS SQ. CEILING FITTING 10W 220-240V AC 2700K CRI.90 IP20 110°	CHF	90.70	A
	MBK			
VS01UWW MWH	XVOSS SQ. CEILING FITTING 10W 220-240V AC 2700K CRI.90 IP20 110°	CHF	90.70	A
	MWH			
VS01WW MBK	XVOSS SQ. CEILING FITTING 10W 220-240V AC 3000K CRI.90 IP20 110°	CHF	90.70	A
	MBK			
VS01WW MWH	XVOSS SQ. CEILING FITTING 10W 220-240V AC 3000K CRI.90 IP20 110°	CHF	90.70	A
	MWH			
AR07NW SBK	XARTE SURF. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SBK	CHF	99.30	A
AR07NW SWH	XARTE SURF. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SWH	CHF	99.30	A
AR07WW SBK	XARTE SURF. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SBK	CHF	99.30	A
AR07WW SWH	XARTE SURF. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SWH	CHF	99.30	A
AR08NW SBK	XARTE SURF. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK	CHF	129.60	A
AR08NW SWH	XARTE SURF. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH	CHF	129.60	A
AR08WW SBK	XARTE SURF. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK	CHF	129.60	A
AR08WW SWH	XARTE SURF. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH	CHF	129.60	A
ARS012HC	XARNO SURF HONEY COMB REFL	CHF	4.90	A
ARS012LN18	XARNO SURF 18grd LENS	CHF	4.15	A
ARS012SF	XARNO SURF RECT REFL	CHF	4.90	A
ARS01UWW SBK	XARNO SURF. ROUND 13W 2700K SBK	CHF	131.05	A
ARS01UWW SWH	XARNO SURF. ROUND 13W 2700K SWH	CHF	131.05	A
ARS01WW SBK	XARNO SURF. ROUND 13W 3000K SBK	CHF	131.05	A
ARS01WW SWH	XARNO SURF. ROUND 13W 3000K SWH	CHF	131.05	A
RSBK	XARNO SURFACE BK REFLECTOR	CHF	13.95	A
RSGD	XARNO SURFACE SGD REFLECTOR	CHF	17.85	A
RSWH	XARNO SURFACE WH REFLECTOR	CHF	13.95	A
ARS02UWW SBK/BK	XARNO SURF. SQUARE 13W 2700K SBK/BK	CHF	143.00	A
ARS02UWW SBK/GD	XARNO SURF. SQUARE 13W 2700K SBK/GD	CHF	143.00	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
ARS02UWW SWH/BK	XARNO SURF. SQUARE 13W 2700K SWH/BK	CHF	143.00	A
ARS02UWW SWH/GD	XARNO SURF. SQUARE 13W 2700K SWH/GD	CHF	143.00	A
ARS02UWW SWH/WH	XARNO SURF. SQUARE 13W 2700K SWH/WH	CHF	143.00	A
ARS02WW SBK/BK	XARNO SURF. SQUARE 13W 3000K SBK/BK	CHF	143.00	A
ARS02WW SBK/GD	XARNO SURF. SQUARE 13W 3000K SBK/GD	CHF	143.00	A
ARS02WW SWH/BK	XARNO SURF. SQUARE 13W 3000K SWH/BK	CHF	143.00	A
ARS02WW SWH/GD	XARNO SURF. SQUARE 13W 3000K SWH/GD	CHF	143.00	A
ARS02WW SWH/WH	XARNO SURF. SQUARE 13W 3000K SWH/WH	CHF	143.00	A
CRQ01NW MBK	XCORE SQ. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK	CHF	51.90	A
CRQ01NW MWH	XCORE SQ. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH	CHF	51.90	A
CRQ01UWW MBK	XCORE SQ. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK	CHF	51.90	A
CRQ01UWW MWH	XCORE SQ. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH	CHF	51.90	A
CRQ01WW MBK	XCORE SQ. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK	CHF	51.90	A
CRQ01WW MWH	XCORE SQ. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH	CHF	51.90	A
CRQ02NW MBK	XCORE SQ. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK	CHF	97.40	A
CRQ02NW MWH	XCORE SQ. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH	CHF	97.40	A
CRQ02UWW MBK	XCORE SQ. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK	CHF	97.40	A
CRQ02UWW MWH	XCORE SQ. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH	CHF	97.40	A
CRQ02WW MBK	XCORE SQ. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK	CHF	97.40	A
CRQ02WW MWH	XCORE SQ. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH	CHF	97.40	A
CRR01NW MBK	XCORE RND. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK	CHF	54.80	A
CRR01NW MWH	XCORE RND. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH	CHF	54.80	A
CRR01UWW MBK	XCORE RND. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK	CHF	54.80	A
CRR01UWW MWH	XCORE RND. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH	CHF	54.80	A
CRR01WW MBK	XCORE RND. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK	CHF	54.80	A
CRR01WW MWH	XCORE RND. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH	CHF	54.80	A
CRR02NW MBK	XCORE RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK	CHF	110.50	A
CRR02NW MWH	XCORE RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH	CHF	110.50	A
CRR02UWW MBK	XCORE RND. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK	CHF	110.50	A
CRR02UWW MWH	XCORE RND. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH	CHF	110.50	A
CRR02WW MBK	XCORE RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK	CHF	110.50	A
CRR02WW MWH	XCORE RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH	CHF	110.50	A
PE01UWW MBK	XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK	CHF	123.80	A
PE01UWW MWH	XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH	CHF	123.80	A
PE01UWW SGD	XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD	CHF	126.90	A

Art-Nr.:	Produktbeschreibung			
PE01WW MBK	XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 3000K CRI.80 IP20 24°	CHF	123.80	A
	UGR<19 MBK			
PE01WW MWH	XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 3000K CRI.80 IP20 24°	CHF	123.80	A
	UGR<19 MWH			
PE01WW SGD	XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 3000K CRI.80 IP20 24°	CHF	126.90	A
	UGR<19 SGD			
PE02UWW MBK	XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24°	CHF	152.85	A
	UGR<19 MBK			
PE02UWW MWH	XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24°	CHF	152.85	A
	UGR<19 MWH			
PE02UWW SGD	XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24°	CHF	162.10	A
	UGR<19 SGD			
PE02WW MBK	XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24°	CHF	152.90	A
	UGR<19 MBK			
PE02WW MWH	XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24°	CHF	152.85	A
	UGR<19 MWH			
PE02WW SGD	XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24°	CHF	162.10	A
	UGR<19 SGD			
PE03UWW MBK	XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 2700K CRI.80 IP20 24°	CHF	161.75	A
	UGR<19 MBK			
PE03UWW MWH	XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 2700K CRI.80 IP20 24°	CHF	161.75	A
	UGR<19 MWH			
PE03UWW SGD	XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 2700K CRI.80 IP20 24°	CHF	176.65	A
	UGR<19 SGD			
PE03WW MBK	XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 3000K CRI.80 IP20 24°	CHF	161.70	A
	UGR<19 MBK			
PE03WW MWH	XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 3000K CRI.80 IP20 24°	CHF	161.75	A
	UGR<19 MWH			
PE03WW SGD	XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 3000K CRI.80 IP20 24°	CHF	176.65	A
	UGR<19 SGD			
PE04UWW MBK	XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24°	CHF	218.90	A
	UGR<19 MBK			
PE04UWW MWH	XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24°	CHF	218.90	A
	UGR<19 MWH			
PE04UWW SGD	XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24°	CHF	237.95	A
	UGR<19 SGD			
PE04WW MBK	XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24°	CHF	218.90	A
	UGR<19 MBK			
PE04WW MWH	XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24°	CHF	218.90	A
	UGR<19 MWH			
PE04WW SGD	XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24°	CHF	237.95	A
	UGR<19 SGD			
PE05UWW MBK	XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 2700K CRI.80 IP20 24°	CHF	290.25	A
	UGR<19 MBK			
PE05UWW MWH	XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 2700K CRI.80 IP20 24°	CHF	290.25	A
	UGR<19 MWH			
PE05UWW SGD	XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 2700K CRI.80 IP20 24°	CHF	305.05	A
	UGR<19 SGD			
PE05WW MBK	XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 3000K CRI.80 IP20 24°	CHF	290.25	A
	UGR<19 MBK			
PE05WW MWH	XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 3000K CRI.80 IP20 24°	CHF	290.25	A
	UGR<19 MWH			
PE05WW SGD	XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 3000K CRI.80 IP20 24°	CHF	305.05	A
	UGR<19 SGD			
PE06UWW MBK	XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 2700K CRI.80 IP20 24°	CHF	360.70	A
	UGR<19 MBK			
PE06UWW MWH	XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 2700K CRI.80 IP20 24°	CHF	360.70	A
	UGR<19 MWH			
PE06UWW SGD	XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 2700K CRI.80 IP20 24°	CHF	380.15	A
	UGR<19 SGD			
PE06WW MBK	XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 3000K CRI.80 IP20 24°	CHF	360.70	A
	UGR<19 MBK			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PE06WW MWH	XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 3000K CRI.80 IP20 24°	CHF	360.70	A
	UGR<19 MWH			
PE06WW SGD	XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 3000K CRI.80 IP20 24°	CHF	380.15	A
	UGR<19 SGD			
FS20NW SBK	XFOCUS SURFACE ADJ. PROJ. 1x32W 220-240V AC 4000K CRI.90 IP20 36°	CHF	183.20	A
	UGR<13 SBK			
FS20NW SWH	XFOCUS SURFACE ADJ. PROJ. 1x32W 220-240V AC 4000K CRI.90 IP20 36°	CHF	183.20	A
	UGR<13 SWH			
FS20REF15	XFOCUS SURFACE OPTICAL SYSTEM 15° for FS20	CHF	10.00	A
FS20WW SBK	XFOCUS SURFACE ADJ. PROJ. 1x32W 220-240V AC 3000K CRI.90 IP20 36°	CHF	183.20	A
	UGR<13 SBK			
FS20WW SWH	XFOCUS SURFACE ADJ. PROJ. 1x32W 220-240V AC 3000K CRI.90 IP20 36°	CHF	183.20	A
	UGR<13 SWH			
GM23NW SBK	XGAMMA RECESSED 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	125.75	A
	SBK			
GM23NW SWH	XGAMMA RECESSED 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	125.75	A
	SWH			
GM23WW SBK	XGAMMA RECESSED 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	125.75	A
	SBK			
GM23WW SWH	XGAMMA RECESSED 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	125.75	A
	SWH			
GM24NW SBK	XGAMMA RECESSED 1X30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	138.70	A
	SBK			
GM24NW SWH	XGAMMA RECESSED 1X30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	138.70	A
	SWH			
GM24WW SBK	XGAMMA RECESSED 1X30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	138.70	A
	SBK			
GM24WW SWH	XGAMMA RECESSED 1X30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	138.70	A
	SWH			
GM13NW SBK	XGAMMA SURFACE 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	124.75	A
	SBK			
GM13NW SWH	XGAMMA SURFACE 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	124.75	A
	SWH			
GM13WW SBK	XGAMMA SURFACE 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	124.75	A
	SBK			
GM13WW SWH	XGAMMA SURFACE 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	124.75	A
	SWH			
GM14NW SBK	XGAMMA SURFACE 1X30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	137.75	A
	SBK			
GM14NW SWH	XGAMMA SURFACE 1X30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38°	CHF	137.75	A
	SWH			
GM14WW SBK	XGAMMA SURFACE 1X30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38°	CHF	137.75	A
	SBK			
GM14WW SWH	XGAMMA ADJ. PROJECTOR 1x20W 220-240V AC 3000K CRI.90 IP20	CHF	137.75	A
	UGR<19 38grd SWH			
NR01 SBK/MBK	XNITRO RND. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	27.05	A
	SBK/MBK (5.1.1)			
NR01 SBK/SGD	XNITRO RND. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	27.05	A
	SBK/SGD (5.1.1)			
NR01 SWH/MBK	XNITRO RND. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	27.05	A
	SWH/MBK (5.1.1)			
NR01 SWH/MWH	XNITRO RND. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	27.05	A
	SWH/MWH (5.1.1)			
NR01 SWH/SGD	XNITRO RND. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	27.05	A
	SWH/SGD (5.1.1)			
NR02 SBK/MBK	XNITRO SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	29.40	A
	SBK/MBK (5.1.1)			
NR02 SBK/SGD	XNITRO SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	29.40	A
	SBK/SGD (5.1.1)			
NR02 SWH/MBK	XNITRO SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20	CHF	29.40	A
	SWH/MBK (5.1.1)			

Art-Nr.:	Produktbeschreibung			
NR02 SWH/MWH	XNITRO SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 SWH/MWH (5.1.1)	CHF	29.40	A
NR02 SWH/SGD	XNITRO SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 SWH/SGD (5.1.1)	CHF	29.40	A
CD01 SBK	XCARD SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SBK (5.1.1)	CHF	29.55	A
CD01 SGD	XCARD SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SGD (5.1.1)	CHF	33.75	A
CD01 SWH	XCARD SQ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SWH (5.1.1)	CHF	29.55	A
CD02 SBK	XCARD RECTANG. CEILING FITTING GU10/PAR16 2x50W max. 230V AC IP20 UGR<10 SBK (5.1.1)	CHF	58.35	A
CD02 SGD	XCARD RECTANG. CEILING FITTING GU10/PAR16 2x50W max. 230V AC IP20 UGR<10 SGD (5.1.1)	CHF	66.65	A
CD02 SWH	XCARD RECTANG. CEILING FITTING GU10/PAR16 2x50W max. 230V AC IP20 UGR<10 SWH (5.1.1)	CHF	58.35	A
BX01 BK	XBRIX SQ. ADJ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 BK (5.1.1)	CHF	38.35	A
BX01 MWH	XBRIX SQ. ADJ. CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	38.35	A
BX02 BK	XBRIX RECTANG. ADJ. CEILING FITTING GU10/PAR16 2x50W max. 230V AC IP20 BK (5.1.1)	CHF	87.95	A
BX02 MWH	XBRIX RECTANG. ADJ. CEILING FITTING GU10/PAR16 2x50W max. 230V AC IP20 MWH (5.1.1)	CHF	87.95	A
AG01 CH	XANGLE CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 CH (5.1.1)	CHF	82.25	A
AG01 MBK	XANGLE CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 MBK (5.1.1)	CHF	72.40	A
AG01 MWH	XANGLE CEILING FITTING GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	72.40	A
AG02 CH	XANGLE CEILING FITTING G53/AR111 1x50W max. 230V AC IP20 CH (5.1.1)	CHF	142.80	A
AG02 MBK	XANGLE CEILING FITTING G53/AR111 1x50W max. 230V AC IP20 MBK (5.1.1)	CHF	119.45	A
AG02 MWH	XANGLE CEILING FITTING G53/AR111 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	119.45	A
TO01 BK	XT00 SURFACE FITTING GU10/PAR16 1x50W max. 230V AC IP20 BK (5.1.1)	CHF	46.60	A
TO01 MWH	XT00 SURFACE FITTING GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	46.60	A
TO02 BK	XT00 SURFACE FITTING GU10/PAR16 2x50W max. 230V AC IP20 BK (5.1.1)	CHF	84.80	A
TO02 MWH	XT00 SURFACE FITTING GU10/PAR16 2x50W max. 230V AC IP20 MWH (5.1.1)	CHF	84.80	A
PTS30120NW MWH	XPLANET SURF. LED PANEL 40W 220-240V AC 4000K CRI.80 300x1200 mm IP40 120° MWH	CHF	126.50	A
PTS30120WW MWH	XPLANET SURF. LED PANEL 40W 220-240V AC 3000K CRI.80 300x1200 mm IP40 120° MWH	CHF	126.50	A
PTS3060NW MWH	XPLANET SURF. LED PANEL 24W 220-240V AC 4000K CRI.80 300x600 mm IP40 120° MWH	CHF	68.40	A
PTS3060WW MWH	XPLANET SURF. LED PANEL 24W 220-240V AC 3000K CRI.80 300x600 mm IP40 120° MWH	CHF	68.40	A
PTS6060NW MWH	XPLANET SURF. LED PANEL 40W 220-240V AC 4000K CRI.80 600x600 mm IP40 120° MWH	CHF	113.70	A
PTS6060WW MWH	XPLANET SURF. LED PANEL 40W 220-240V AC 3000K CRI.80 600x600 mm IP40 120° MWH	CHF	113.70	A
FMR180NW MWH	XFORM RND. SURF. FITTING 11W 220-240V AC 4000K CRI.82 fi.180 mm IP40 110° MWH	CHF	65.65	A
FMR180WW MWH	XFORM RND. SURF. FITTING 11W 220-240V AC 3000K CRI.83 fi.180 mm IP40 110° MWH	CHF	65.65	A
FMR240NW MWH	XFORM RND. SURF. FITTING 15W 220-240V AC 4000K CRI.82 fi.240 mm IP40 110° MWH	CHF	77.20	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
FMR240WW MWH	XFORM RND. SURF. FITTING 15W 220-240V AC 3000K CRI.83 fi.240 mm IP40 110° MWH	CHF	77.20	A
FMR300NW MWH	XFORM RND. SURF. FITTING 30W 220-240V AC 4000K CRI.82 fi.300 mm IP40 110° MWH	CHF	118.40	A
FMR300WW MWH	XFORM RND. SURF. FITTING 30W 220-240V AC 3000K CRI.83 fi.300 mm IP40 110° MWH	CHF	118.40	A
FMR420NW MWH	XFORM RND. SURF. FITTING 40W 220-240V AC 4000K CRI.82 fi.420 mm IP40 110° MWH	CHF	179.00	A
FMR420WW MWH	XFORM RND. SURF. FITTING 40W 220-240V AC 3000K CRI.83 fi.420 mm IP40 110° MWH	CHF	179.00	A
FMQ168NW MWH	XFORM SQ. SURF. FITTING 15W 220-240V AC 4000K CRI.82 168x168 mm IP40 110° MWH	CHF	65.65	A
FMQ168WW MWH	XFORM SQ. SURF. FITTING 15W 220-240V AC 3000K CRI.83 168x168 mm IP40 110° MWH	CHF	65.65	A
FMQ220NW MWH	XFORM SQ. SURF. FITTING 22W 220-240V AC 4000K CRI.82 220x220 mm IP40 110° MWH	CHF	77.20	A
FMQ220WW MWH	XFORM SQ. SURF. FITTING 22W 220-240V AC 3000K CRI.83 220x220 mm IP40 110° MWH	CHF	77.20	A
FMQ300NW MWH	XFORM SQ. SURF. FITTING 30W 220-240V AC 4000K CRI.82 300x300 mm IP40 110° MWH	CHF	118.40	A
FMQ300WW MWH	XFORM SQ. SURF. FITTING 30W 220-240V AC 3000K CRI.83 300x300 mm IP40 110° MWH	CHF	118.40	A
GLS01NW MBK/BK	XGLOW SURFACE FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 20° UGR<16 MBK/BK	CHF	147.65	A
GLS01NW MWH/WH	XGLOW SURFACE FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 20° UGR<16 MWH/WH	CHF	147.65	A
GLS01WW MBK/BK	XGLOW SURFACE FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 20° UGR<16 MBK/BK	CHF	147.65	A
GLS01WW MWH/WH	XGLOW SURFACE FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 20° UGR<16 MWH/WH	CHF	147.65	A
MN01NWIP MWH	XMINI LED IP44 SURFACE LINEAR FITTING 15W 220-240V AC 4000K CRI.80 160° MWH	CHF	68.80	A
MN01WWIP MWH	XMINI LED IP44 SURFACE LINEAR FITTING 15W 220-240V AC 3000K CRI.80 160° MWH	CHF	68.80	A
SG01NW SBK	XSIGN WALL RECESSED LIGHT FITTING 3W 4000K SBK	CHF	71.00	A
SG01NW SWH	XSIGN WALL RECESSED LIGHT FITTING 3W 4000K SWH	CHF	71.00	A
SG01WW SBK	XSIGN WALL RECESSED SG01RB INCLUDED 3W 3000K SBK	CHF	71.00	A
SG01WW SWH	XSIGN WALL RECESSED SG01RB INCLUDED 3W 3000K SWH	CHF	71.00	A
CSS01NW SBK	XCROSS WALL RECESSED LIGHT FITTING 3W 4000K SBK	CHF	71.00	A
CSS01NW SWH	XCROSS WALL RECESSED LIGHT FITTING 3W 4000K SWH	CHF	71.00	A
CSS01WW SBK	XCROSS WALL RECESSED CSS01RB INCLUDED 3W 3000K SBK	CHF	71.00	A
CSS01WW SWH	XCROSS WALL RECESSED CSS01RB INCLUDED 3W 3000K SWH	CHF	71.00	A
WDU30120NW MWH	XWIDE UGR<19 LED PANEL 40W 220-240V AC 4000K CRI.90 295x1195 mm IP40 120° MWH	CHF	109.60	A
WDU30120WW MWH	XWIDE UGR<19 LED PANEL 40W 220-240V AC 3000K CRI.90 295x1195 mm IP40 120° MWH	CHF	109.60	A
WDU3060NW MWH	XWIDE UGR<19 LED PANEL 24W 220-240V AC 4000K CRI.90 295x595 mm IP40 120° MWH	CHF	70.60	A
WDU3060WW MWH	XWIDE UGR<19 LED PANEL 24W 220-240V AC 3000K CRI.90 295x595 mm IP40 120° MWH	CHF	70.60	A
WDU6060NW MWH	XWIDE UGR<19 LED PANEL 40W 220-240V AC 4000K CRI.90 595x595 mm IP40 120° MWH	CHF	98.70	A
WDU6060WW MWH	XWIDE UGR<19 LED PANEL 40W 220-240V AC 3000K CRI.90 595x595 mm IP40 120° MWH	CHF	98.70	A
WD30120NW MWH	XWIDE LED PANEL 40W 220-240V AC 4000K CRI.90 295x1195 mm IP40 120° MWH	CHF	95.60	A
WD30120WW MWH	XWIDE LED PANEL 40W 220-240V AC 3000K CRI.90 295x1195 mm IP40 120° MWH	CHF	95.65	A
WD3060NW MWH	XWIDE LED PANEL 24W 220-240V AC 4000K CRI.90 295x595 mm IP40 120° MWH	CHF	66.95	A
WD3060WW MWH	XWIDE LED PANEL 24W 220-240V AC 3000K CRI.90 295x595 mm IP40 120° MWH	CHF	66.95	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
WD6060NW MWH	XWIDE LED PANEL 40W 220-240V AC 4000K CRI.90 595x595 mm IP40 120°	CHF	88.55	A
	MWH			
WD6060WW MWH	XWIDE LED PANEL 40W 220-240V AC 3000K CRI.90 595x595 mm IP40 120°	CHF	88.55	A
	MWH			
WDR30120NW MWH	XWIDE RIM LED PANEL 40W 220-240V AC 4000K CRI.82 300x1200 mm IP40	CHF	200.05	A
	110° MWH			
WDR30120WW MWH	XWIDE RIM LED PANEL 40W 220-240V AC 3000K CRI.83 300x1200 mm IP40	CHF	200.05	A
	110° MWH			
WDR3060NW MWH	XWIDE RIM LED PANEL 30W 220-240V AC 4000K CRI.82 300x600 mm IP40	CHF	121.50	A
	110° MWH			
WDR3060WW MWH	XWIDE RIM LED PANEL 30W 220-240V AC 3000K CRI.83 300x600 mm IP40	CHF	121.50	A
	110° MWH			
WDR6060NW MWH	XWIDE RIM LED PANEL 40W 220-240V AC 4000K CRI.82 600x600 mm IP40	CHF	176.95	A
	110° MWH			
WDR6060WW MWH	XWIDE RIM LED PANEL 40W 220-240V AC 3000K CRI.83 600x600 mm IP40	CHF	176.95	A
	110° MWH			
PT30120NW	XPLANET REC. LED PANEL 40W 220-240V AC 4000K CRI.80 295x1195 mm	CHF	83.15	A
	IP40 120° MWH			
PT30120WW	XPLANET REC. LED PANEL 40W 220-240V AC 3000K CRI.80 295x1195 mm	CHF	83.15	A
	IP40 120° MWH			
PT3060NW	XPLANET REC. LED PANEL 24W 220-240V AC 4000K CRI.80 295x595 mm	CHF	51.75	A
	IP40 120° MWH			
PT3060WW	XPLANET REC. LED PANEL 24W 220-240V AC 3000K CRI.80 295x595 mm	CHF	51.75	A
	IP40 120° MWH			
PT6060NW	XPLANET REC. LED PANEL 40W 220-240V AC 4000K CRI.80 595x595 mm	CHF	67.85	A
	IP40 120° MWH			
PT6060WW	XPLANET REC. LED PANEL 40W 220-240V AC 3000K CRI.80 595x595 mm	CHF	67.85	A
	IP40 120° MWH			
PT6060ABFR MWH	XPLANET ANTIBACT. REC. IP65 for SURFACE MOUNTING in	CHF	76.70	A
	PLASTERBOARD CEILLING MWH			
PT6060ABFR MWH	XPLANET REC. IP65 AL. ANTIBACT. FRAME for REC. MOUNTING in FALSE	CHF	92.05	A
	CEILING			
PT6060NWIP65	XPLANET REC. LED PANEL 36W 220-240V AC 4000K CRI.80 600x600 mm	CHF	159.90	A
	IP65 120° MWH			
PT6060NWIP65AB	XPLANET ANTIBACT. REC. LED PANEL 36W 220-240V AC 4000K CRI.80	CHF	240.60	A
	600x600 mm IP65 120° MWH			
PT6060WWIP65	XPLANET REC. LED PANEL 36W 220-240V AC 3000K CRI.80 600x600 mm	CHF	159.90	A
	IP65 120° MWH			
PT6060WWIP65AB	XPLANET ANTIBACT. REC. LED PANEL 36W 220-240V AC 3000K CRI.80	CHF	240.60	A
	600x600 mm IP65 120° MWH			
EV01NW	XEVO REC. RND. FITTING 8W 200-240V AC 4000K CRI.80 IP20/IP44 90°	CHF	38.25	A
	MWH			
EV01WW	XEVO REC. RND. FITTING 8W 200-240V AC 3000K CRI.82 IP20/IP44 90°	CHF	38.25	A
	MWH			
EV02NW	XEVO REC. RND. FITTING 12W 200-240V AC 4000K CRI.80 IP20/IP44 90°	CHF	44.55	A
	MWH			
EV02WW	XEVO REC. RND. FITTING 12W 200-240V AC 3000K CRI.82 IP20/IP44 90°	CHF	44.55	A
	MWH			
EV03NW	XEVO REC. RND. FITTING 15W 200-240V AC 4000K CRI.80 IP20/IP44 90°	CHF	52.55	A
	MWH			
EV03WW	XEVO REC. RND. FITTING 15W 200-240V AC 3000K CRI.82 IP20/IP44 90°	CHF	52.55	A
	MWH			
EV04NW	XEVO REC. RND. FITTING 18W 200-240V AC 4000K CRI.80 IP20/IP44 90°	CHF	73.75	A
	MWH			
EV04WW	XEVO REC. RND. FITTING 18W 200-240V AC 3000K CRI.82 IP20/IP44 90°	CHF	73.75	A
	MWH			
EV05NW	XEVO REC. RND. FITTING 22W 200-240V AC 4000K CRI.80 IP20/IP44 90°	CHF	85.60	A
	MWH			
EV05WW	XEVO REC. RND. FITTING 22W 200-240V AC 3000K CRI.82 IP20/IP44 90°	CHF	85.60	A
	MWH			
EVS01NW	XEVO REC. SQ. FITTING 12W 220-240V AC 4000K CRI.82 IP20/IP44 90°	CHF	75.70	A
	MWH			

Art-Nr.:	Produktbeschreibung			
EVS01WW	XEVO REC. SQ. FITTING 12W 220-240V AC 3000K CRI.82 IP20/IP44 90° MWH	CHF	75.70	A
EVS02NW	XEVO REC. SQ. FITTING 18W 220-240V AC 4000K CRI.82 IP20/IP44 90° MWH	CHF	101.25	A
EVS02WW	XEVO REC. SQ. FITTING 18W 220-240V AC 3000K CRI.82 IP20/IP44 90° MWH	CHF	101.25	A
EVS03NW	XEVO REC. SQ. FITTING 22W 220-240V AC 4000K CRI.82 IP20/IP44 90° MWH	CHF	123.05	A
EVS03WW	XEVO REC. SQ. FITTING 22W 220-240V AC 3000K CRI.82 IP20/IP44 90° MWH	CHF	123.05	A
FCR01NW MWH	XFACE REC. RND. PANEL 6W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	23.60	A
FCR01WW MWH	XFACE REC. RND. PANEL 6W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	23.60	A
FCR02NW MWH	XFACE REC. RND. PANEL 12W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	30.85	A
FCR02WW MWH	XFACE REC. RND. PANEL 12W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	30.85	A
FCR03NW MWH	XFACE REC. RND. PANEL 18W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	49.15	A
FCR03WW MWH	XFACE REC. RND. PANEL 18W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	49.15	A
FCR04NW MWH	XFACE REC. RND. PANEL 24W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	74.55	A
FCR04WW MWH	XFACE REC. RND. PANEL 24W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	74.55	A
FCQ01NW MWH	XFACE REC. SQ. PANEL 6W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	24.45	A
FCQ01WW MWH	XFACE REC. SQ. PANEL 6W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	24.45	A
FCQ02NW MWH	XFACE REC. SQ. PANEL 12W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	32.65	A
FCQ02WW MWH	XFACE REC. SQ. PANEL 12W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	32.65	A
FCQ03NW MWH	XFACE REC. SQ. PANEL 18W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	51.90	A
FCQ03WW MWH	XFACE REC. SQ. PANEL 18W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	51.90	A
FCQ04NW MWH	XFACE REC. SQ. PANEL 24W 100-240V AC 4000K CRI.80 IP40 120° MWH	CHF	77.30	A
FCQ04WW MWH	XFACE REC. SQ. PANEL 24W 100-240V AC 3000K CRI.80 IP40 120° MWH	CHF	77.30	A
FTR180NW MWH	XFLAT REC. RND. PANEL 11W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	50.80	A
FTR180WW MWH	XFLAT REC. RND. PANEL 11W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	50.80	A
FTR240NW MWH	XFLAT REC. RND. PANEL 15W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	60.95	A
FTR240WW MWH	XFLAT REC. RND. PANEL 15W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	60.95	A
FTR300NW MWH	XFLAT REC. RND. PANEL 30W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	94.55	A
FTR300WW MWH	XFLAT REC. RND. PANEL 30W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	94.55	A
FTR420NW MWH	XFLAT REC. RND. PANEL 40W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	146.15	A
FTR420WW MWH	XFLAT REC. RND. PANEL 40W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	146.15	A
FTQ168NW MWH	XFLAT REC. SQ. PANEL 15W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	53.90	A
FTQ168WW MWH	XFLAT REC. SQ. PANEL 15W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	53.90	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
FTQ220NW MWH	XFLAT REC. SQ. PANEL 22W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	62.55	A
FTQ220WW MWH	XFLAT REC. SQ. PANEL 22W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	62.55	A
FTQ300NW MWH	XFLAT REC. SQ. PANEL 30W 220-240V AC 4000K CRI.82 IP40 110° MWH	CHF	91.40	A
FTQ300WW MWH	XFLAT REC. SQ. PANEL 30W 220-240V AC 3000K CRI.83 IP40 110° MWH	CHF	91.40	A
TM01CM MWH	XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM01 MWH	CHF	29.40	A
TM01RF MWH	XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM01 MWH	CHF	4.30	A
TM01SF MWH	XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM01 MWH	CHF	5.45	A
TM01SM MWH	XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM01 MWH	CHF	44.90	A
TM02CM MWH	XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM02 MWH	CHF	32.50	A
TM02RF MWH	XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM02 MWH	CHF	5.45	A
TM02SF MWH	XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM02 MWH	CHF	6.60	A
TM02SM MWH	XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM02 MWH	CHF	47.95	A
TM03CM MWH	XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM03 MWH	CHF	37.95	A
TM03RF MWH	XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM03 MWH	CHF	6.60	A
TM03SF MWH	XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM03 MWH	CHF	7.75	A
TM03SM MWH	XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM03 MWH	CHF	53.40	A
TM04CM MWH	XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM04/05 MWH	CHF	43.30	A
TM04RF MWH	XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM04/05 MWH	CHF	8.50	A
TM04SF MWH	XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM04/05 MWH	CHF	9.65	A
TM04SM MWH	XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM04/05 MWH	CHF	58.80	A
TM01NW	XTHEMA 1x12,7W 350mA 36-38V DC 4000K CRI.80 IP20 75° MWH	CHF	46.05	A
TM01WW	XTHEMA 1x12,7W 350mA 36-38V DC 3000K CRI.80 IP20 75° MWH	CHF	46.05	A
TM02NW	XTHEMA 1x18,3W 500mA 36-38V DC 4000K CRI.80 IP20 70° MWH	CHF	56.15	A
TM02WW	XTHEMA 1x18,3W 500mA 36-38V DC 3000K CRI.80 IP20 70° MWH	CHF	56.15	A
TM03NW	XTHEMA 1x25W 700mA 36-38V DC 4000K CRI.80 IP20 70° MWH	CHF	65.00	A
TM03WW	XTHEMA 1x25W 700mA 36-38V DC 3000K CRI.80 IP20 70° MWH	CHF	65.00	A
TM04NW	XTHEMA 1x36,8W 1050mA 36-38V DC 4000K CRI.80 IP20 70° MWH	CHF	85.15	A
TM04WW	XTHEMA 1x36,8W 1050mA 36-38V DC 3000K CRI.80 IP20 70° MWH	CHF	85.15	A
TM05NW	XTHEMA 1x52W 1400mA 36-38V DC 4000K CRI.80 IP20 70° MWH	CHF	135.40	A
TM05WW	XTHEMA 1x52W 1400mA 36-38V DC 3000K CRI.80 IP20 70° MWH	CHF	135.40	A
MKS01CCT MWH	XMASK REC. SPOT 1x15W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH	CHF	63.85	A
MKS02CCT MWH	XMASK REC. SPOT 1x20W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH	CHF	71.80	A
MKS03CCT MWH	XMASK REC. SPOT 1x28W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH	CHF	85.95	A
MKS04CCT MWH	XMASK REC. SPOT 1x35W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH	CHF	88.00	A
GX01NW MWH/CH	XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/CH	CHF	97.00	A
GX01NW MWH/MBK	XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/MBK	CHF	97.00	A
GX01NW MWH/MWH	XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/MWH	CHF	97.00	A
GX01NW MWH/SGD	XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/SGD	CHF	97.00	A
GX01WW MWH/CH	XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36° MWH/CH	CHF	97.00	A
GX01WW MWH/MBK	XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36° MWH/MBK	CHF	97.00	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
GX01WW MWH/MWH	XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36°	CHF	97.00	A
	MWH/MWH			
GX01WW MWH/SGD	XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36°	CHF	97.00	A
	MWH/SGD			
KA01NW SBK	XKAPPA REC. SPOT 1x5W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	57.85	A
	SBK			
KA01NW SWH	XKAPPA REC. SPOT 1x5W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	57.85	A
	SWH			
KA01UWW SBK	XKAPPA REC. SPOT 1x5W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	57.85	A
	SBK			
KA01UWW SWH	XKAPPA REC. SPOT 1x5W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	57.85	A
	SWH			
KA01WW SBK	XKAPPA REC. SPOT 1x5W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	57.85	A
	SBK			
KA01WW SWH	XKAPPA REC. SPOT 1x5W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	57.85	A
	SWH			
KA02NW SBK	XKAPPA REC. SPOT 1x10W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	66.45	A
	SBK			
KA02NW SWH	XKAPPA REC. SPOT 1x10W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	66.45	A
	SWH			
KA02UWW SBK	XKAPPA REC. SPOT 1x10W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	66.45	A
	SBK			
KA02UWW SWH	XKAPPA REC. SPOT 1x10W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	66.45	A
	SWH			
KA02WW SBK	XKAPPA REC. SPOT 1x10W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	66.45	A
	SBK			
KA02WW SWH	XKAPPA REC. SPOT 1x10W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	66.45	A
	SWH			
KA03NW SBK	XKAPPA REC. SPOT 1x15W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	90.65	A
	SBK			
KA03NW SWH	XKAPPA REC. SPOT 1x15W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	90.65	A
	SWH			
KA03UWW SBK	XKAPPA REC. SPOT 1x15W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	90.65	A
	SBK			
KA03UWW SWH	XKAPPA REC. SPOT 1x15W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	90.65	A
	SWH			
KA03WW SBK	XKAPPA REC. SPOT 1x15W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	90.65	A
	SBK			
KA03WW SWH	XKAPPA REC. SPOT 1x15W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	90.65	A
	SWH			
KA04NW SBK	XKAPPA REC. SPOT 1x25W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	128.90	A
	SBK			
KA04NW SWH	XKAPPA REC. SPOT 1x25W 220-240V AC 4000K CRI.90 IP20 24° UGR<17	CHF	128.90	A
	SWH			
KA04UWW SBK	XKAPPA REC. SPOT 1x25W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	128.90	A
	SBK			
KA04UWW SWH	XKAPPA REC. SPOT 1x25W 220-240V AC 2700K CRI.90 IP20 24° UGR<17	CHF	128.90	A
	SWH			
KA04WW SBK	XKAPPA REC. SPOT 1x25W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	128.90	A
	SBK			
KA04WW SWH	XKAPPA REC. SPOT 1x25W 220-240V AC 3000K CRI.90 IP20 24° UGR<17	CHF	128.90	A
	SWH			
AR03NW SBK	XARTE REC. RND. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SBK	CHF	88.40	A
AR03NW SWH	XARTE REC. RND. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SWH	CHF	88.40	A
AR03WW SBK	XARTE REC. RND. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SBK	CHF	88.40	A
AR03WW SWH	XARTE REC. RND. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SWH	CHF	88.40	A
AR04NW SBK	XARTE REC. RND. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK	CHF	122.05	A
AR04NW SWH	XARTE REC. RND. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH	CHF	122.05	A
AR04WW SBK	XARTE REC. RND. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK	CHF	122.05	A
AR04WW SWH	XARTE REC. RND. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH	CHF	122.05	A
AR056MC	XARTE REC. ACC. For LINEAR MONTING 2 LIGHT FITINGS	CHF	2.50	A
AR05NW SBK	XARTE REC. SQ. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SBK	CHF	96.80	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
AR05NW SWH	XARTE REC. SQ. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SWH	CHF	96.80	A
AR05WW SBK	XARTE REC. SQ. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SBK	CHF	96.80	A
AR05WW SWH	XARTE REC. SQ. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SWH	CHF	96.80	A
AR06NW SBK	XARTE REC. SQ. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK	CHF	127.95	A
AR06NW SWH	XARTE REC. SQ. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH	CHF	127.95	A
AR06WW SBK	XARTE REC. SQ. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK	CHF	127.95	A
AR06WW SWH	XARTE REC. SQ. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH	CHF	127.95	A
SI012REF12	XSLIDE OPTICAL SYSTEM 12° for SI01/SI02	CHF	8.35	A
SI012REF24	XSLIDE OPTICAL SYSTEM 24° for SI01/SI02	CHF	8.35	A
SI01NW SWH	XSLIDE REC. FITTING 1x12W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH	CHF	117.20	A
SI01WW SWH	XSLIDE REC. FITTING 1x12W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH	CHF	117.20	A
SI02NW SWH	XSLIDE REC. FITTING 2x12W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH	CHF	225.85	A
SI02WW SWH	XSLIDE REC. FITTING 2x12W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH	CHF	225.85	A
SI034REF12	XSLIDE OPTICAL SYSTEM 12° for SI03/SI04	CHF	9.20	A
SI034REF24	XSLIDE OPTICAL SYSTEM 24° for SI03/SI04	CHF	9.20	A
SI03NW SWH	XSLIDE REC. FITTING 1x25W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH	CHF	187.15	A
SI03WW SWH	XSLIDE REC. FITTING 1x25W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH	CHF	187.15	A
SI04NW SWH	XSLIDE REC. FITTING 2x25W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH	CHF	352.45	A
SI04WW SWH	XSLIDE REC. FITTING 2x25W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH	CHF	352.45	A
DN04NW SWH	XDOWN REC. ADJ. FITTING 1x15W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH	CHF	73.65	A
DN04REF 15	XDOWN OPTICAL SYSTEM 15° for DN04	CHF	6.95	A
DN04WW SWH	XDOWN REC. ADJ. FITTING 1x15W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH	CHF	73.65	A
DN05NW SWH	XDOWN REC. ADJ. FITTING 1x33W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH	CHF	123.00	A
DN05REF 15	XDOWN OPTICAL SYSTEM 15° for DN05	CHF	9.40	A
DN05REF 60	XDOWN OPTICAL SYSTEM 60° for DN05	CHF	9.40	A
DN05WW SWH	XDOWN REC. ADJ. FITTING 1x33W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH	CHF	123.00	A
DN06NW SWH	XDOWN REC. ADJ. FITTING 1x42W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH	CHF	158.15	A
DN06REF 15	XDOWN OPTICAL SYSTEM 15° for DN06	CHF	11.15	A
DN06REF 60	XDOWN OPTICAL SYSTEM 60° for DN06	CHF	11.15	A
DN06WW SWH	XDOWN REC. ADJ. FITTING 1x42W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH	CHF	158.15	A
CLS01NW MBK	XCLASS REC. FITTING 21W 500mA 25-40V DC 4000K CRI.80 IP54 MBK	CHF	87.75	A
CLS01NW MWH	XCLASS REC. FITTING 21W 500mA 25-40V DC 4000K CRI.80 IP54 MWH	CHF	87.75	A
CLS01WW MBK	XCLASS REC. FITTING 21W 500mA 25-40V DC 3000K CRI.80 IP54 MBK	CHF	87.75	A
CLS01WW MWH	XCLASS REC. FITTING 21W 500mA 25-40V DC 3000K CRI.80 IP54 MWH	CHF	87.75	A
CLS02NW MBK	XCLASS REC. FITTING 40W 900mA 33-40V DC 4000K CRI.80 IP54 MBK	CHF	110.10	A
CLS02NW MWH	XCLASS REC. FITTING 40W 900mA 33-40V DC 4000K CRI.80 IP54 MWH	CHF	110.10	A
CLS02WW MBK	XCLASS REC. FITTING 40W 900mA 33-40V DC 3000K CRI.80 IP54 MBK	CHF	110.10	A
CLS02WW MWH	XCLASS REC. FITTING 40W 900mA 33-40V DC 3000K CRI.80 IP54 MWH	CHF	110.10	A
ARR01UWW18 SBK	XARNO RND. RECESSED 13W 2700K 18grd SBK	CHF	118.75	A
ARR01UWW18 SWH	XARNO RND. RECESSED 13W 2700K 18grd SWH	CHF	118.75	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
ARR01UWW18T SWH	XARNO RND. TRIM. RECESSED 13W 2700K 18grd SWH	CHF	125.10	A
ARR01UWW36 SBK	XARNO RND. RECESSED 13W 2700K 36grd SBK	CHF	118.75	A
ARR01UWW36 SWH	XARNO RND. RECESSED 13W 2700K 36grd SWH	CHF	118.75	A
ARR01UWW36T SWH	XARNO RND. TRIM. RECESSED 13W 2700K 36grd SWH	CHF	125.10	A
ARR01WW18 SBK	XARNO RND. RECESSED 13W 3000K 18grd SBK	CHF	118.75	A
ARR01WW18 SWH	XARNO RND. RECESSED 13W 3000K 18grd SWH	CHF	118.75	A
ARR01WW18T SWH	XARNO RND. TRIM. RECESSED 13W 3000K 18grd SWH	CHF	125.10	A
ARR01WW36 SBK	XARNO RND. RECESSED 13W 3000K 36grd SBK	CHF	118.75	A
ARR01WW36 SWH	XARNO RND. RECESSED 13W 3000K 36grd SWH	CHF	118.75	A
ARR01WW36T SWH	XARNO RND. TRIM. RECESSED 13W 3000K 36grd SWH	CHF	125.10	A
ARR012HC	XARNO RECESSED DIRECT REDUCTON DEVICE "HONEY COMB" for ARR01/02	CHF	4.05	A
ARR012SF	XARNO RECESSED ACC. for RECTANGULAR ANGLE for ARR01/02	CHF	4.05	A
RRBK	XARNO RECESSED BK REFLECTOR	CHF	12.15	A
RRBKN	XARNO RECESSED BK REFLECTOR WITHOUT GAP	CHF	12.15	A
RRGD	XARNO RECESSED SGD REFLECTOR	CHF	17.00	A
RRGDN	XARNO RECESSED SGD REFLECTOR WITHOUT GAP	CHF	17.00	A
RRWH	XARNO RECESSED WH REFLECTOR	CHF	12.15	A
RRWHN	XARNO RECESSED WH REFLECTOR WITHOUT GAP	CHF	12.15	A
ARR02LN18	XARNO RECESSED LENS 18grd	CHF	4.05	A
ARR02NFR SBK	XARNO STANDARD RECESSED MOUNTING FRAME SBK	CHF	12.95	A
ARR02NFR SWH	XARNO STANDARD RECESSED MOUNTING FRAME SWH	CHF	12.95	A
ARR02TFR WH	XARNO TRIM. RECESSED MOUNTING FRAME WH	CHF	19.45	A
ARR02UWW36 BK	XARNO SQ. RECESSED 13W 2700K 36grd BK	CHF	118.75	A
ARR02UWW36 GD	XARNO SQ. RECESSED 13W 2700K 36grd GD	CHF	118.75	A
ARR02UWW36 WH	XARNO SQ. RECESSED 13W 2700K 36grd WH	CHF	118.75	A
ARR02WW36 BK	XARNO SQ. RECESSED 13W 3000K 36grd BK	CHF	118.75	A
ARR02WW36 GD	XARNO SQ. RECESSED 13W 3000K 36grd GD	CHF	118.75	A
ARR02WW36 WH	XARNO SQ. RECESSED 13W 3000K 36grd WH	CHF	118.75	A
DLR01NW MBK	XDRILL RIM REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	101.25	A
DLR01NW MWH	XDRILL RIM REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	101.25	A
DLR01UWW MBK	XDRILL RIM REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	101.25	A
DLR01UWW MWH	XDRILL RIM REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	101.25	A
DLR01WW MBK	XDRILL RIM REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	101.25	A
DLR01WW MWH	XDRILL RIM REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	101.25	A
DLR02NW MBK	XDRILL RIM REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	176.30	A
DLR02NW MWH	XDRILL RIM REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	176.30	A
DLR02UWW MBK	XDRILL RIM REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	176.30	A
DLR02UWW MWH	XDRILL RIM REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	176.30	A
DLR02WW MBK	XDRILL RIM REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	176.30	A
DLR02WW MWH	XDRILL RIM REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	176.30	A
DLR03NW MBK	XDRILL RIM REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	250.45	A
DLR03NW MWH	XDRILL RIM REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	250.45	A
DLR03UWW MBK	XDRILL RIM REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	250.45	A
DLR03UWW MWH	XDRILL RIM REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	250.45	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung				
DLR03WW MBK	XDRILL RIM REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	250.45	A	
DLR03WW MWH	XDRILL RIM REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	250.45	A	
DLR04NW MBK	XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	96.45	A	
DLR04NW MWH	XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	96.45	A	
DLR04UWW MBK	XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	96.45	A	
DLR04UWW MWH	XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	96.45	A	
DLR04WW MBK	XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	96.45	A	
DLR04WW MWH	XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	96.45	A	
DLT01NW MBK	XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	98.50	A	
DLT01NW MWH	XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	98.50	A	
DLT01UWW MBK	XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	98.50	A	
DLT01UWW MWH	XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	98.50	A	
DLT01WW MBK	XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	98.50	A	
DLT01WW MWH	XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	98.50	A	
DLT02NW MBK	XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	176.00	A	
DLT02NW MWH	XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	176.00	A	
DLT02UWW MBK	XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	176.00	A	
DLT02UWW MWH	XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	176.00	A	
DLT02WW MBK	XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	176.00	A	
DLT02WW MWH	XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	176.00	A	
DLT03NW MBK	XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	249.70	A	
DLT03NW MWH	XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	249.70	A	
DLT03UWW MBK	XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	249.70	A	
DLT03UWW MWH	XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	249.70	A	
DLT03WW MBK	XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	249.70	A	
DLT03WW MWH	XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MWH	CHF	249.70	A	
DLT04NW MBK	XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MBK	CHF	90.50	A	
DLT04NW MWH	XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18° MWH	CHF	90.50	A	
DLT04UWW MBK	XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MBK	CHF	90.50	A	
DLT04UWW MWH	XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18° MWH	CHF	90.50	A	
DLT04WW MBK	XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18° MBK	CHF	90.50	A	

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
DLT04WW MWH	XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90	CHF	90.50	A
	IP20 UGR<10 18° MWH			
VT01WW MBK	XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90	CHF	212.00	A
	L=250 mm IP20 18° MBK			
VT01WW MWH	XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90	CHF	212.00	A
	L=250 mm IP20 18° MWH			
VT02WW MBK	XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90	CHF	223.95	A
	L=450 mm IP20 18° MBK			
VT02WW MWH	XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90	CHF	223.95	A
	L=450 mm IP20 18° MWH			
VT03UWW MBK	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=250 mm	CHF	137.30	A
	IP20 30° MBK			
VT03UWW MWH	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=250 mm	CHF	137.30	A
	IP20 30° MWH			
VT03WW MBK	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=250 mm	CHF	137.30	A
	IP20 30° MBK			
VT03WW MWH	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=250 mm	CHF	137.30	A
	IP20 30° MWH			
VT04UWW MBK	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=450 mm	CHF	155.70	A
	IP20 30° MBK			
VT04UWW MWH	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=450 mm	CHF	155.70	A
	IP20 30° MWH			
VT04WW MBK	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=450 mm	CHF	155.70	A
	IP20 30° MBK			
VT04WW MWH	XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=450 mm	CHF	155.70	A
	IP20 30° MWH			
CU01NW36 BK	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 4000K CRI.80 IP20	CHF	76.90	A
	UGR<19 36° MBK			
CU01NW36 GD	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 4000K CRI.80 IP20	CHF	76.90	A
	UGR<19 36° GD			
CU01NW36 MWH	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 4000K CRI.80 IP20	CHF	76.90	A
	UGR<19 36° MWH			
CU01UWW36 BK	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 2700K CRI.90 IP20	CHF	76.90	A
	UGR<19 36° MBK			
CU01UWW36 GD	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 2700K CRI.90 IP20	CHF	76.90	A
	UGR<19 36° GD			
CU01UWW36 MWH	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 2700K CRI.90 IP20	CHF	76.90	A
	UGR<19 36° MWH			
CU01WW36 BK	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 3000K CRI.90 IP20	CHF	76.90	A
	UGR<19 36° MBK			
CU01WW36 GD	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 3000K CRI.90 IP20	CHF	76.90	A
	UGR<19 36° GD			
CU01WW36 MWH	XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 3000K CRI.90 IP20	CHF	76.90	A
	UGR<19 36° MWH			
CUS1 BK	XCLUB FRAME for 1 LED module for CU01 BK	CHF	16.15	A
CUS1 MWH	XCLUB FRAME for 1 LED module for CU01 MWH	CHF	16.15	A
CUS2 BK	XCLUB FRAME for 2 LED module for CU01 BK	CHF	23.80	A
CUS2 MWH	XCLUB FRAME for 2 LED module for CU01 MWH	CHF	23.80	A
CUS3 BK	XCLUB FRAME for 3 LED module for CU01 BK	CHF	32.25	A
CUS3 MWH	XCLUB FRAME for 3 LED module for CU01 MWH	CHF	32.25	A
CU02NW50 BK	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20	CHF	114.90	A
	UGR<19 50° MBK			
CU02NW50 GD	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20	CHF	114.90	A
	UGR<19 50° GD			
CU02NW50 MWH	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20	CHF	114.90	A
	UGR<19 50° MWH			
CU02UWW50 BK	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20	CHF	114.90	A
	UGR<19 50° MBK			
CU02UWW50 GD	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20	CHF	114.90	A
	UGR<19 50° GD			
CU02UWW50 MWH	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20	CHF	114.90	A
	UGR<19 50° MWH			

Art-Nr.:	Produktbeschreibung			
CU02WW50 BK	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20	CHF	114.90	A
	UGR<19 50° MBK			
CU02WW50 GD	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20	CHF	114.90	A
	UGR<19 50° GD			
CU02WW50 MWH	XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20	CHF	114.90	A
	UGR<19 50° MWH			
CUM1 BK	XCLUB FRAME for 1 LED module for CU02 BK	CHF	16.15	A
CUM1 MWH	XCLUB FRAME for 1 LED module for CU02 MWH	CHF	16.15	A
CUM2 BK	XCLUB FRAME for 2 LED module for CU02 BK	CHF	23.80	A
CUM2 MWH	XCLUB FRAME for 2 LED module for CU02 MWH	CHF	23.80	A
CUM3 BK	XCLUB FRAME for 3 LED module for CU02 BK	CHF	32.25	A
CUM3 MWH	XCLUB FRAME for 3 LED module for CU02 MWH	CHF	32.25	A
DM01NW50 BK	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80	CHF	109.50	A
	IP20 UGR<19 50° MBK			
DM01NW50 GD	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80	CHF	109.50	A
	IP20 UGR<19 50° GD			
DM01NW50 MWH	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80	CHF	109.50	A
	IP20 UGR<19 50° MWH			
DM01UWW50 BK	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90	CHF	109.50	A
	IP20 UGR<19 50° MBK			
DM01UWW50 GD	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90	CHF	109.50	A
	IP20 UGR<19 50° GD			
DM01UWW50 MWH	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90	CHF	109.50	A
	IP20 UGR<19 50° MWH			
DM01WW50 BK	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90	CHF	109.50	A
	IP20 UGR<19 50° MBK			
DM01WW50 GD	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90	CHF	109.50	A
	IP20 UGR<19 50° GD			
DM01WW50 MWH	XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90	CHF	109.50	A
	IP20 UGR<19 50° MWH			
DMM1 BK	XDOMINO FRAME for 1 LED module for DM01 BK	CHF	14.70	A
DMM1 MWH	XDOMINO FRAME for 1 LED module for DM01 MWH	CHF	14.70	A
DMM2 BK	XDOMINO FRAME for 2 LED module for DM01 BK	CHF	23.80	A
DMM2 MWH	XDOMINO FRAME for 2 LED module for DM01 MWH	CHF	23.80	A
DMM3 BK	XDOMINO FRAME for 3 LED module for DM01 BK	CHF	36.50	A
DMM3 MWH	XDOMINO FRAME for 3 LED module for DM01 MWH	CHF	36.50	A
DM02NW36 BK	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 4000K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° MBK			
DM02NW36 GD	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 4000K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° GD			
DM02NW36 MWH	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 4000K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° MWH			
DM02UWW36 BK	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 2700K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° MBK			
DM02UWW36 GD	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 2700K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° GD			
DM02UWW36 MWH	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 2700K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° MWH			
DM02WW36 BK	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 3000K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° MBK			
DM02WW36 GD	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 3000K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° GD			
DM02WW36 MWH	XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 3000K CRI.90 IP20	CHF	73.05	A
	UGR<19 36° MWH			
DMS1 BK	XDOMINO FRAME for 1 LED module for DM02 BK	CHF	17.70	A
DMS1 MWH	XDOMINO FRAME for 1 LED module for DM02 MWH	CHF	17.70	A
DMS2 BK	XDOMINO FRAME for 2 LED module for DM02 BK	CHF	26.90	A
DMS2 MWH	XDOMINO FRAME for 2 LED module for DM02 MWH	CHF	26.90	A
DMS3 BK	XDOMINO FRAME for 3 LED module for DM02 BK	CHF	35.75	A
DMS3 MWH	XDOMINO FRAME for 3 LED module for DM02 MWH	CHF	35.75	A
AGR01NW MBK/BK	XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20	CHF	83.65	A
	UGR<16 38° MBK/BK			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
AGR01NW MWH/BK	XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20	CHF	83.65	A
	UGR<16 38° MWH/BK			
AGR01UWW MBK/BK	XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20	CHF	83.65	A
	UGR<16 38° MBK/BK			
AGR01UWW MWH/BK	XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20	CHF	83.65	A
	UGR<16 38° MWH/BK			
AGR01WW MBK/BK	XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20	CHF	83.65	A
	UGR<16 38° MBK/BK			
AGR01WW MWH/BK	XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20	CHF	83.65	A
	UGR<16 38° MWH/BK			
AGR02NW MBK/BK	XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20	CHF	90.00	A
	UGR<16 38° MBK/BK			
AGR02NW MWH/BK	XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20	CHF	90.00	A
	UGR<16 38° MWH/BK			
AGR02UWW MBK/BK	XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20	CHF	90.00	A
	UGR<16 38° MBK/BK			
AGR02UWW MWH/BK	XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20	CHF	90.00	A
	UGR<16 38° MWH/BK			
AGR02WW MBK/BK	XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20	CHF	90.00	A
	UGR<16 38° MBK/BK			
AGR02WW MWH/BK	XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20	CHF	90.00	A
	UGR<16 38° MWH/BK			
AGR03NW MBK/BK	XARGO REC. ADJ. FITTING 2x10W 220-240V AC 4000K CRI.90 IP20 UGR<16	CHF	158.55	A
	38° MBK/BK			
AGR03NW MWH/BK	XARGO REC. ADJ. FITTING 2x10W 220-240V AC 4000K CRI.90 IP20 UGR<16	CHF	158.55	A
	38° MWH/BK			
AGR03UWW MBK/BK	XARGO REC. ADJ. FITTING 2x10W 220-240V AC 2700K CRI.90 IP20 UGR<16	CHF	158.55	A
	38° MBK/BK			
AGR03UWW MWH/BK	XARGO REC. ADJ. FITTING 2x10W 220-240V AC 2700K CRI.90 IP20 UGR<16	CHF	158.55	A
	38° MWH/BK			
AGR03WW MBK/BK	XARGO REC. ADJ. FITTING 2x10W 220-240V AC 3000K CRI.90 IP20 UGR<16	CHF	158.55	A
	38° MBK/BK			
AGR03WW MWH/BK	XARGO REC. ADJ. FITTING 2x10W 220-240V AC 3000K CRI.90 IP20 UGR<16	CHF	158.55	A
	38° MWH/BK			
DPO1NW MBK	XDEEP REC. FITTING 1x10,5W 220-240V AC 4000K CRI.90 IP20 UGR<19 36°	CHF	121.30	A
	MBK			
DPO1NW MWH	XDEEP REC. FITTING 1x10,5W 220-240V AC 4000K CRI.90 IP20 UGR<19 36°	CHF	121.30	A
	MWH			
DPO1UWW MBK	XDEEP REC. FITTING 1x10,5W 220-240V AC 2700K CRI.90 IP20 UGR<19 36°	CHF	121.30	A
	MBK			
DPO1UWW MWH	XDEEP REC. FITTING 1x10,5W 220-240V AC 2700K CRI.90 IP20 UGR<19 36°	CHF	121.30	A
	MWH			
DPO1WW MBK	XDEEP REC. FITTING 1x10,5W 220-240V AC 3000K CRI.90 IP20 UGR<19 36°	CHF	121.30	A
	MBK			
DPO1WW MWH	XDEEP REC. FITTING 1x10,5W 220-240V AC 3000K CRI.90 IP20 UGR<19 36°	CHF	121.30	A
	MWH			
WK01NW SBK	XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 4000K CRI.90 IP20	CHF	87.50	A
	UGR<16 38° SBK			
WK01NW SWH	XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 4000K CRI.90 IP20	CHF	87.50	A
	UGR<16 38° SWH			
WK01REF15	XWOK OPTICAL SYSTEM 15° for WK01	CHF	7.55	A
WK01REF60	XWOK OPTICAL SYSTEM 60° for WK01	CHF	7.55	A
WK01WW SBK	XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 3000K CRI.90 IP20	CHF	87.50	A
	UGR<16 38° SBK			
WK01WW SWH	XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 3000K CRI.90 IP20	CHF	87.50	A
	UGR<16 38° SWH			
XK01LN18	XPIKO LENS 18grd for PK01	CHF	2.90	A
XK01UWW SBK/BK	XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SBK/BK	CHF	85.45	A
XK01UWW SBK/GD	XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SBK/GD	CHF	85.45	A
XK01UWW SWH/BK	XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SWH/BK	CHF	85.45	A
XK01UWW SWH/GD	XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SWH/GD	CHF	85.45	A
XK01UWW SWH/WH	XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SWH/WH	CHF	85.45	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
XK01WW SBK/BK	XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SBK/BK	CHF	85.45	A
XK01WW SBK/GD	XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SBK/GD	CHF	85.45	A
XK01WW SWH/BK	XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SWH/BK	CHF	85.45	A
XK01WW SWH/GD	XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SWH/GD	CHF	85.45	A
XK01WW SWH/WH	XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SWH/WH	CHF	85.45	A
XK02LN15	XPIKO LENS 15grd for PK02	CHF	3.30	A
XK02UWW SBK/BK	XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SBK/BK	CHF	130.05	A
XK02UWW SBK/GD	XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SBK/GD	CHF	130.05	A
XK02UWW SWH/BK	XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SWH/BK	CHF	130.05	A
XK02UWW SWH/GD	XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SWH/GD	CHF	130.05	A
XK02UWW SWH/WH	XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SWH/WH	CHF	130.05	A
XK02WW SBK/BK	XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SBK/BK	CHF	130.05	A
XK02WW SBK/GD	XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SBK/GD	CHF	130.05	A
XK02WW SWH/BK	XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SWH/BK	CHF	130.05	A
XK02WW SWH/GD	XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SWH/GD	CHF	130.05	A
XK02WW SWH/WH	XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SWH/WH	CHF	130.05	A
PX01NW MBK/BK	XPIXEL REC. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MBK/BK	CHF	83.65	A
PX01NW MWH/BK	XPIXEL REC. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MWH/BK	CHF	83.65	A
PX01UWW MBK/BK	XPIXEL REC. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MBK/BK	CHF	83.65	A
PX01UWW MWH/BK	XPIXEL REC. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MWH/BK	CHF	83.65	A
PX01WW MBK/BK	XPIXEL REC. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MBK/BK	CHF	83.65	A
PX01WW MWH/BK	XPIXEL REC. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MWH/BK	CHF	83.65	A
PX02NW MBK/BK	XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MBK/BK	CHF	87.65	A
PX02NW MWH/BK	XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MWH/BK	CHF	87.65	A
PX02UWW MBK/BK	XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MBK/BK	CHF	87.65	A
PX02UWW MWH/BK	XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MWH/BK	CHF	87.65	A
PX02WW MBK/BK	XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MBK/BK	CHF	87.65	A
PX02WW MWH/BK	XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MWH/BK	CHF	87.65	A
KP01UWW MBK	XKEEP REC. DOWNLIGHT 1x3W 2700K CRI.90 IP20 UGR<16 30° MBK	CHF	59.60	A
KP01UWW MWH	XKEEP REC. DOWNLIGHT 1x3W 2700K CRI.90 IP20 UGR<16 30° MWH	CHF	59.60	A
KP01WW MBK	XKEEP REC. DOWNLIGHT 1x3W 3000K CRI.90 IP20 UGR<16 30° MBK	CHF	59.60	A
KP01WW MWH	XKEEP REC. DOWNLIGHT 1x3W 3000K CRI.90 IP20 UGR<16 30° MWH	CHF	59.60	A
TW01NW40 BA	XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° BA	CHF	45.30	A
TW01NW40 MWH	XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° MWH	CHF	45.30	A
TW01WW40 BA	XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° BA	CHF	45.30	A
TW01WW40 MWH	XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° MWH	CHF	45.30	A
TW02NW40 BA	XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° BA	CHF	45.30	A
TW02NW40 MWH	XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° MWH	CHF	45.30	A
TW02WW40 BA	XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° BA	CHF	45.30	A
TW02WW40 MWH	XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° MWH	CHF	45.30	A
SK01NW45 AL	XSKY REC. RND. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° AL-AN	CHF	36.50	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
SK01NW45 MBK	XSKY REC. RND. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MBK	CHF	36.50	A
SK01NW45 MWH	XSKY REC. RND. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MWH	CHF	36.50	A
SK01WW45 AL	XSKY REC. RND. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° AL-AN	CHF	36.50	A
SK01WW45 MBK	XSKY REC. RND. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MBK	CHF	36.50	A
SK01WW45 MWH	XSKY REC. RND. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MWH	CHF	36.50	A
SK02NW45 AL	XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° AL-AN	CHF	39.50	A
SK02NW45 MBK	XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MBK	CHF	39.50	A
SK02NW45 MWH	XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MWH	CHF	39.50	A
SK02WW45 AL	XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° AL-AN	CHF	39.50	A
SK02WW45 MBK	XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MBK	CHF	39.50	A
SK02WW45 MWH	XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MWH	CHF	39.50	A
MC02NW BK	XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° BK	CHF	85.95	A
MC02NW MWH	XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° MWH	CHF	85.95	A
MC02UWW BK	XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° BK	CHF	85.95	A
MC02UWW MWH	XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° MWH	CHF	85.95	A
MC02WW BK	XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° BK	CHF	85.95	A
MC02WW MWH	XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° MWH	CHF	85.95	A
MC03NW BK	XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° BK	CHF	88.00	A
MC03NW MWH	XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° MWH	CHF	88.00	A
MC03UWW BK	XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° BK	CHF	88.00	A
MC03UWW MWH	XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° MWH	CHF	88.00	A
MC03WW BK	XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° BK	CHF	88.00	A
MC03WW MWH	XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° MWH	CHF	88.00	A
PTD01NW SBK/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 4000K SBK/SBK	CHF	118.30	A
PTD01NW SWH/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 4000K SWH/SBK	CHF	118.30	A
PTD01NW SWH/SWH	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 4000K SWH/SWH	CHF	118.30	A
PTD01WW SBK/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 3000K SBK/SBK	CHF	118.30	A
PTD01WW SWH/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 3000K SWH/SBK	CHF	118.30	A
PTD01WW SWH/SWH	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 3000K SWH/SWH	CHF	118.30	A
PTD02NW SBK/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 4000K SBK/SBK	CHF	118.30	A
PTD02NW SWH/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 4000K SWH/SBK	CHF	118.30	A
PTD02NW SWH/SWH	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 4000K SWH/SWH	CHF	118.30	A
PTD02WW SBK/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 3000K SBK/SBK	CHF	118.30	A
PTD02WW SWH/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 3000K SWH/SBK	CHF	118.30	A
PTD02WW SWH/SWH	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 3000K SWH/SWH	CHF	118.30	A
PTD03NW SBK/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 4000K SBK/SBK	CHF	142.80	A
PTD03NW SWH/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 4000K SWH/SBK	CHF	142.80	A
PTD03NW SWH/SWH	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 4000K SWH/SWH	CHF	142.80	A
PTD03WW SBK/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 3000K SBK/SBK	CHF	142.80	A
PTD03WW SWH/SBK	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 3000K SWH/SBK	CHF	142.80	A
PTD03WW SWH/SWH	XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 3000K SWH/SWH	CHF	142.80	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PTD04NW SBK/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 4000K SBK/SBK	CHF	142.80	A
PTD04NW SWH/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 4000K SWH/SBK	CHF	142.80	A
PTD04NW SWH/SWH	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 4000K SWH/SWH	CHF	142.80	A
PTD04WW SBK/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 3000K SBK/SBK	CHF	142.80	A
PTD04WW SWH/SBK	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 3000K SWH/SBK	CHF	142.80	A
PTD04WW SWH/SWH	XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 3000K SWH/SWH	CHF	142.80	A
XS01NW MBK	XSPA RECESSED FIX SPOT LIGHT 12W 4000K MBK	CHF	38.70	A
XS01NW MWH	XSPA RECESSED FIX SPOT LIGHT 12W 4000K MWH	CHF	38.70	A
XS01NWTD MBK	XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 4000K MBK	CHF	60.70	A
XS01NWTD MWH	XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 4000K MWH	CHF	60.70	A
XS01WW MBK	XSPA RECESSED FIX SPOT LIGHT 12W 3000K MBK	CHF	38.70	A
XS01WW MWH	XSPA RECESSED FIX SPOT LIGHT 12W 3000K MWH	CHF	38.70	A
XS01WWTD MBK	XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 3000K MBK	CHF	60.70	A
XS01WWTD MWH	XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 3000K MWH	CHF	60.70	A
GLR01NW MBK/BK	XGLOW REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 UGR<16 20°	CHF	119.80	A
	MBK/BK			
GLR01NW MWH/WH	XGLOW REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 UGR<16 20°	CHF	119.80	A
	MWH/WH			
GLR01WW MBK/BK	XGLOW REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 UGR<16 20°	CHF	119.80	A
	MBK/BK			
GLR01WW MWH/WH	XGLOW REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 UGR<16 20°	CHF	119.80	A
	MWH/WH			
GLR02NW BK	XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54	CHF	120.50	A
	UGR<16 20° BK			
GLR02NW WH	XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54	CHF	120.50	A
	UGR<16 20° WH			
GLR02WW BK	XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54	CHF	120.50	A
	UGR<16 20° BK			
GLR02WW WH	XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54	CHF	120.50	A
	UGR<16 20° WH			
LM01NW SBK	XLUMO DOWNLIGHT 5W 220-240V AC 4000K SBK	CHF	51.30	A
LM01NW SWH	XLUMO DOWNLIGHT 5W 220-240V AC 4000K SWH	CHF	51.30	A
LM01WW SBK	XLUMO DOWNLIGHT 5W 220-240V AC 3000K SBK	CHF	51.30	A
LM01WW SWH	XLUMO DOWNLIGHT 5W 220-240V AC 3000K SWH	CHF	51.30	A
LM02NW SBK	XLUMO DOWNLIGHT 10W 220-240V AC 4000K SBK	CHF	61.90	A
LM02NW SWH	XLUMO DOWNLIGHT 10W 220-240V AC 4000K SWH	CHF	61.90	A
LM02WW SBK	XLUMO DOWNLIGHT 10W 220-240V AC 3000K SBK	CHF	61.90	A
LM02WW SWH	XLUMO DOWNLIGHT 10W 220-240V AC 3000K SWH	CHF	61.90	A
LM03NW SBK	XLUMO DOWNLIGHT 15W 220-240V AC 4000K SBK	CHF	80.50	A
LM03NW SWH	XLUMO DOWNLIGHT 15W 220-240V AC 4000K SWH	CHF	80.50	A
LM03WW SBK	XLUMO DOWNLIGHT 15W 220-240V AC 3000K SBK	CHF	80.50	A
LM03WW SWH	XLUMO DOWNLIGHT 15W 220-240V AC 3000K SWH	CHF	80.50	A
LM04NW SBK	XLUMO DOWNLIGHT 20W 220-240V AC 4000K SBK	CHF	89.90	A
LM04NW SWH	XLUMO DOWNLIGHT 20W 220-240V AC 4000K SWH	CHF	89.90	A
LM04WW SBK	XLUMO DOWNLIGHT 20W 220-240V AC 3000K SBK	CHF	89.90	A
LM04WW SWH	XLUMO DOWNLIGHT 20W 220-240V AC 3000K SWH	CHF	89.90	A
PO01 SWH/MBK	XPOLI REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16	CHF	11.60	A
	SWH/MBK (5.1.1)			
PO01 SWH/MWH	XPOLI REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16	CHF	11.60	A
	SWH/MWH (5.1.1)			
PO01 SWH/SGD	XPOLI REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16	CHF	11.60	A
	SWH/SGD (5.1.1)			
PO02 SWH/MBK	XPOLI REC. ADJ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16	CHF	11.60	A
	SWH/MBK (5.1.1)			
PO02 SWH/MWH	XPOLI REC. ADJ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16	CHF	11.60	A
	SWH/MWH (5.1.1)			
PO02 SWH/SGD	XPOLI REC. ADJ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16	CHF	11.60	A
	SWH/SGD (5.1.1)			
PO03 MWH/MBK	XPOLI REC. ADJ. SPOT WALL WASHER GU10/PAR16 1x50W max. 230V AC	CHF	11.60	A
	IP40 UGR<16 MWH/MBK (5.1.1)			
PO03 MWH/MWH	XPOLI REC. ADJ. SPOT WALL WASHER GU10/PAR16 1x50W max. 230V AC	CHF	11.60	A
	IP40 UGR<16 MWH/MWH (5.1.1)			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
P003 MWH/SGD	XPOLI REC. ADJ. SPOT WALL WASHER GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/SGD (5.1.1)	CHF	11.60	A
P004 SWH/MBK	XPOLI REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)	CHF	13.15	A
P004 SWH/MWH	XPOLI REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)	CHF	13.15	A
P004 SWH/SGD	XPOLI REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)	CHF	13.15	A
P005 MWH/MBK	XPOLI REC. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/MBK (5.1.1)	CHF	13.15	A
P005 MWH/MWH	XPOLI REC. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/MWH (5.1.1)	CHF	13.15	A
P005 MWH/SGD	XPOLI REC. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/SGD (5.1.1)	CHF	13.15	A
P006 SWH/MBK	XPOLI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)	CHF	25.55	A
P006 SWH/MWH	XPOLI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)	CHF	25.55	A
P006 SWH/SGD	XPOLI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)	CHF	25.55	A
P007 SWH/MBK	XPOLI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)	CHF	25.55	A
P007 SWH/MWH	XPOLI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)	CHF	25.55	A
P007 SWH/SGD	XPOLI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)	CHF	25.55	A
N001 SBK/SBK	XNOTE REC. ADJ. FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SBK/SBK (5.1.1)	CHF	26.30	A
N001 SWH/SBK	XNOTE REC. ADJ. FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SWH/SBK (5.1.1)	CHF	26.30	A
TON01 SBK/SBK	XTON REC. FITTING GU10/PAR16 1x50W max. 230V AC IP20 SBK/SBK (5.1.1)	CHF	13.95	A
TON01 SWH/SBK	XTON REC. FITTING GU10/PAR16 1x50W max. 230V AC IP20 SWH/SBK (5.1.1)	CHF	13.95	A
TON01 SWH/SWH	XTON REC. FITTING GU10/PAR16 1x50W max. 230V AC IP20 SWH/SWH (5.1.1)	CHF	13.95	A
CV01 BK	XCOVER REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 BK (5.1.1)	CHF	10.30	A
CV01 MWH	XCOVER REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 WH (5.1.1)	CHF	10.30	A
CV02 BK	XCOVER REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 BK (5.1.1)	CHF	10.30	A
CV02 MWH	XCOVER REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 WH (5.1.1)	CHF	10.30	A
KN01 BK	XKONE REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MBK (5.1.1)	CHF	12.25	A
KN01 MWH	XKONE REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	12.25	A
KN02 BK	XKONE REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MBK (5.1.1)	CHF	12.25	A
KN02 MWH	XKONE REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	12.25	A
FR01 MWH	XFRAME REC. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)	CHF	21.80	A
FR02 MWH	XFRAME REC. SPOT GU10/PAR16 2x50W max. 230V AC IP20 MWH (5.1.1)	CHF	42.70	A
GSS07	XGESS MAXI REC. ADJ. SPOT G53/AR111 1x50W max. 230V AC IP20 GP WH (5.1.1)	CHF	64.05	A
GSS01	XGESS MINI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC fi.100 IP20 GP WH (5.1.1)	CHF	9.85	A
GSS02	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 100x100 mm IP20 GP WH (5.1.1)	CHF	9.85	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
GSS03	XGESS MINI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC fi.130 IP20 GP WH (5.1.1)	CHF	13.15	A
GSS04	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 130x130 mm IP20 GP WH (5.1.1)	CHF	13.15	A
GSS05	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 120x120 mm IP20 GP WH (5.1.1)	CHF	13.15	A
GSS06	XGESS MINI TRIM. REC. SQ. SPOT with DIFFUSER GU10/PAR16 1x50W max. 230V AC IP20 GP WH (5.1.1)	CHF	14.75	A
GSS11RD	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 80x80 mm RND. IP20 GP WH (5.1.1)	CHF	12.35	A
GSS11SQ	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 80x80 mm SQ. IP20 GP WH (5.1.1)	CHF	12.35	A
GSS12RD	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 2x50W max. 230V AC 80x80 mm RND. IP20 GP WH (5.1.1)	CHF	21.35	A
GSS12SQ	XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 2x50W max. 230V AC 80x80 mm SQ. IP20 GP WH (5.1.1)	CHF	21.35	A
TL02NW MBK	XTILT PROJECTOR for TKN 1x10W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<19	CHF	65.05	A
TL02NW MGD	XTILT PROJECTOR for TKN 1x10W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<19	CHF	65.05	A
TL02NW MWH	XTILT PROJECTOR for TKN 1x10W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<19	CHF	57.15	A
TL02WW MBK	XTILT PROJECTOR for TKN 1x10W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<19	CHF	65.05	A
TL02WW MGD	XTILT PROJECTOR for TKN 1x10W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<19	CHF	65.05	A
TL02WW MWH	XTILT PROJECTOR for TKN 1x10W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<19	CHF	57.15	A
TL03NW MBK	XTILT PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<19	CHF	90.40	A
TL03NW MGD	XTILT PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<19	CHF	90.40	A
TL03NW MWH	XTILT PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<19	CHF	80.65	A
TL03WW MBK	XTILT PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<19	CHF	90.40	A
TL03WW MGD	XTILT PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<19	CHF	90.40	A
TL03WW MWH	XTILT PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<19	CHF	80.65	A
TL04NW MBK	XTILT PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<19	CHF	113.45	A
TL04NW MGD	XTILT PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<19	CHF	113.45	A
TL04NW MWH	XTILT PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<19	CHF	102.00	A
TL04WW MBK	XTILT PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<19	CHF	113.45	A
TL04WW MGD	XTILT PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<19	CHF	113.45	A
TL04WW MWH	XTILT PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<19	CHF	102.00	A
TL01NW MBK	XTILT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<16	CHF	55.30	A
TL01NW MGD	XTILT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<16	CHF	55.30	A
TL01NW MWH	XTILT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<16	CHF	49.50	A
TL01WW MBK	XTILT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<16	CHF	55.30	A
TL01WW MGD	XTILT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<16	CHF	55.30	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
TL01WW MWH	XTILT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<16	CHF	49.50	A
SX04NW MBK	XSPOT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° BK	CHF	54.70	A
SX04NW MGD	XSPOT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MGD	CHF	54.70	A
SX04NW MWH	XSPOT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MWH	CHF	49.70	A
SX04WW MBK	XSPOT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° BK	CHF	54.70	A
SX04WW MGD	XSPOT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MGD	CHF	54.70	A
SX04WW MWH	XSPOT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MWH	CHF	49.70	A
AR01NW SBK	XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 4000K CRI.90 IP40 15- 45° SBK	CHF	138.00	A
AR01NW SWH	XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 4000K CRI.90 IP40 15- 45° SWH	CHF	138.00	A
AR01WW SBK	XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 3000K CRI.90 IP40 15- 45° SBK	CHF	138.00	A
AR01WW SWH	XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 3000K CRI.90 IP40 15- 45° SWH	CHF	138.00	A
AR02NW SBK	XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 4000K CRI.90 IP40 15- 45° SBK	CHF	163.30	A
AR02NW SWH	XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 4000K CRI.90 IP40 15- 45° SWH	CHF	163.30	A
AR02WW SBK	XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 3000K CRI.90 IP40 15- 45° SBK	CHF	163.30	A
AR02WW SWH	XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 3000K CRI.90 IP40 15- 45° SWH	CHF	163.30	A
TCH01NW SBK	XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SBK	CHF	154.15	A
TCH01NW SWH	XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SWH	CHF	154.15	A
TCH01REF15	XTORCH OPTICAL SYSTEM 15° for TCH01	CHF	8.95	A
TCH01WW SBK	XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SBK	CHF	154.15	A
TCH01WW SWH	XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SWH	CHF	154.15	A
TCH02NW SBK	XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SBK	CHF	162.00	A
TCH02NW SWH	XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SWH	CHF	162.00	A
TCH02NWDALI SBK	XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SBK	CHF	283.25	A
TCH02NWDALI SWH	XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SWH	CHF	283.25	A
TCH02REF15	XTORCH OPTICAL SYSTEM 15° for TCH02	CHF	8.95	A
TCH02WW SBK	XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SBK	CHF	162.00	A
TCH02WW SWH	XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SWH	CHF	162.00	A
TCH02WWDALI SBK	XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SBK	CHF	283.25	A
TCH02WWDALI SWH	XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SWH	CHF	283.25	A
ZM01NW MBK	XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 6°-60° MBK	CHF	286.90	A
ZM01NW MWH	XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 6°-60° MWH	CHF	286.90	A
ZM01WW MBK	XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 6°-60° MBK	CHF	286.90	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
ZM01WW MWH	XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 6°-60° MWH	CHF	286.90	A
FS10NW SBK	XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SBK	CHF	138.35	A
FS10NW SWH	XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SWH	CHF	138.35	A
FS10REF15	XFOCUS OPTICAL SYSTEM 15° pt FS10	CHF	13.95	A
FS10WW SBK	XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SBK	CHF	138.35	A
FS10WW SWH	XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SWH	CHF	138.35	A
FS11NW SBK	XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SBK	CHF	175.50	A
FS11NW SWH	XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SWH	CHF	175.50	A
FS11REF15	XFOCUS OPTICAL SYSTEM 15° pt FS11	CHF	13.95	A
FS11WW SBK	XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SBK	CHF	175.50	A
FS11WW SWH	XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SWH	CHF	175.50	A
FS12NW SBK	XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SBK	CHF	193.60	A
FS12NW SWH	XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SWH	CHF	193.60	A
FS12REF15	XFOCUS OPTICAL SYSTEM 15° pt FS12	CHF	13.95	A
FS12WW SBK	XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SBK	CHF	193.60	A
FS12WW SWH	XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SWH	CHF	193.60	A
GM03NW SBK	XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SBK	CHF	124.55	A
GM03NW SWH	XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SWH	CHF	124.55	A
GM03REF15	XGAMMA OPTICAL SYSTEM 15° for GM03	CHF	6.80	A
GM03WW SBK	XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SBK	CHF	124.55	A
GM03WW SWH	XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SWH	CHF	124.55	A
GM04NW SBK	XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SBK	CHF	135.40	A
GM04NW SWH	XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SWH	CHF	135.40	A
GM04REF15	XGAMMA OPTICAL SYSTEM 16° for GM04	CHF	8.55	A
GM04WW SBK	XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SBK	CHF	135.40	A
GM04WW SWH	XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SWH	CHF	135.40	A
LT01NW SBK	XLINE TRACK for TKN 28W 180-240V AC 4000K 110 degr. 605mm SBK	CHF	141.55	A
LT01NW SWH	XLINE TRACK for TKN 28W 180-240V AC 4000K 110 degr. 605mm SWH	CHF	141.55	A
LT01WW SBK	XLINE TRACK for TKN 28W 180-240V AC 3000K 110 degr. 605mm SBK	CHF	141.55	A
LT01WW SWH	XLINE TRACK for TKN 28W 180-240V AC 3000K 110 degr. 605mm SWH	CHF	141.55	A
LT02NW SBK	XLINE TRACK for TKN 36W 180-240V AC 4000K 110 degr. 605mm SBK	CHF	174.35	A
LT02NW SWH	XLINE TRACK for TKN 36W 180-240V AC 4000K 110 degr. 605mm SWH	CHF	174.35	A
LT02WW SBK	XLINE TRACK for TKN 36W 180-240V AC 3000K 110 degr. 605mm SBK	CHF	174.35	A

Art-Nr.:	Produktbeschreibung			
LT02WW SWH	XLINE TRACK for TKN 36W 180-240V AC 3000K 110 degr. 605mm SWH	CHF	174.35	A
TKN1001 BK	TRACK N 3c TRACK 250V/16A max. 1 m IP20 MBK	CHF	40.60	A
TKN1001 MWH	TRACK N 3c TRACK 250V/16A max. 1 m IP20 MWH	CHF	40.50	A
TKN1001 S	TRACK N 3c TRACK 250V/16A max. 1 m IP20 S	CHF	45.15	A
TKN1001DALI BK	TRACK N DALI 3c TRACK 250V/16A max. 1 m IP20 MBK	CHF	55.35	A
TKN1001DALI MWH	TRACK N DALI 3c TRACK 250V/16A max. 1 m IP20 MWH	CHF	55.35	A
TKN1001DALI S	TRACK N DALI 3c TRACK 250V/16A max. 1 m IP20 S	CHF	60.75	A
TKN1002 BK	TRACK N 3c TRACK 250V/16A max. 2 m IP20 MBK	CHF	82.65	A
TKN1002 MWH	TRACK N 3c TRACK 250V/16A max. 2 m IP20 MWH	CHF	82.65	A
TKN1002 S	TRACK N 3c TRACK 250V/16A max. 2 m IP20 S	CHF	90.40	A
TKN1002DALI BK	TRACK N DALI 3c TRACK 250V/16A max. 2 m IP20 MBK	CHF	110.65	A
TKN1002DALI MWH	TRACK N DALI 3c TRACK 250V/16A max. 2 m IP20 MWH	CHF	110.65	A
TKN1002DALI S	TRACK N DALI 3c TRACK 250V/16A max. 2 m IP20 S	CHF	121.50	A
TKN1003 BK	TRACK N 3c TRACK 250V/16A max. 3 m IP20 MBK	CHF	123.85	A
TKN1003 MWH	TRACK N 3c TRACK 250V/16A max. 3 m IP20 MWH	CHF	123.85	A
TKN1003 S	TRACK N 3c TRACK 250V/16A max. 3 m IP20 S	CHF	135.55	A
TKN1003DALI BK	TRACK N DALI 3c TRACK 250V/16A max. 3 m IP20 MBK	CHF	165.95	A
TKN1003DALI MWH	TRACK N DALI 3c TRACK 250V/16A max. 3 m IP20 MWH	CHF	165.95	A
TKN1003DALI S	TRACK N DALI 3c TRACK 250V/16A max. 3 m IP20 S	CHF	182.25	A
TKN1004 BK	TRACK N 3c LINEAR CONNECTOR BK	CHF	6.15	A
TKN1004 MWH	TRACK N 3c LINEAR CONNECTOR WH	CHF	6.15	A
TKN1004 S	TRACK N 3c LINEAR CONNECTOR S	CHF	6.90	A
TKN1004DALI BK	TRACK N DALI 3c LINEAR CONNECTOR BK	CHF	13.60	A
TKN1004DALI MWH	TRACK N DALI 3c LINEAR CONNECTOR WH	CHF	13.60	A
TKN1004DALI S	TRACK N DALI 3c LINEAR CONNECTOR S	CHF	15.25	A
TKN1005 BK	TRACK N 3c RIGHT-HAND POWER SUPPLY MBK	CHF	7.55	A
TKN1005 MWH	TRACK N 3c RIGHT-HAND POWER SUPPLY MWH	CHF	7.55	A
TKN1005 S	TRACK N 3c RIGHT-HAND POWER SUPPLY S	CHF	8.55	A
TKN1005DALI BK	TRACK N DALI 3c RIGHT-HAND POWER SUPPLY MBK	CHF	17.25	A
TKN1005DALI MWH	TRACK N DALI 3c RIGHT-HAND POWER SUPPLY MWH	CHF	17.25	A
TKN1005DALI S	TRACK N DALI 3c RIGHT-HAND POWER SUPPLY S	CHF	19.50	A
TKN1006 BK	TRACK N 3c LEFT-HAND POWER SUPPLY MBK	CHF	7.55	A
TKN1006 MWH	TRACK N 3c LEFT-HAND POWER SUPPLY MWH	CHF	7.55	A
TKN1006 S	TRACK N 3c LEFT-HAND POWER SUPPLY S	CHF	8.55	A
TKN1006DALI BK	TRACK N DALI 3c LEFT-HAND POWER SUPPLY MBK	CHF	17.25	A
TKN1006DALI MWH	TRACK N DALI 3c LEFT-HAND POWER SUPPLY MWH	CHF	17.25	A
TKN1006DALI S	TRACK N DALI 3c LEFT-HAND POWER SUPPLY S	CHF	19.50	A
TKN1007 BK	TRACK N 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MBK	CHF	14.65	A
TKN1007 MWH	TRACK N 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MWH	CHF	14.65	A
TKN1007 S	TRACK N 3c L CONNECTION & RIGHT-HAND POWER SUPPLY S	CHF	16.85	A
TKN1007DALI BK	TRACK N DALI 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MBK	CHF	27.05	A
TKN1007DALI MWH	TRACK N DALI 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MWH	CHF	27.05	A
TKN1007DALI S	TRACK N DALI 3c L CONNECTION & RIGHT-HAND POWER SUPPLY S	CHF	31.20	A
TKN1008 BK	TRACK N 3c L CONNECTION & LEFT-HAND POWER SUPPLY MBK	CHF	14.65	A
TKN1008 MWH	TRACK N 3c L CONNECTION & LEFT-HAND POWER SUPPLY MWH	CHF	14.65	A
TKN1008 S	TRACK N 3c L CONNECTION & LEFT-HAND POWER SUPPLY S	CHF	16.85	A
TKN1008DALI BK	TRACK N DALI 3c L CONNECTION & LEFT-HAND POWER SUPPLY MBK	CHF	27.05	A
TKN1008DALI MWH	TRACK N DALI 3c L CONNECTION & LEFT-HAND POWER SUPPLY MWH	CHF	27.05	A
TKN1008DALI S	TRACK N DALI 3c L CONNECTION & LEFT-HAND POWER SUPPLY S	CHF	31.20	A
TKN1009 BK	TRACK N 3c T CONNECTION & RIGHT-HAND POWER SUPPLY BK	CHF	21.65	A
TKN1009 MWH	TRACK N 3c T CONNECTION & RIGHT-HAND POWER SUPPLY MWH	CHF	21.65	A
TKN1009 S	TRACK N 3c T CONNECTION & RIGHT-HAND POWER SUPPLY S	CHF	24.50	A
TKN1009DALI BK	TRACK N DALI 3c T CONNECTION & RIGHT-HAND POWER SUPPLY BK	CHF	37.90	A
TKN1009DALI MWH	TRACK N DALI 3c T CONNECTION & RIGHT-HAND POWER SUPPLY MWH	CHF	37.90	A
TKN1009DALI S	TRACK N DALI 3c T CONNECTION & RIGHT-HAND POWER SUPPLY S	CHF	44.60	A
TKN1010 BK	TRACK N 3c T CONNECTION & LEFT-HAND POWER SUPPLY BK	CHF	21.65	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
TKN1010 MWH	TRACK N 3c T CONNECTION & LEFT-HAND POWER SUPPLY MWH	CHF	21.65	A
TKN1010 S	TRACK N 3c T CONNECTION & LEFT-HAND POWER SUPPLY S	CHF	24.50	A
TKN1010DALI BK	TRACK N DALI 3c T CONNECTION & LEFT-HAND POWER SUPPLY BK	CHF	37.90	A
TKN1010DALI MWH	TRACK N DALI 3c T CONNECTION & LEFT-HAND POWER SUPPLY MWH	CHF	37.90	A
TKN1010DALI S	TRACK N DALI 3c T CONNECTION & LEFT-HAND POWER SUPPLY S	CHF	44.60	A
TKN1011 BK	TRACK N 3c X CONNECTION & POWER SUPPLY BK	CHF	28.30	A
TKN1011 MWH	TRACK N 3c X CONNECTION & POWER SUPPLY MWH	CHF	28.30	A
TKN1011 S	TRACK N 3c X CONNECTION & POWER SUPPLY S	CHF	31.85	A
TKN1011DALI BK	TRACK N DALI 3c X CONNECTION & POWER SUPPLY BK	CHF	50.45	A
TKN1011DALI MWH	TRACK N DALI 3c X CONNECTION & POWER SUPPLY MWH	CHF	50.45	A
TKN1011DALI S	TRACK N DALI 3c X CONNECTION & POWER SUPPLY S	CHF	57.40	A
TK1017 BK	TRACK N 3c TRACK ADAPTER BK	CHF	22.30	A
TK1017 MWH	TRACK N 3c TRACK ADAPTER MWH	CHF	22.30	A
TK1017 S	TRACK N 3c TRACK ADAPTER S	CHF	22.30	A
TKN1015 BK	TRACK N 3c END CAP BK	CHF	0.85	A
TKN1015 MWH	TRACK N 3c END CAP MWH	CHF	0.85	A
TKN1015 S	TRACK N 3c END CAP S	CHF	1.25	A
TKN1015DALI BK	TRACK N DALI 3c END CAP BK	CHF	1.90	A
TKN1015DALI MWH	TRACK N DALI 3c END CAP MWH	CHF	1.90	A
TKN1015DALI S	TRACK N DALI 3c END CAP S	CHF	2.90	A
TKN1016 BK	TRACK N 3c CEILING ADAPTER BK	CHF	17.25	A
TKN1016 S	TRACK N 3c CEILING ADAPTER S	CHF	17.25	A
TKN1016 WH	TRACK N 3c CEILING ADAPTER WH	CHF	17.25	A
TKN1018 BK	TRACK N 3c LINEAR CONNECTOR & POWER SUPPLY BK	CHF	14.40	A
TKN1018 MWH	TRACK N 3c LINEAR CONNECTOR & POWER SUPPLY MWH	CHF	14.40	A
TKN1018 S	TRACK N 3c LINEAR CONNECTOR & POWER SUPPLY S	CHF	16.60	A
TKN1018DALI BK	TRACK N DALI 3c LINEAR CONNECTOR & POWER SUPPLY BK	CHF	27.05	A
TKN1018DALI MWH	TRACK N DALI 3c LINEAR CONNECTOR & POWER SUPPLY MWH	CHF	27.05	A
TKN1018DALI S	TRACK N DALI 3c LINEAR CONNECTOR & POWER SUPPLY S	CHF	31.30	A
TKN1019 BK	TRACK N 3c FLEXIBLE CONNECTION ELEMENT & POWER SUPPLY BK	CHF	22.25	A
TKN1019 MWH	TRACK N 3c FLEXIBLE CONNECTION ELEMENT & POWER SUPPLY MWH	CHF	22.25	A
TKN1019 S	TRACK N 3c FLEXIBLE CONNECTION ELEMENT & POWER SUPPLY S	CHF	26.60	A
TKN1020 BK	TRACK N 3c SUSPENSION & CONNECTION CLAMP BK	CHF	10.30	A
TKN1020 MWH	TRACK N 3c SUSPENSION & CONNECTION CLAMP MWH	CHF	10.30	A
TKN1020 S	TRACK N 3c SUSPENSION & CONNECTION CLAMP S	CHF	11.50	A
TKN1021 BK	TRACK N 3c CEILING CONNECTION CLAMP BK	CHF	4.35	A
TKN1021 MWH	TRACK N 3c CEILING CONNECTION CLAMP MWH	CHF	4.35	A
TKN1021 S	TRACK N 3c CEILING CONNECTION CLAMP S	CHF	5.20	A
TKN1022 BK	TRACK N 3c SUSPENSION KIT BK	CHF	7.45	A
TKN1022 MWH	TRACK N 3c SUSPENSION KIT MWH	CHF	7.45	A
TKN1022 S	TRACK N 3c SUSPENSION KIT S	CHF	8.20	A
MU01NW BK	XMUSE PROJECTOR for MT 1x9W 220-240V AC 4000K CRI.82 IP20 50° BK	CHF	139.75	A
MU01NW MWH	XMUSE PROJECTOR for MT 1x9W 220-240V AC 4000K CRI.82 IP20 50° MWH	CHF	139.75	A
MU01NW S	XMUSE PROJECTOR for MT 1x9W 220-240V AC 4000K CRI.82 IP20 50° S	CHF	139.75	A
MU01NW SGD	XMUSE PROJECTOR for MT 1x9W 220-240V AC 4000K CRI.82 IP20 50° SGD	CHF	142.35	A
MU01WW BK	XMUSE PROJECTOR for MT 1x9W 220-240V AC 3000K CRI.83 IP20 50° BK	CHF	139.75	A
MU01WW MWH	XMUSE PROJECTOR for MT 1x9W 220-240V AC 3000K CRI.83 IP20 50° MWH	CHF	139.75	A
MU01WW S	XMUSE PROJECTOR for MT 1x9W 220-240V AC 3000K CRI.83 IP20 50° S	CHF	139.75	A
MU01WW SGD	XMUSE PROJECTOR for MT 1x9W 220-240V AC 3000K CRI.83 IP20 50° SGD	CHF	142.35	A
MU02NW BK	XMUSE PROJECTOR for MT 1x13W 220-240V AC 4000K CRI.82 IP20 50° BK	CHF	171.20	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
MU02NW MWH	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 4000K CRI.82 IP20 50°	CHF	171.20	A
	MWH			
MU02NW S	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 4000K CRI.82 IP20 50° S	CHF	171.20	A
MU02NW SGD	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 4000K CRI.82 IP20 50°	CHF	175.50	A
	SGD			
MU02WW BK	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 3000K CRI.83 IP20 50° BK	CHF	171.20	A
MU02WW MWH	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 3000K CRI.83 IP20 50°	CHF	171.20	A
	MWH			
MU02WW S	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 3000K CRI.83 IP20 50° S	CHF	171.20	A
MU02WW SGD	XMUUSE PROJECTOR for MT 1x13W 220-240V AC 3000K CRI.83 IP20 50°	CHF	175.50	A
	SGD			
CX01 SBK	XCUP PROJECTOR for MT GU10 1x50W max. 230V AC IP20 SBK (5.1.1)	CHF	42.70	A
CX01 SGD	XCUP PROJECTOR for MT GU10 1x50W max. 230V AC IP20 SGD (5.1.1)	CHF	44.05	A
CX01 SWH	XCUP PROJECTOR for MT GU10 1x50W max. 230V AC IP20 SWH (5.1.1)	CHF	42.70	A
CD03 SBK	XCARD MT PROJECTOR GU10 1x50W max. 230V AC IP20 SBK (5.1.1)	CHF	42.30	A
CD03 SGD	XCARD MT PROJECTOR GU10 1x50W max. 230V AC IP20 SGD (5.1.1)	CHF	43.65	A
CD03 SWH	XCARD MT PROJECTOR GU10 1x50W max. 230V AC IP20 SWH (5.1.1)	CHF	42.30	A
MT1001 BK	MINITRACK 1c TRACK 250V/16A max. 1 m IP20 BK	CHF	21.20	A
MT1001 MWH	MINITRACK 1c TRACK 250V/16A max. 1 m IP20 MWH	CHF	21.20	A
MT1001 S	MINITRACK 1c TRACK 250V/16A max. 1 m IP20 S	CHF	24.15	A
MT1002 BK	MINITRACK 1c TRACK 250V/16A max. 2 m IP20 BK	CHF	42.50	A
MT1002 MWH	MINITRACK 1c TRACK 250V/16A max. 2 m IP20 MWH	CHF	42.50	A
MT1002 S	MINITRACK 1c TRACK 250V/16A max. 2 m IP20 S	CHF	48.35	A
MT1003 BK	MINITRACK 1c TRACK 250V/16A max. 3 m IP20 BK	CHF	63.70	A
MT1003 MWH	MINITRACK 1c TRACK 250V/16A max. 3 m IP20 MWH	CHF	63.70	A
MT1003 S	MINITRACK 1c TRACK 250V/16A max. 3 m IP20 S	CHF	72.45	A
MT1004 BK	MINITRACK 1c LINEAR CONNECTOR BK	CHF	2.90	A
MT1004 MWH	MINITRACK 1c LINEAR CONNECTOR WH	CHF	2.90	A
MT1004 S	MINITRACK 1c LINEAR CONNECTOR S	CHF	3.55	A
MT1005 BK	MINITRACK 1c RIGHT-HAND POWER SUPPLY BK	CHF	5.35	A
MT1005 MWH	MINITRACK 1c RIGHT-HAND POWER SUPPLY MWH	CHF	5.35	A
MT1005 S	MINITRACK 1c RIGHT-HAND POWER SUPPLY S	CHF	6.35	A
MT1006 BK	MINITRACK 1c LEFT-HAND POWER SUPPLY BK	CHF	5.35	A
MT1006 MWH	MINITRACK 1c LEFT-HAND POWER SUPPLY MWH	CHF	5.35	A
MT1006 S	MINITRACK 1c LEFT-HAND POWER SUPPLY S	CHF	6.35	A
MT1007 BK	MINITRACK 1c L CONNECTION & RIGHT-HAND POWER SUPPLY BK	CHF	8.45	A
MT1007 MWH	MINITRACK 1c L CONNECTION & RIGHT-HAND POWER SUPPLY MWH	CHF	8.45	A
MT1007 S	MINITRACK 1c L CONNECTION & RIGHT-HAND POWER SUPPLY S	CHF	9.95	A
MT1008 BK	MINITRACK 1c L CONNECTION & LEFT-HAND POWER SUPPLY BK	CHF	8.45	A
MT1008 MWH	MINITRACK 1c L CONNECTION & LEFT-HAND POWER SUPPLY MWH	CHF	8.45	A
MT1008 S	MINITRACK 1c L CONNECTION & LEFT-HAND POWER SUPPLY S	CHF	9.95	A
MT1009 BK	MINITRACK 1c T CONNECTION & RIGHT-HAND POWER SUPPLY BK	CHF	12.45	A
MT1009 MWH	MINITRACK 1c T CONNECTION & RIGHT-HAND POWER SUPPLY MWH	CHF	12.45	A
MT1009 S	MINITRACK 1c T CONNECTION & RIGHT-HAND POWER SUPPLY S	CHF	13.90	A
MT1010 BK	MINITRACK 1c T CONNECTION & LEFT-HAND POWER SUPPLY BK	CHF	12.45	A
MT1010 MWH	MINITRACK 1c T CONNECTION & LEFT-HAND POWER SUPPLY MWH	CHF	12.45	A
MT1010 S	MINITRACK 1c T CONNECTION & LEFT-HAND POWER SUPPLY S	CHF	13.90	A
MT1011 BK	MINITRACK 1c X CONNECTION & POWER SUPPLY BK	CHF	16.40	A
MT1011 MWH	MINITRACK 1c X CONNECTION & POWER SUPPLY MWH	CHF	16.40	A
MT1011 S	MINITRACK 1c X CONNECTION & POWER SUPPLY S	CHF	18.40	A
MT1012 BK	MINITRACK 1c FLEXIBLE CONNECTION ELEMENT BK	CHF	14.20	A
MT1012 MWH	MINITRACK 1c FLEXIBLE CONNECTION ELEMENT MWH	CHF	14.20	A
MT1012 S	MINITRACK 1c FLEXIBLE CONNECTION ELEMENT S	CHF	15.95	A
MT1013 BK	MINITRACK 1c METALIC BEARING ROD BK	CHF	62.55	A
MT1013 MWH	MINITRACK 1c METALIC BEARING ROD MWH	CHF	62.55	A
MT1013 S	MINITRACK 1c METALIC BEARING ROD S	CHF	62.55	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
MT1014 MWH	MINITRACK 1c SUPENSION KIT SILVER	CHF	8.25	A
MT1015 BK	MINITRACK 1c END CAP BK	CHF	0.60	A
MT1015 MWH	MINITRACK 1c END CAP MWH	CHF	0.60	A
MT1015 S	MINITRACK 1c END CAP S	CHF	1.05	A
MT1016 BK	MINITRACK 1c CEILING ADAPTER BK	CHF	35.00	A
MT1016 MWH	MINITRACK 1c CEILING ADAPTER WH	CHF	35.00	A
MT1016 S	MINITRACK 1c CEILING ADAPTER S	CHF	36.95	A
MT1017 BK	MINITRACK 1c TRACK ADAPTER BK	CHF	7.75	A
MT1017 MWH	MINITRACK 1c TRACK ADAPTER MWH	CHF	7.75	A
MT1017 S	MINITRACK 1c TRACK ADAPTER S	CHF	8.70	A
MT1018 BK	MINITRACK 1c LINEAR CONNECTOR & POWER SUPPLY BK	CHF	8.45	A
MT1018 MWH	MINITRACK 1c LINEAR CONNECTOR & POWER SUPPLY MWH	CHF	8.45	A
MT1018 S	MINITRACK 1c LINEAR CONNECTOR & POWER SUPPLY S	CHF	9.95	A
MC01NW BK	XMICRO ADJ. MICRO PROJECTOR 1,5W 12V DC 4000K CRI.80 IP20 36° BK	CHF	98.25	A
MC01WW BK	XMICRO ADJ. MICRO PROJECTOR 1,5W 12V DC 3000K CRI.80 IP20 36° BK	CHF	98.25	A
MC04CW BK	XMICRO ADJ. MICRO PROJECTOR 8W 24V DC 5000K CRI.80 IP20 UGR<16 25° BK	CHF	142.30	A
MC04REF40	XMICRO OPTICAL SYSTEM 40° for MC04	CHF	14.40	A
MC04WW BK	XMICRO ADJ. MICRO PROJECTOR 8W 24V DC 3000K CRI.80 IP20 UGR<16 25° BK	CHF	142.30	A
MC05CW BK	XMICRO ADJ. MICRO PROJECTOR 7,7W 24V DC 5000K CRI.90 IP20 10°-40° BK	CHF	144.60	A
MC05WW BK	XMICRO ADJ. MICRO PROJECTOR 7,7W 24V DC 3000K CRI.90 IP20 10°-40° BK	CHF	144.60	A
MC01CC BK	MICROTRACK 1c L CONNECTOR BK	CHF	21.00	A
MC01EPC BK	MICROTRACK 1c POWER SUPPLY BK	CHF	22.40	A
MC01LC BK	MICROTRACK 1c LINEAR CONNECTOR BK	CHF	21.00	A
MC01TK03 BK	MICROTRACK 1c TRACK 12V or 24V, max. 6A, 300 mm IP20 BK	CHF	34.85	A
MC01TK06 BK	MICROTRACK 1c TRACK 12V or 24V, max. 6A, 600 mm IP20 BK	CHF	59.90	A
MC01TK09 BK	MICROTRACK 1c TRACK 12V or 24V, max. 6A, 900 mm IP20 BK	CHF	103.65	A
MC01TK1 BK	MICROTRACK 1c TRACK 12V or 24V, max. 6A, 1000 mm IP20 BK	CHF	96.90	A
MC01AC BK	MICROTRACK 1c FLEXIBLE CONNECTION ELEMENT BK	CHF	18.95	A
MC01EC BK	MICROTRACK 1c END CAP BK	CHF	4.45	A
MC01VM BK	MICROTRACK 1c VERTICAL MOUNTING SYSTEM BK	CHF	16.95	A
BN01NW	XBOND LED BATTEN 36W 4000K	CHF	74.35	A
BN01PK	XBOND POWER SUPPLY KIT 1.5 m	CHF	9.90	A
BN01SK	XBOND SUSPENSION KIT	CHF	8.10	A
BN01WW	XBOND LED BATTEN 36W 3000K	CHF	74.35	A
DR01CW	XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 18W 6000K	CHF	52.30	A
DR01NW	XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 18W 4000K	CHF	52.30	A
DR02CW	XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 36W 6000K	CHF	78.25	A
DR02NW	XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 36W 4000K	CHF	78.25	A
DR03CW	XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 50W 6000K	CHF	108.35	A
DR03NW	XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 50W 4000K	CHF	108.35	A
PLN01234RC	XPLANNER REMOTE CONTROL for MOTION SENSOR	CHF	40.00	N
PLN01CCT	XPLANNER RND. SURF. 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	57.35	A
PLN01CCT EM	XPLANNER RND. SURF. with EMERGENCY KIT 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	115.85	A
PLN01CCT SZ	XPLANNER RND. SURF. with MOTION SENSOR 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	75.85	A
PLN02CCT	XPLANNER RND. SURF. 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	69.45	A
PLN02CCT EM	XPLANNER RND. SURF. with EMERGENCY KIT 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	147.65	A
PLN02CCT SZ	XPLANNER RND. SURF. with MOTION SENSOR 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	88.05	A
PLN03CCT	XPLANNER SQ. SURF. 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH	CHF	59.10	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PLN03CCT EM	XPLANNER SQ. SURF. with EMERGENCY KIT 18W 175-240V AC	CHF	118.70	A
	3000K/4000K/6500K CRI.80 IP54 120° WH			
PLN03CCT SZ	XPLANNER SQ. SURF. with MOTION SENSOR 18W 175-240V AC	CHF	77.00	A
	3000K/4000K/6500K CRI.80 IP54 120° WH			
PLN04CCT	XPLANNER SQ. SURF. 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54	CHF	69.45	A
	120° WH			
PLN04CCT EM	XPLANNER SQ. SURF. with EMERGENCY KIT 24W 175-240V AC	CHF	155.75	A
	3000K/4000K/6500K CRI.80 IP54 120° WH			
PLN04CCT SZ	XPLANNER SQ. SURF. with MOTION SENSOR 24W 175-240V AC	CHF	89.75	A
	3000K/4000K/6500K CRI.80 IP54 120° WH			
VR01CCT	XVARIO SURF. 20W 220-240V AC 3000K/4000K/6500K CRI.80 IP44 135°	CHF	80.75	A
	WH dia. 307mm			
VR02CCT	XVARIO SURF. 30W 220-240V AC 3000K/4000K/6500K CRI.80 IP44 135°	CHF	107.95	A
	WH dia. 397mm			
VR03CCT	XVARIO SURF. 40W 220-240V AC 3000K/4000K/6500K CRI.80 IP44 135°	CHF	138.55	A
	WH dia. 505mm			
EG03NW	XEDGE RND. SURF. 20W 220-240V AC 4000K CRI.80 IP66 110° WH	CHF	79.00	A
EG03NW SZ	XEDGE RND. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC	CHF	110.75	A
	4000K CRI.80 IP66 110° WH			
EG03NW SZ+EM	XEDGE RND. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC	CHF	213.05	A
	4000K CRI.80 IP66 110° WH			
EG03WW	XEDGE RND. SURF. 20W 220-240V AC 3000K CRI.80 IP66 110° WH	CHF	79.00	A
EG03WW SZ	XEDGE RND. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC	CHF	110.75	A
	3000K CRI.80 IP66 110° WH			
EG03WW SZ+EM	XEDGE RND. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC	CHF	213.05	A
	3000K CRI.80 IP66 110° WH			
EG04NW	XEDGE SQ. SURF. 20W 220-240V AC 4000K CRI.80 IP66 110° WH	CHF	85.40	A
EG04NW SZ	XEDGE SQ. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC	CHF	117.10	A
	4000K CRI.80 IP66 110° WH			
EG04NW SZ+EM	XEDGE SQ. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC	CHF	219.40	A
	4000K CRI.80 IP66 110° WH			
EG04WW	XEDGE SQ. SURF. 20W 220-240V AC 3000K CRI.80 IP66 110° WH	CHF	85.40	A
EG04WW SZ	XEDGE SQ. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC	CHF	117.10	A
	3000K CRI.80 IP66 110° WH			
EG04WW SZ+EM	XEDGE SQ. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC	CHF	219.40	A
	3000K CRI.80 IP66 110° WH			
STK01NW	XSTICK IP65 LINEAR FITTING 6W 24V DC 4000K CRI.80 494mm 120grd S	CHF	121.80	A
STK01RGBW/DMX	XSTICK IP65 LINEAR FITTING 6W 24V DC RGBW/DMX CRI.80 494mm	CHF	153.10	A
	120grd S			
STK01WW	XSTICK IP65 LINEAR FITTING 6W 24V DC 3000K CRI.80 494mm 120grd S	CHF	121.80	A
STK02NW	XSTICK IP65 LINEAR FITTING 12W 24V DC 4000W CRI.80 986mm 120grd S	CHF	153.10	A
STK02RGBW/DMX	XSTICK IP65 LINEAR FITTING 12W 24V DC RGBW/DMX CRI.80 986mm	CHF	181.10	A
	120grd S			
STK02WW	XSTICK IP65 LINEAR FITTING 12W 24V DC 3000W CRI.80 986mm 120grd S	CHF	153.10	A
FO01RGB15X60	XFLOW S LINEAR FITTING 3x3W 24V DC RGB 270 mm IP65 15°x60° S	CHF	111.35	A
FO01RGB30	XFLOW S LINEAR FITTING 3x3W 24V DC RGB 270 mm IP65 30° S	CHF	111.35	A
FO02RGB15X60	XFLOW S LINEAR FITTING 6x3W 24V DC RGB 500 mm IP65 15°x60° S	CHF	185.50	A
FO02RGB30	XFLOW S LINEAR FITTING 6x3W 24V DC RGB 500 mm IP65 30° S	CHF	185.50	A
FO03RGB15X60	XFLOW S LINEAR FITTING 12x3W 24V DC RGB 1000 mm IP65 15°x60° S	CHF	241.95	A
FO03RGB30	XFLOW S LINEAR FITTING 12x3W 24V DC RGB 1000 mm IP65 30° S	CHF	241.95	A
FO04NW15X60	XFLOW S LINEAR FITTING 6W 220-240V AC 4000K CRI.80 270 mm IP65	CHF	96.80	A
	UGR<16 15°x60° S			
FO04NW30	XFLOW S LINEAR FITTING 6W 220-240V AC 4000K CRI.80 270 mm IP65	CHF	96.80	A
	UGR<7 UGR<7 30° S			
FO04WW15X60	XFLOW S LINEAR FITTING 6W 220-240V AC 3000K CRI.80 270 mm IP65	CHF	96.80	A
	UGR<16 15°x60° S			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
FO04WW30	XFLOW S LINEAR FITTING 6W 220-240V AC 3000K CRI.80 270 mm IP65 UGR<7 UGR<7 30° S	CHF	96.80	A
FO05NW15X60	XFLOW S LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<16 15°x60° S	CHF	151.25	A
FO05NW30	XFLOW S LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<7 30° S	CHF	151.25	A
FO05WW15X60	XFLOW S LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<16 15°x60° S	CHF	151.25	A
FO05WW30	XFLOW S LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<7 30° S	CHF	151.25	A
FO06NW15X60	XFLOW S LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<16 15°x60° S	CHF	201.65	A
FO06NW30	XFLOW S LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<7 30° S	CHF	201.65	A
FO06WW15X60	XFLOW S LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<16 15°x60° S	CHF	201.65	A
FO06WW30	XFLOW S LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<7 30° S	CHF	201.65	A
FO10NW10X60	XFLOW L LINEAR FITTING 6W 220-240V AC 4000K CRI.80 300 mm IP65 UGR<10 10°x60° AL-AN	CHF	155.40	A
FO10NW30	XFLOW L LINEAR FITTING 6W 220-240V AC 4000K CRI.80 300 mm IP65 UGR<7 30° AL-AN	CHF	155.40	A
FO10RGB10X60	XFLOW L LINEAR FITTING 6x1W 24V DC RGB 300 mm IP65 10°x60° AL-AN	CHF	186.05	A
FO10RGB30	XFLOW L LINEAR FITTING 6x1W 24V DC RGB 300 mm IP65 30° AL-AN	CHF	186.05	A
FO10WW10X60	XFLOW L LINEAR FITTING 6W 220-240V AC 3000K CRI.80 300 mm IP65 UGR<10 10°x60° AL-AN	CHF	155.40	A
FO10WW30	XFLOW L LINEAR FITTING 6W 220-240V AC 3000K CRI.80 300 mm IP65 UGR<7 30° AL-AN	CHF	155.40	A
FO11NW10X60	XFLOW L LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<10 10°x60° AL-AN	CHF	183.95	A
FO11NW30	XFLOW L LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<7 30° AL-AN	CHF	183.95	A
FO11RGB10X60	XFLOW L LINEAR FITTING 12x1W 24V DC RGB 500 mm IP65 10°x60°. AL-AN	CHF	230.75	A
FO11RGB30	XFLOW L LINEAR FITTING 12x1W 24V DC RGB 500 mm IP65 30° AL-AN	CHF	230.75	A
FO11WW10X60	XFLOW L LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<10 10°x60° AL-AN	CHF	183.95	A
FO11WW30	XFLOW L LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<7 30° AL-AN	CHF	183.95	A
FO12NW10X60	XFLOW L LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<10 10°x60° AL-AN	CHF	281.10	A
FO12NW30	XFLOW L LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<7 30° AL-AN	CHF	281.10	A
FO12RGB10X60	XFLOW L LINEAR FITTING 24x1W 24V DC RGB 1000 mm IP65 10°x60°. AL-AN	CHF	315.05	A
FO12RGB30	XFLOW L LINEAR FITTING 24x1W 24V DC RGB 1000 mm IP65 30° AL-AN	CHF	315.05	A
FO12WW10X60	XFLOW L LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<10 10°x60° AL-AN	CHF	281.10	A
FO12WW30	XFLOW L LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<7 30° AL-AN	CHF	281.10	A
WL05NW40 DG	XWALL SQ. SURF. LAMP 2x9W 100-240V AC 4000K CRI.80 IP65 UGR<7 40° DG	CHF	250.55	A
WL05WW40 DG	XWALL SQ. SURF. LAMP 2x9W 100-240V AC 3000K CRI.80 IP65 UGR<7 40° DG	CHF	250.55	A
WL06NW40 DG	XWALL SQ. SURF. LAMP 2x20W 220-240V AC 4000K CRI.80 IP65 UGR<7 40° DG	CHF	423.35	A
WL06WW40 DG	XWALL SQ. SURF. LAMP 2x20W 220-240V AC 3000K CRI.80 IP65 UGR<7 40° DG	CHF	423.35	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
LB01 DG	XLOBBY WALL/CEILING FITTING UP LIGHT E27/PAR20 1x15W max. 220- 240V AC IP54 90° DG (5.1.1)	CHF	97.75	A
LB02 DG	XLOBBY WALL/CEILING FITTING UP/DOWN LIGHT E27/PAR20 2x15W max. 220-240V AC IP54 90° DG (5.1.1)	CHF	133.25	A
LB03 DG	XLOBBY WALL/CEILING FITTING DOWN LIGHT E27/PAR20 1x15W max. 220- 240V AC IP54 90° DG (5.1.1)	CHF	79.95	A
BD01WW MBK	XBLADE WALL/CEILING FITTING 7W 220-240V AC 3000K CRI.80 IP54 360° MBK	CHF	112.90	A
BD01WW MWH	XBLADE WALL/CEILING FITTING 7W 220-240V AC 3000K CRI.80 IP54 360° MWH	CHF	112.90	A
NK02RGB	XNETWORK SPOT 5W 24V DC RGB IP66 120° S	CHF	204.20	A
ME03EC	XMARKER GRND. LINEAR SET END CAPS (2PCS) for ME03	CHF	33.80	A
ME03NW120.05	XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 500x55.6x63.7 mm IP67 DG	CHF	297.20	A
ME03NW120.1	XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 1000x55.6x63.7 mm IP67 DG	CHF	434.70	A
ME03NW120.2	XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 2000x55.6x63.7 mm IP67 DG	CHF	798.75	A
ME03RGBW120.05D	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 500x55.6x63.7 mm IP67 DG	CHF	508.95	A
ME03RGBW120.05N	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 500x55.6x63.7 mm IP67 DG	CHF	371.50	A
ME03RGBW120.1D	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 1000x55.6x63.7 mm IP67 DG	CHF	832.15	A
ME03RGBW120.1N	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 1000x55.6x63.7 mm IP67 DG	CHF	535.00	A
ME03RGBW120.2N	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 2000x55.6x63.7 mm IP67 DG	CHF	965.90	A
ME03WW120.05	XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 500x55.6x63.7 mm IP67 DG	CHF	297.20	A
ME03WW120.1	XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 1000x55.6x63.7 mm IP67 DG	CHF	434.70	A
ME03WW120.2	XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 2000x55.6x63.7 mm IP67 DG	CHF	798.75	A
ME04EC	XMARKER GRND. LINEAR SET END CAPS (2PCS) for ME04	CHF	33.80	A
ME04NW120.05	XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 500x30.6x45 mm IP67 DG	CHF	274.95	A
ME04NW120.1	XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 1000x30.6x45 mm IP67 DG	CHF	382.70	A
ME04NW120.2	XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 2000x30.6x45 mm IP67 DG	CHF	691.05	A
ME04RGBW120.05D	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 500x30.6x45 mm IP67 DG	CHF	445.80	A
ME04RGBW120.05N	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 500x30.6x45 mm IP67 DG	CHF	341.80	A
ME04RGBW120.1D	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 1000x30.6x45 mm IP67 DG	CHF	780.20	A
ME04RGBW120.1N	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 1000x30.6x45 mm IP67 DG	CHF	490.40	A
ME04RGBW120.2N	XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 2000x30.6x45 mm IP67 DG	CHF	865.65	A
ME04WW120.05	XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 500x30.6x45 mm IP67 DG	CHF	297.20	A
ME04WW120.1	XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 1000x30.6x45 mm IP67 DG	CHF	382.70	A
ME04WW120.2	XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 2000x30.6x45 mm IP67 DG	CHF	731.90	A
ME01NW120	XMARKER GRND./CEILING REC. LINEAR 12W 24V DC 4000K CRI.80 500 mm IP67 120° DG	CHF	149.90	A
ME01WW120	XMARKER GRND./CEILING REC. LINEAR 12W 24V DC 3000K CRI.80 500 mm IP67 120° DG	CHF	149.90	A

Art-Nr.:	Produktbeschreibung			
ME012EC1m	XMARKER 1Mr EXTENSIONS CABLE MALE-FEMALE CONNECTOR for ME01/ME02	CHF	18.45	A
ME012EC2m	XMARKER 2Mr EXTENSIONS CABLE MALE-FEMALE CONNECTOR for ME01/ME02	CHF	22.30	A
ME02NW120	XMARKER GRND./CEILING REC. LINEAR 24W 24V DC 4000K CRI.80 1000 mm IP67 120° DG	CHF	230.60	A
ME02WW120	XMARKER GRND./CEILING REC. LINEAR 24W 24V DC 3000K CRI.80 1000 mm IP67 120° DG	CHF	230.60	A
GD112MS	XGROUND RECESSED BOX for GD11/12	CHF	11.00	A
GD11NW45	XGROUND GRND. RND. REC. FITTING 1x1W 24V DC 4000K CRI.80 IP67 45° SS	CHF	53.90	A
GD11WW45	XGROUND GRND. RND. REC. FITTING 1x1W 24V DC 3000K CRI.80 IP67 45° SS	CHF	53.90	A
GD12NW45	XGROUND GRND. SQ. REC. FITTING 1x1W 24V DC 4000K CRI.80 IP67 45° SS	CHF	57.50	A
GD12WW45	XGROUND GRND. SQ. REC. FITTING 1x1W 24V DC 3000K CRI.80 IP67 45° SS	CHF	57.50	A
GD134LN15	XGROUND 15° LENS for GD13/GD14	CHF	9.90	A
GD134MS	XGROUND RECESSED BOX for GD13/14	CHF	12.00	A
GD13NW45	XGROUND GRND. RND. REC. FITTING 1x3W 24V DC 4000K CRI.80 IP67 45° SS	CHF	81.95	A
GD13WW45	XGROUND GRND. RND. REC. FITTING 1x3W 24V DC 3000K CRI.80 IP67 45° SS	CHF	81.95	A
GD14NW45	XGROUND GRND. SQ. REC. FITTING 1x3W 24V DC 4000K CRI.80 IP67 45° SS	CHF	86.95	A
GD14WW45	XGROUND GRND. SQ. REC. FITTING 1x3W 24V DC 3000K CRI.80 IP67 45° SS	CHF	86.95	A
GD156LN23	XGROUND 23° LENS for GD15/GD16	CHF	9.90	A
GD156MS	XGROUND RECESSED BOX for GD15/16	CHF	13.00	A
GD15NW36	XGROUND GRND. RND. REC. FITTING 1x6W 24V DC 4000K CRI.80 IP67 36° SS	CHF	169.00	A
GD15WW36	XGROUND GRND. RND. REC. FITTING 1x6W 24V DC 3000K CRI.80 IP67 36° SS	CHF	169.00	A
GD16NW36	XGROUND GRND. SQ. REC. FITTING 1x6W 24V DC 4000K CRI.80 IP67 36° SS	CHF	178.00	A
GD16WW36	XGROUND GRND. SQ. REC. FITTING 1x6W 24V DC 3000K CRI.80 IP67 36° SS	CHF	178.00	A
GD178LN23	XGROUND 23° LENS for GD17/GD18	CHF	9.90	A
GD178MS	XGROUND RECESSED BOX for GD17/18	CHF	14.00	A
GD17NW40	XGROUND GRND. RND. REC. FITTING 1x15W 100-245V AC 4000K CRI.80 IP67 40° SS	CHF	217.10	A
GD17WW40	XGROUND GRND. RND. REC. FITTING 1x15W 100-245V AC 3000K CRI.80 IP67 40° SS	CHF	217.10	A
GD18NW40	XGROUND GRND. SQ. REC. FITTING 1x15W 100-245V AC 4000K CRI.80 IP67 40° SS	CHF	289.65	A
GD18WW40	XGROUND GRND. SQ. REC. FITTING 1x15W 100-245V AC 3000K CRI.80 IP67 40° SS	CHF	289.65	A
GD192LN23	XGROUND 23° LENS for GD19/GD20	CHF	17.20	A
GD192MS	XGROUND RECESSED BOX for GD19/20	CHF	16.90	A
GD19NW36	XGROUND GRND. RND. REC. FITTING 1x25W 90-265V AC 4000K CRI.80 IP67 36° SS	CHF	452.35	A
GD19WW36	XGROUND GRND. RND. REC. FITTING 1x25W 90-265V AC 3000K CRI.80 IP67 36° SS	CHF	452.35	A
GD20NW36	XGROUND GRND. SQ. REC. FITTING 1x25W 90-265V AC 4000K CRI.80 IP67 36° SS	CHF	444.00	A
GD20WW36	XGROUND GRND. SQ. REC. FITTING 1x25W 90-265V AC 3000K CRI.80 IP67 36° SS	CHF	444.00	A
GD25MS	XGROUND RECESSED BOX for GD25	CHF	17.45	A
GD25NW43	XGROUND GRND. RND. REC. FITTING 6X1.5W 24 DC 4000K CRI.80 IP67 43grd	CHF	277.95	A
GD25WW43	XGROUND GRND. RND. REC. FITTING 6X1.5W 24 DC 3000K CRI.80 IP67 43grd	CHF	277.95	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
GD21NW3	XGROUND GRND. RND. REC. FITTING 10W 100-265V AC 4000K IP67 3° SS	CHF	250.30	A
GD21WW3	XGROUND GRND. RND. REC. FITTING 10W 100-265V AC 3000K IP67 3° SS	CHF	250.30	A
GD23NW15-50	XGROUND GRND. RND. REC. FITTING 8W 12/24V DC 4000K IP67 15-50° SS	CHF	217.00	A
GD23WW15-50	XGROUND GRND. RND. REC. FITTING 8W 12/24V DC 3000K IP67 15-50° SS	CHF	217.00	A
GD01RGB40	XGROUND RGB REC. FIXTURE 1x3W 12V DC RGB fi.40 mm IP67 40° SS	CHF	136.35	A
GD03RGB40	XGROUND RGB REC. FIXTURE 1x3W 12V DC RGB fi.54 mm IP67 40° SS	CHF	138.85	A
GD07RGB60	XGROUND RGB REC. FIXTURE 3x3W 12V DC RGB fi.116 mm IP67 60° SS	CHF	399.10	A
PK01NW	XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 4000K CRI.80 IP67 1 direction DG	CHF	154.10	A
PK01WW	XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 3000K CRI.80 IP67 1 direction DG	CHF	154.10	A
PK02NW	XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 4000K CRI.80 IP67 2 directions DG	CHF	171.15	A
PK02WW	XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 3000K CRI.80 IP67 2 directions DG	CHF	171.15	A
PK03NW	XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 4000K CRI.80 IP67 4 directions DG	CHF	187.35	A
PK03WW	XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 3000K CRI.80 IP67 4 directions DG	CHF	187.35	A
DK01CN SS	XDECK STAINLESS STEEL COVER CON SHAPE for DK01	CHF	45.50	A
DK01DM AL	XDECK ALUMINUM COVER DOME SHAPE for DK01	CHF	33.60	A
DK01EY AL	XDECK ALUMINUM COVER EYELID SHAPE for DK01	CHF	33.60	A
DK01NW	XDECK GRND./WALL REC. FITTING 2W 24V DC 4000K CRI.80 IP67 120° AL	CHF	55.50	A
DK01ST SS	XDECK STAINLESS STEEL COVER STEPPED SHAPE for DK01	CHF	45.50	A
DK01WW	XDECK GRND./WALL REC. FITTING 2W 24V DC 3000K CRI.80 IP67 120° AL	CHF	55.50	A
RT11WW	XROUTE REC. IP67 IK08 3W 24V DC 3000K CRI90 R-1	CHF	147.60	A
RT12WW	XROUTE REC. IP67 IK08 3W 24V DC 3000K CRI90 R-2	CHF	152.50	A
RT14WW	XROUTE REC. IP67 IK08 3W 24V DC 3000K CRI90 R-4	CHF	160.70	A
GS02NWIP65 BK	XGHOST IP65 WALL REC. FITTING 2W 100-240V AC 4000K CRI.80 MBK	CHF	65.00	A
GS02NWIP65 MWH	XGHOST IP65 WALL REC. FITTING 2W 100-240V AC 4000K CRI.80 MWH	CHF	65.00	A
GS02WWIP65 BK	XGHOST IP65 WALL REC. FITTING 2W 100-240V AC 3000K CRI.80 MBK	CHF	65.00	A
GS02WWIP65 MWH	XGHOST IP65 WALL REC. FITTING 2W 100-240V AC 3000K CRI.80 MWH	CHF	65.00	A
GS03NWIP65 BK	XGHOST IP65 WALL REC. FITTING 3W 230V AC 4000K CRI.80 BK	CHF	29.80	A
GS03NWIP65 MWH	XGHOST IP65 WALL REC. FITTING 3W 230V AC 4000K CRI.80 MWH	CHF	29.80	A
GS03WWIP65 BK	XGHOST IP65 WALL REC. FITTING 3W 230V AC 3000K CRI.80 BK	CHF	29.80	A
GS03WWIP65 MWH	XGHOST IP65 WALL REC. FITTING 3W 230V AC 3000K CRI.80 MWH	CHF	29.80	A
FA02NW	XFADE WALL REC. FITTING 3W 230V AC 4000K CRI.80 IP65 120° OPL	CHF	30.75	A
FA02WW	XFADE WALL REC. FITTING 3W 230V AC 3000K CRI.80 IP65 120° OPL	CHF	30.75	A
FA03NW	XFADE WALL REC. FITTING 5W 230V AC 4000K CRI.80 IP65 120° OPL	CHF	41.00	A
FA03WW	XFADE WALL REC. FITTING 5W 230V AC 3000K CRI.80 IP65 120° OPL	CHF	41.00	A
HD01NW	XHAND REC. HANDRAIL LIGHT 1.5W DC12-24V 4000K IP67 30x60° SS	CHF	63.35	A
HD01WW	XHAND REC. HANDRAIL LIGHT 1.5W DC12-24V 3000K IP67 30x60° SS	CHF	63.35	A

Art-Nr.:	Produktbeschreibung			
AE01NW30 MBK/BK	XAREA REC. FITTING 3x3W 700mA 4000K CRI.80 IP65 UGR<16 30° MBK/MBK	CHF	140.80	A
AE01NW30 MWH/BK	XAREA REC. FITTING 3x3W 700mA 4000K CRI.80 IP65 UGR<16 30° MWH/MBK	CHF	140.80	A
AE01WW30 MBK/BK	XAREA REC. FITTING 3x3W 700mA 3000K CRI.80 IP65 UGR<16 30° MBK/MBK	CHF	140.80	A
AE01WW30 MWH/BK	XAREA REC. FITTING 3x3W 700mA 3000K CRI.80 IP65 UGR<16 30° MWH/MBK	CHF	140.80	A
ACC12/3P	WATERPROOF connector 2/3x0,75mm2 min and 2/3x2,5mm2 max IP68 BK	CHF	19.15	A
ACC13IP67	WATERPROOF connector 3/5x0,75mm2 min and 3/5x2,5mm2 max 1 IN / 2 OUT IP67	CHF	38.20	A
ACC13IP68	WATERPROOF connector 3/5x0,75mm2 min and 3/5x2,5mm2 max 1 IN / 2 OUT IP68 BK	CHF	24.90	A
TMX01CW S T2-S	XTIMEX STREET FITTING 30W/40W 80-264V AC 6500K optics T2-S CRI.>70 IP66 S	CHF	503.35	A
TMX01NW S T2-S	XTIMEX STREET FITTING 30W/40W 80-264V AC 4000K optics T2-S CRI.>70 IP66 S	CHF	503.35	A
TMX01WW S T2-S	XTIMEX STREET FITTING 30W/40W 80-264V AC 3000K optics T2-S CRI.>70 IP66 S	CHF	503.35	A
TMX02CW S T2-S	XTIMEX STREET FITTING 60W/75W 80-264V AC 6500K optics T2-S CRI.>70 IP66 S	CHF	540.00	A
TMX02NW S T2-S	XTIMEX STREET FITTING 60W/75W 80-264V AC 4000K optics T2-S CRI.>70 IP66 S	CHF	540.00	A
TMX02WW S T2-S	XTIMEX STREET FITTING 60W/75W 80-264V AC 3000K optics T2-S CRI.>70 IP66 S	CHF	540.00	A
TMX03CW S T2-S	XTIMEX STREET FITTING 90W/110W 80-264V AC 6500K optics T2-S CRI.>70 IP66 S	CHF	644.30	A
TMX03NW S T2-S	XTIMEX STREET FITTING 90W/110W 80-264V AC 4000K optics T2-S CRI.>70 IP66 S	CHF	644.30	A
TMX03WW S T2-S	XTIMEX STREET FITTING 90W/110W 80-264V AC 3000K optics T2-S CRI.>70 IP66 S	CHF	644.30	A
TMX04CW S T2-S	XTIMEX STREET FITTING 120W/150W 80-264V AC 6500K optics T2-S CRI.>70 IP66 S	CHF	743.65	A
TMX04NW S T2-S	XTIMEX STREET FITTING 120W/150W 80-264V AC 4000K optics T2-S CRI.>70 IP66 S	CHF	743.65	A
TMX04WW S T2-S	XTIMEX STREET FITTING 120W/150W 80-264V AC 3000K optics T2-S CRI.>70 IP66 S	CHF	743.65	A
TMX05CW S T2-S	XTIMEX STREET FITTING 177W 80-264V AC 6500K optics T2-S CRI.>70 IP66 S	CHF	870.25	A
TMX05NW S T2-S	XTIMEX STREET FITTING 177W 80-264V AC 4000K optics T2-S CRI.>70 IP66 S	CHF	870.25	A
TMX05WW S T2-S	XTIMEX STREET FITTING 177W 80-264V AC 3000K optics T2-S CRI.>70 IP66 S	CHF	870.25	A
LNx01CW S	XLANE STREET FITTING 40W/60W 100-277V AC 6500K CRI.>70 IP65 S	CHF	326.30	A
LNx01NW S	XLANE STREET FITTING 40W/60W 100-277V AC 4000K CRI.>70 IP65 S	CHF	326.30	A
LNx01WW S	XLANE STREET FITTING 40W/60W 100-277V AC 3000K CRI.>70 IP65 S	CHF	326.30	A
LNx02CW S	XLANE STREET FITTING 80W/100W 100-277V AC 6500K CRI.>70 IP65 S	CHF	436.30	A
LNx02NW S	XLANE STREET FITTING 80W/100W 100-277V AC 4000K CRI.>70 IP65 S	CHF	436.30	A
LNx02WW S	XLANE STREET FITTING 80W/100W 100-277V AC 3000K CRI.>70 IP65 S	CHF	436.30	A
LNx03CW S	XLANE STREET FITTING 120W/150W 100-277V AC 6500K CRI.>70 IP65 S	CHF	602.80	A
LNx03NW S	XLANE STREET FITTING 120W/150W 100-277V AC 4000K CRI.>70 IP65 S	CHF	602.80	A
LNx03WW S	XLANE STREET FITTING 120W/150W 100-277V AC 3000K CRI.>70 IP65 S	CHF	602.80	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
LNx04CW S	XLANE STREET FITTING 180W/200W 100-277V AC 6500K CRI.>70 IP65 S	CHF	636.50	A
LNx04NW S	XLANE STREET FITTING 180W/200W 100-277V AC 4000K CRI.>70 IP65 S	CHF	636.50	A
LNx04WW S	XLANE STREET FITTING 180W/200W 100-277V AC 3000K CRI.>70 IP65 S	CHF	636.50	A
STR01NW S	XSTREET LIGHT FITTING 30W/40W 100-277V AC 4000K IP65 S	CHF	233.70	A
STR01WW S	XSTREET LIGHT FITTING 30W/40W 100-277V AC 3000K IP65 S	CHF	233.70	A
STR02NW S	XSTREET LIGHT FITTING 50W/60W 100-277V AC 4000K IP65 S	CHF	238.60	A
STR02WW S	XSTREET LIGHT FITTING 50W/60W 100-277V AC 3000K IP65 S	CHF	238.60	A
STR03NW S	XSTREET LIGHT FITTING 70W/80W 100-277V AC 4000K IP65 S	CHF	345.70	A
STR03WW S	XSTREET LIGHT FITTING 70W/80W 100-277V AC 3000K IP65 S	CHF	345.70	A
STR04NW S	XSTREET LIGHT FITTING 90W/100W 100-277V AC 4000K IP65 S	CHF	363.60	A
STR04WW S	XSTREET LIGHT FITTING 90W/100W 100-277V AC 3000K IP65 S	CHF	363.60	A
AY01NW S	XALLEY STREET FITTING 30W 180-265V AC 4000K CRI.>70 70x1400	CHF	104.85	A
AY01WW S	XALLEY STREET FITTING 30W 180-265V AC 3000K CRI.>70 70x1400	CHF	104.85	A
AY02NW S	XALLEY STREET FITTING 50W 180-265V AC 4000K CRI.>70 70x1400	CHF	107.40	A
AY02WW S	XALLEY STREET FITTING 50W 180-265V AC 3000K CRI.>70 70x1400	CHF	107.40	A
AY03NW S	XALLEY STREET FITTING 70W 180-265V AC 4000K CRI.>70 70x1400	CHF	177.95	A
AY03WW S	XALLEY STREET FITTING 70W 180-265V AC 3000K CRI.>70 70x1400	CHF	177.95	A
AY04NW S	XALLEY STREET FITTING 100W 180-265V AC 4000K CRI.>100	CHF	186.30	A
AY04WW S	XALLEY STREET FITTING 100W 180-265V AC 3000K CRI.>100	CHF	186.30	A
PLZ01T2NW DG	XPLAZA ST STREET FITTING 60W 120-240V AC 4000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ01T2WW DG	XPLAZA ST STREET FITTING 60W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ01T3NW DG	XPLAZA ST STREET FITTING 60W 120-240V AC 4000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ01T3WW DG	XPLAZA ST STREET FITTING 60W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ02T2NW DG	XPLAZA ST STREET FITTING 80W 120-240V AC 4000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ02T2WW DG	XPLAZA ST STREET FITTING 80W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ02T3NW DG	XPLAZA ST STREET FITTING 80W 120-240V AC 4000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ02T3WW DG	XPLAZA ST STREET FITTING 80W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ03T2NW DG	XPLAZA ST STREET FITTING 100W 120-240V AC 4000K optics T2-S CRI.>70 70 IP66 DG	CHF	821.10	A
PLZ03T2WW DG	XPLAZA ST STREET FITTING 100W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ03T3NW DG	XPLAZA ST STREET FITTING 100W 120-240V AC 4000K optics T3-S CRI.>70 70 IP66 DG	CHF	821.10	A
PLZ03T3WW DG	XPLAZA ST STREET FITTING 100W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ04T2NW DG	XPLAZA ST STREET FITTING 120W 120-240V AC 4000K optics T2-S CRI.>70 70 IP66 DG	CHF	821.10	A
PLZ04T2WW DG	XPLAZA ST STREET FITTING 120W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ04T3NW DG	XPLAZA ST STREET FITTING 120W 120-240V AC 4000K optics T3-S CRI.>70 70 IP66 DG	CHF	821.10	A
PLZ04T3WW DG	XPLAZA ST STREET FITTING 120W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ05T2NW DG	XPLAZA ST STREET FITTING 150W 120-240V AC 4000K optics T2-S CRI.>70 70 IP66 DG	CHF	821.10	A
PLZ05T2WW DG	XPLAZA ST STREET FITTING 150W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG	CHF	821.10	A
PLZ05T3NW DG	XPLAZA ST STREET FITTING 150W 120-240V AC 4000K optics T3-S CRI.>70 70 IP66 DG	CHF	821.10	A
PLZ05T3WW DG	XPLAZA ST STREET FITTING 150W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	821.10	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung				
PLZ06T2NW DG	XPLAZA ST STREET FITTING 30W 120-240V AC 4000K optics T2-S CRI.> 70	CHF	821.10	A	
	IP66 DG				
PLZ06T2WW DG	XPLAZA ST STREET FITTING 30W 120-240V AC 3000K optics T2-S CRI.>70	CHF	821.10	A	
	IP66 DG				
PLZ06T3NW DG	XPLAZA ST STREET FITTING 30W 120-240V AC 4000K optics T3-S CRI.> 70	CHF	821.10	A	
	IP66 DG				
PLZ06T3WW DG	XPLAZA ST STREET FITTING 30W 120-240V AC 3000K optics T3-S CRI.>70	CHF	821.10	A	
	IP66 DG				
PLZ07T2NW DG	XPLAZA ST STREET FITTING 50W 120-240V AC 4000K optics T2-S CRI.>70	CHF	821.10	A	
	IP66 DG				
PLZ07T2WW DG	XPLAZA ST STREET FITTING 50W 120-240V AC 3000K optics T2-S CRI.>70	CHF	821.10	A	
	IP66 DG				
PLZ07T3NW DG	XPLAZA ST STREET FITTING 50W 120-240V AC 4000K optics T3-S CRI.>70	CHF	821.10	A	
	IP66 DG				
PLZ07T3WW DG	XPLAZA ST STREET FITTING 50W 120-240V AC 3000K optics T3-S CRI.>70	CHF	821.10	A	
	IP66 DG				
PLZ21T2NW DG	XPLAZA R1 STREET FITTING 60W 120-240V AC 4000K optics T2-S CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ21T2WW DG	XPLAZA R1 STREET FITTING 60W 120-240V AC 3000K optics T2-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ21T3NW DG	XPLAZA R1 STREET FITTING 60W 120-240V AC 4000K optics T3-S CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ21T3WW DG	XPLAZA R1 STREET FITTING 60W 120-240V AC 3000K optics T3-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ22T2NW DG	XPLAZA R1 STREET FITTING 80W 120-240V AC 4000K optics T2-S CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ22T2WW DG	XPLAZA R1 STREET FITTING 80W 120-240V AC 3000K optics T2-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ22T3NW DG	XPLAZA R1 STREET FITTING 80W 120-240V AC 4000K optics T3-S CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ22T3WW DG	XPLAZA R1 STREET FITTING 80W 120-240V AC 3000K optics T3-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ23T2NW DG	XPLAZA R1 STREET FITTING 100W 120-240V AC 4000K optics T2-S CRI.>	CHF	817.55	A	
	70 IP66 DG				
PLZ23T2WW DG	XPLAZA R1 STREET FITTING 100W 120-240V AC 3000K optics T2-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ23T3NW DG	XPLAZA R1 STREET FITTING 100W 120-240V AC 4000K optics T3-S CRI.>	CHF	817.55	A	
	70 IP66 DG				
PLZ23T3WW DG	XPLAZA R1 STREET FITTING 100W 120-240V AC 3000K optics T3-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ24T2NW DG	XPLAZA R1 STREET FITTING 120W 120-240V AC 4000K optics T2-S CRI.>	CHF	817.55	A	
	70 IP66 DG				
PLZ24T2WW DG	XPLAZA R1 STREET FITTING 120W 120-240V AC 3000K optics T2-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ24T3NW DG	XPLAZA R1 STREET FITTING 120W 120-240V AC 4000K optics T3 CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ24T3WW DG	XPLAZA R1 STREET FITTING 120W 120-240V AC 3000K optics T3 CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ25T2NW DG	XPLAZA R1 STREET FITTING 150W 120-240V AC 4000K optics T2-S CRI.>	CHF	817.55	A	
	70 IP66 DG				
PLZ25T2WW DG	XPLAZA R1 STREET FITTING 150W 120-240V AC 3000K optics T2-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ25T3NW DG	XPLAZA R1 STREET FITTING 150W 120-240V AC 4000K optics T3 CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ25T3WW DG	XPLAZA R1 STREET FITTING 150W 120-240V AC 3000K optics T3 CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ26T2NW DG	XPLAZA R1 STREET FITTING 30W 120-240V AC 4000K optics T2-S CRI.> 70	CHF	817.55	A	
	IP66 DG				
PLZ26T2WW DG	XPLAZA R1 STREET FITTING 30W 120-240V AC 3000K optics T2-S CRI.>70	CHF	817.55	A	
	IP66 DG				
PLZ26T3NW DG	XPLAZA R1 STREET FITTING 30W 120-240V AC 4000K optics T3-S CRI.> 70	CHF	817.55	A	
	IP66 DG				

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PLZ26T3WW DG	XPLAZA R1 STREET FITTING 30W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	817.55	A
PLZ27T2NW DG	XPLAZA R1 STREET FITTING 50W 120-240V AC 4000K optics T2-S CRI.>70 IP66 DG	CHF	817.55	A
PLZ27T2WW DG	XPLAZA R1 STREET FITTING 50W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG	CHF	817.55	A
PLZ27T3NW DG	XPLAZA R1 STREET FITTING 50W 120-240V AC 4000K optics T3-S CRI.>70 IP66 DG	CHF	817.55	A
PLZ27T3WW DG	XPLAZA R1 STREET FITTING 50W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG	CHF	817.55	A
DS01BC	XDOMUS DECORATIVE COVER	CHF	153.70	A
DS01GA	XDOMUS FASTERNING SYSTEM	CHF	230.60	A
DS01NW DG	XDOMUS RESIDENTIAL LIGHT FITTING 4m 42W 4000K	CHF	3'827.85	A
DS01WW DG	XDOMUS RESIDENTIAL LIGHT FITTING 4m 42W 3000K	CHF	3'827.85	A
TOR01NW DG	XTORRE STREET LIGHT 4Mr 1x40W 4000K T2-S optic DG	CHF	2'057.50	A
TOR01WW DG	XTORRE STREET LIGHT 4Mr 1x40W 3000K T2-S optic DG	CHF	2'057.50	A
TOR012GA	XTORRE 600mm ANCHOR for TOR01/TOR02	CHF	108.20	A
TOR02NW DG	XTORRE STREET LIGHT 4Mr 2x40W 4000K T2-S optic DG	CHF	2'648.60	A
TOR02WW DG	XTORRE STREET LIGHT 4Mr 2x40W 3000K T2-S optic DG	CHF	2'648.60	A
TOR034GA	XTORRE 180mm ANCHOR for TOR03/TOR04	CHF	14.95	A
TOR03NW DG	XTORRE STREET LIGHT 1Mr 1x10W 4000K T2-S optic DG	CHF	504.25	A
TOR03WW DG	XTORRE STREET LIGHT 1Mr 1x10W 3000K T2-S optic DG	CHF	504.25	A
TOR04NW DG	XTORRE STREET LIGHT 1Mr 2x10W 4000K T2-S optic DG	CHF	634.30	A
TOR04WW DG	XTORRE STREET LIGHT 1Mr 2x10W 3000K T2-S optic DG	CHF	634.30	A
SC01NW DG	XSPACE URBAN LIGHTING FITTING 50W 100-305V AC 4000K CRI.>80 IP65 120° DG	CHF	599.20	A
SC01PNW DG	XSPACE URBAN LIGHTING FITTING+POLE 4m 50W 100-305V AC 4000K CRI.>80 IP65 120° DG	CHF	1'231.00	A
SC01PWW DG	XSPACE URBAN LIGHTING FITTING+POLE 4m 50W 100-305V AC 3000K CRI.>80 IP65 120° DG	CHF	1'231.00	A
SC01WW DG	XSPACE URBAN LIGHTING FITTING 50W 100-305V AC 3000K CRI.>80 IP65 120° DG	CHF	599.20	A
TT01CW DG	XTOWN URBAN SQ. LIGHTING FITTING 45W 100-240V AC 6500K CRI.80 IP65 120° DG	CHF	586.05	A
TT01NW DG	XTOWN URBAN SQ. LIGHTING FITTING 45W 100-240V AC 4000K CRI.80 IP65 120° DG	CHF	586.05	A
TT01WW DG	XTOWN URBAN SQ. LIGHTING FITTING 45W 100-240V AC 3000K CRI.80 IP65 120° DG	CHF	586.05	A
TT02CW DG	XTOWN URBAN RND. LIGHTING FITTING 45W 100-240V AC 6500K CRI.80 IP65 120° DG	CHF	586.05	A
TT02NW DG	XTOWN URBAN RND. LIGHTING FITTING 45W 100-240V AC 4000K CRI.80 IP65 120° DG	CHF	586.05	A
TT02WW DG	XTOWN URBAN RND. LIGHTING FITTING 45W 100-240V AC 3000K CRI.80 IP65 120° DG	CHF	586.05	A
FDI01CW70X140 DG	XFIELD Proiector 50W 100-277V AC 6000K CRI.80 70x140grd IP65 DG	CHF	119.75	A
FDI01CW90 DG	XFIELD Proiector 50W 100-277V AC 6000K CRI.80 90grd IP65 DG	CHF	119.75	A
FDI01NW70X140 DG	XFIELD Proiector 50W 100-277V AC 4000K CRI.80 70x140grd IP65 DG	CHF	119.75	A
FDI01NW90 DG	XFIELD Proiector 50W 100-277V AC 4000K CRI.80 90grd IP65 DG	CHF	119.75	A
FDI01WW70X140 DG	XFIELD Proiector 50W 100-277V AC 3000K CRI.80 70x140grd IP65 DG	CHF	119.75	A
FDI01WW90 DG	XFIELD Proiector 50W 100-277V AC 3000K CRI.80 90grd IP65 DG	CHF	119.75	A
FDI02CW70X140 DG	XFIELD Proiector 100W 100-277V AC 6000K CRI.80 70x140grd IP65 DG	CHF	213.45	A
FDI02CW90 DG	XFIELD Proiector 100W 100-277V AC 6000K CRI.80 90grd IP65 DG	CHF	213.45	A
FDI02NW70X140 DG	XFIELD Proiector 100W 100-277V AC 4000K CRI.80 70x140grd IP65 DG	CHF	213.45	A
FDI02NW90 DG	XFIELD Proiector 100W 100-277V AC 4000K CRI.80 90grd IP65 DG	CHF	213.45	A
FDI02WW70X140 DG	XFIELD Proiector 100W 100-277V AC 3000K CRI.80 70x140grd IP65 DG	CHF	213.45	A
FDI02WW90 DG	XFIELD Proiector 100W 100-277V AC 3000K CRI.80 90grd IP65 DG	CHF	213.45	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
FDI03CW70X140 DG	XFIELD Proiector 150W 100-277V AC 6000K CRI.80 70x140grd IP65 DG	CHF	293.05	A
FDI03CW90 DG	XFIELD Proiector 150W 100-277V AC 6000K CRI.80 900grd IP65 DG	CHF	293.05	A
FDI03NW70X140 DG	XFIELD Proiector 150W 100-277V AC 4000K CRI.80 70x140grd IP65 DG	CHF	293.05	A
FDI03NW90 DG	XFIELD Proiector 150W 100-277V AC 4000K CRI.80 900grd IP65 DG	CHF	293.05	A
FDI03WW70X140 DG	XFIELD Proiector 150W 100-277V AC 3000K CRI.80 70x140grd IP65 DG	CHF	293.05	A
FDI03WW90 DG	XFIELD Proiector 150W 100-277V AC 3000K CRI.80 900grd IP65 DG	CHF	293.05	A
FDI04CW70X140 DG	XFIELD Proiector 200W 100-277V AC 6000K CRI.80 70x140grd IP65 DG	CHF	361.15	A
FDI04CW90 DG	XFIELD Proiector 200W 100-277V AC 6000K CRI.80 900grd IP65 DG	CHF	361.15	A
FDI04NW70X140 DG	XFIELD Proiector 200W 100-277V AC 4000K CRI.80 70x140grd IP65 DG	CHF	361.15	A
FDI04NW90 DG	XFIELD Proiector 200W 100-277V AC 4000K CRI.80 900grd IP65 DG	CHF	361.15	A
FDI04WW70X140 DG	XFIELD Proiector 200W 100-277V AC 3000K CRI.80 70x140grd IP65 DG	CHF	361.15	A
FDI04WW90 DG	XFIELD Proiector 200W 100-277V AC 3000K CRI.80 900grd IP65 DG	CHF	361.15	A
FLD11NW60 MBK	XFLOOD PROJECTOR 100W 90-305V AC 4000K CRI.80 IP66 60° BK	CHF	231.75	A
FLD11NW90 MBK	XFLOOD PROJECTOR 100W 90-305V AC 4000K CRI.80 IP66 90° BK	CHF	231.75	A
FLD11NWT2 MBK	XFLOOD PROJECTOR 100W 90-305V AC 4000K CRI.80 IP66 T2 BK	CHF	231.75	A
FLD11WW60 MBK	XFLOOD PROJECTOR 100W 90-305V AC 3000K CRI.80 IP66 60° BK	CHF	231.75	A
FLD11WW90 MBK	XFLOOD PROJECTOR 100W 90-305V AC 3000K CRI.80 IP66 90° BK	CHF	231.75	A
FLD11WWT2 MBK	XFLOOD PROJECTOR 100W 90-305V AC 3000K CRI.80 IP66 T2 BK	CHF	231.75	A
FLD12NW60 MBK	XFLOOD PROJECTOR 150W 90-305V AC 4000K CRI.80 IP66 60° BK	CHF	321.45	A
FLD12NW90 MBK	XFLOOD PROJECTOR 150W 90-305V AC 4000K CRI.80 IP66 90° BK	CHF	321.45	A
FLD12NWT2 MBK	XFLOOD PROJECTOR 150W 90-305V AC 4000K CRI.80 IP66 T2 BK	CHF	321.45	A
FLD12WW60 MBK	XFLOOD PROJECTOR 150W 90-305V AC 3000K CRI.80 IP66 60° BK	CHF	321.45	A
FLD12WW90 MBK	XFLOOD PROJECTOR 150W 90-305V AC 3000K CRI.80 IP66 90° BK	CHF	321.45	A
FLD12WWT2 MBK	XFLOOD PROJECTOR 150W 90-305V AC 3000K CRI.80 IP66 T2 BK	CHF	321.45	A
FLD13NW60 MBK	XFLOOD PROJECTOR 200W 90-305V AC 4000K CRI.80 IP66 60° BK	CHF	485.95	A
FLD13NW90 MBK	XFLOOD PROJECTOR 200W 90-305V AC 4000K CRI.80 IP66 90° BK	CHF	485.95	A
FLD13NWT2 MBK	XFLOOD PROJECTOR 200W 90-305V AC 4000K CRI.80 IP66 T2 BK	CHF	485.95	A
FLD13WW60 MBK	XFLOOD PROJECTOR 200W 90-305V AC 3000K CRI.80 IP66 60° BK	CHF	485.95	A
FLD13WW90 MBK	XFLOOD PROJECTOR 200W 90-305V AC 3000K CRI.80 IP66 90° BK	CHF	485.95	A
FLD13WWT2 MBK	XFLOOD PROJECTOR 200W 90-305V AC 3000K CRI.80 IP66 T2 BK	CHF	485.95	A
FLD14NW60 MBK	XFLOOD PROJECTOR 300W 90-305V AC 4000K CRI.80 IP66 60° BK	CHF	695.25	A
FLD14NW90 MBK	XFLOOD PROJECTOR 300W 90-305V AC 4000K CRI.80 IP66 90° BK	CHF	695.25	A
FLD14NWT2 MBK	XFLOOD PROJECTOR 300W 90-305V AC 4000K CRI.80 IP66 T2 BK	CHF	695.25	A
FLD14WW60 MBK	XFLOOD PROJECTOR 300W 90-305V AC 3000K CRI.80 IP66 60° BK	CHF	695.25	A
FLD14WW90 MBK	XFLOOD PROJECTOR 300W 90-305V AC 3000K CRI.80 IP66 90° BK	CHF	695.25	A
FLD14WWT2 MBK	XFLOOD PROJECTOR 300W 90-305V AC 3000K CRI.80 IP66 T2 BK	CHF	695.25	A
FLD21NW30 MBK	XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 30° BK	CHF	874.70	A
FLD21NW60 MBK	XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 60° BK	CHF	874.70	A
FLD21NW90 MBK	XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 90° BK	CHF	874.70	A
FLD21NWT2 MBK	XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 T2 BK	CHF	874.70	A
FLD21NWT4 MBK	XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 T4 BK	CHF	874.70	A
FLD21WW30 MBK	XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 30° BK	CHF	874.70	A
FLD21WW60 MBK	XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 60° BK	CHF	874.70	A
FLD21WW90 MBK	XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 90° BK	CHF	874.70	A
FLD21WWT2 MBK	XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 T2 BK	CHF	874.70	A
FLD21WWT4 MBK	XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 T4 BK	CHF	874.70	A
FLD22NW30 MBK	XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 30° BK	CHF	897.10	A
FLD22NW60 MBK	XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 60° BK	CHF	897.10	A
FLD22NW90 MBK	XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 90° BK	CHF	897.10	A
FLD22NWT2 MBK	XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 T2 BK	CHF	897.10	A
FLD22NWT4 MBK	XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 T4 BK	CHF	897.10	A
FLD22WW30 MBK	XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 30° BK	CHF	897.10	A
FLD22WW60 MBK	XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 60° BK	CHF	897.10	A
FLD22WW90 MBK	XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 90° BK	CHF	897.10	A
FLD22WWT2 MBK	XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 T2 BK	CHF	897.10	A
FLD22WWT4 MBK	XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 T4 BK	CHF	897.10	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
LC01NW7 DG	XLOCUS WATERPROOF PROJECTOR 12W 24V DC 4000K CRI.80 7grd	CHF	223.25	A
LC01WW7 DG	XLOCUS WATERPROOF PROJECTOR 12W 24V DC 3000K CRI.80 7grd	CHF	223.25	A
LC02NW4 DG	XLOCUS WATERPROOF PROJECTOR 24W 100-240V AC 4000K CRI.80 4grd	CHF	669.80	A
LC02WW4 DG	XLOCUS WATERPROOF PROJECTOR 24W 100-240V AC 3000K CRI.80 4grd	CHF	669.80	A
SR01NW DG	XSTRIKE WATERPROOF PROJECTOR 10W AC220V 4000K 1grd DG	CHF	345.80	A
SR01WW DG	XSTRIKE WATERPROOF PROJECTOR 10W AC220V 3000K 1grd DG	CHF	345.80	A
SPK0123 PC	XSPARK ALUMINUM PICKET for SPK01/SPK02/SPK03	CHF	15.65	A
SPK01CW15	XSPARK PROJECTOR 17W 90-265V AC 6000K CRI.80 IP65 15° BK	CHF	308.15	A
SPK01NW15	XSPARK PROJECTOR 17W 90-265V AC 4000K CRI.80 IP65 15° BK	CHF	308.15	A
SPK01WW15	XSPARK PROJECTOR 17W 90-265V AC 3000K CRI.80 IP65 15° BK	CHF	308.15	A
SPK02CW15	XSPARK PROJECTOR 36W 90-265V AC 6000K CRI.80 IP65 15° BK	CHF	418.85	A
SPK02NW15	XSPARK PROJECTOR 36W 90-265V AC 4000K CRI.80 IP65 15° BK	CHF	418.85	A
SPK02WW15	XSPARK PROJECTOR 36W 90-265V AC 3000K CRI.80 IP65 15° BK	CHF	418.85	A
SPK03RGB40	XSPARK PROJECTOR 36W 24V RGB DC IP65 40° BK	CHF	689.90	A
FW24267CW20S	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 6000K IP67	CHF	465.25	A
	20dgr			
FW24267CW20X45S	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 6000K IP67	CHF	465.25	A
	20x45dgr			
FW24267NW20S	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 4000K IP67	CHF	465.25	A
	20dgr			
FW24267NW20X45S	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 4000K IP67	CHF	465.25	A
	20x45dgr			
FW24267WW20S	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 3000K IP67	CHF	465.25	A
	20dgr			
FW24267WW20X45S	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 3000K IP67	CHF	465.25	A
	20x45dgr			
FW34267RGB20X45D	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB IP67	CHF	594.85	A
	20x45dgr			
FW34267RGB20X45DX	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB DMX IP67	CHF	658.60	A
	20x45dgr			
FW34267RGB25D	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB IP67 25dgr	CHF	594.85	A
FW34267RGB25DX	XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB DMX IP67	CHF	658.60	A
	25dgr			
FWAMC	XFLEX ADJ. FIXING CLIP SS	CHF	2.10	A
FWCK	XFLEX SET (5pcs) FIXING CLIPS AL	CHF	8.35	A
FWDEC	XFLEX SET (2pcs) END CAPS with LONGITUDINAL ACCES	CHF	2.55	A
FWPF	XFLEX SET AL. PROFILE 2m WITH 10 FIXING SCREWS AND 10 CLIPS	CHF	43.35	A
FWPSC2P	XFLEX SET (2pcs) POWER CABLES (1 male / 1 female) with 2P IP67	CHF	12.75	A
	CONNECTOR			
FWPSC4P	XFLEX SET (2pcs) POWER CABLES (1 male / 1 female) with 4P IP67	CHF	17.00	A
	CONNECTOR			
FWSEC	XFLEX SET (2pcs) END CAPS with LATERAL ACCES	CHF	2.55	A
MG13X12CW	XMAGIS 13X12 9.6W/m 120LED/m 1 ml 6000K	CHF	47.05	A
MG13X12NW	XMAGIS 13X12 9.6W/m 120LED/m 1 ml 4000K	CHF	47.05	A
MG13X12WW	XMAGIS 13X12 9.6W/m 120LED/m 1 ml 3000K	CHF	47.05	A
MG13X12CCT	XMAGIS 13X12 CCT 12W/m ROLA=5 ml 384LED/m 2700-5000K	CHF	294.75	A
MG13X12RGBW	XMAGIS 13x12 RGBW 14.4W/m ROLA=5 ml 192LED/m	CHF	378.80	A
MG13X12RGB/DMX	XMAGIS 13x12 RGB/DMX 18W/m ROLA=5 ml 84LED/m	CHF	537.75	A
MG13X12CK	XMAGIS 13X12 AL. FIXING CLIP	CHF	1.60	A
MG13X12ECB	XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY from DOWN	CHF	17.70	A
	DIRECTION			
MG13X12ECH	XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY ACCESS from	CHF	17.70	A
	HORIZONTAL DIRECTION			
MG13X12ECS	XMAGIS 13x12 set 2 SILICONE TERMINALS	CHF	3.20	A
MG13X12PF	XMAGIS 13x12 AL. PROFILE 2m	CHF	28.35	A
MG13X12SK	XMAGIS 13x12 STEEL FLEXIBLE ACC. MWH set 2pcsx0.5m	CHF	43.85	A
MG13X12EC	XMAGIS 13x12 TERMINAL ELEMENT	CHF	10.35	A
MG13X12ECLL	XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY ACCESS from	CHF	17.70	A
	LATERAL, LEFT DIRECTION			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
MG13X12ECLR	XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY from RIGHT DIRECTION	CHF	17.70	A
MG13X12FC	XMAGIS 13x12 ELEMENT for FLEXIBLE CONNECTION	CHF	29.50	A
MG13X12RLC	XMAGIS 13x12 LINIAR ELEMENT FOR CONNECTING	CHF	13.95	A
MG12X17CW	XMAGIS 12X17 9.6W/m 120LED/m 1 ml 6000K	CHF	47.05	A
MG12X17NW	XMAGIS 12X17 9.6W/m 120LED/m 1 ml 4000K	CHF	47.05	A
MG12X17WW	XMAGIS 12X17 9.6W/m 120LED/m 1 ml 3000K	CHF	47.05	A
MG12X17CCT	XMAGIS 12X17 CCT 12W/m 5 ml 140LED/m 2300-4000K	CHF	287.05	A
MG12X17RGB/DMX	XMAGIS 12X17 RGB/DMX 18W/m ROLA=5 ml 84LED/m	CHF	553.65	A
MG12X17RGBW	XMAGIS 12X17 RGBW 14.4W/m ROLA=5 ml 192LED/m	CHF	378.80	A
MG12X17CK	XMAGIS 12X17 AL. FIXING CLIP	CHF	1.75	A
MG12X17ECB	XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY from DOWN DIRECTION	CHF	17.70	A
MG12X17ECH	XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY HORIZ. DIRECTION	CHF	17.70	A
MG12X17ECS	XMAGIS 12X17 set 2 SILICONE TERMINALS	CHF	3.20	A
MG12X17PF	XMAGIS 12X17 AL. PROFILE 2m	CHF	31.50	A
MG12X17SK	XMAGIS 12X17 STEEL FLEXIBLE ACC. MWH set 2pcsx0.5m	CHF	56.55	A
MG12X17EC	XMAGIS 12X17 TERMINAL ELEMENT	CHF	10.35	A
MG12X17ECLL	XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY from LEFT DIRECTION	CHF	17.70	A
MG12X17ECLR	XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY from RIGHT DIRECTION	CHF	17.70	A
MG12X17FC	XMAGIS 12X17 FLEXIBLE ELEMENT FOR CONNECTING	CHF	29.50	A
MG12X17RLC	XMAGIS 12X17 LINIAR ELEMENT FOR CONNECTING	CHF	15.15	A
MG25CCTRD	XMAGIS 25 14.4W/m ROLA=5 ml 336LED/m 2300-4000K	CHF	869.15	A
MG25NWRD	XMAGIS 25 14.4W/m ROLA=5m 336LED/m 4000K	CHF	697.10	A
MG25WWRD	XMAGIS 25 14.4W/m ROLA=5m 336LED/m 3000K	CHF	697.10	A
MG25ESMC	XMAGIS 25 SET of 2 CEILING MOUNT. ELEMENTS	CHF	155.50	A
MG25HSMK1m	XMAGIS 25 HORIZ. SUSP. MOUNTING KIT 1m	CHF	51.75	A
MG25HSMK2.5m	XMAGIS 25 HORIZ. SUSP. MOUNTING KIT 2.5m	CHF	102.80	A
MG25VFMK1m	XMAGIS 25 VERTICAL WALL MOUNTING SUSP. KIT 1m	CHF	126.30	A
MG25VFMK2.5m	XMAGIS 25 VERTICAL WALL MOUNTING SUSP. KIT 2.5m	CHF	143.55	A
MG25VSMK1m	XMAGIS 25 SUSPENDET VERTICAL SUSP. KIT 1m	CHF	145.80	A
MG25VSMKNC2.5m	XMAGIS 25 SUSPENDET VERTICAL SUSP. KIT 2.5m	CHF	160.70	A
MG25HFMK1m	XMAGIS 25 SURF MONT. PROFILE POLYCARBONATE 1m	CHF	35.05	A
MG25LJK	XMAGIS 25 SYSTEM OF 2 PARTS LINEAR CONNECTION	CHF	29.55	A
MG25SMAR	XMAGIS 25 SUSP. MOUNT SET	CHF	27.90	A
MG25ECSS	XMAGIS 25 SET of 2 TERMENINALS TRANSVERSAL	CHF	3.80	A
MG25ECST	XMAGIS 25 SET of 2 TERMENINALS LONGITUDINAL	CHF	3.45	A
MG25HSMC	XMAGIS 25 SET of 2 HORIZ. SUSP. MOUNT. ELEMENTS	CHF	38.10	A
MG25PCFC	XMAGIS 25 1PCS FOR FIXING CLIPS	CHF	3.45	A
MG25FCW	XMAGIS 25 SET SURFACE MOUNTING CLIPS and FIXING ACCESSORIES	CHF	7.55	A
SNK10X10CW	XSAKE LEDS STRIP 10W/m 126LED/m 24V DC 6500K CRI.80 IP67 120° 1m	CHF	22.45	A
SNK10X10NW	XSAKE LEDS STRIP 10W/m 126LED/m 24V DC 4000K CRI.80 IP67 120° 1m	CHF	22.45	A
SNK10X10WW	XSAKE LEDS STRIP 10W/m 126LED/m 24V DC 3000K CRI.80 IP67 120° 1m	CHF	22.45	A
SNK01PSIP66	XSAKE 2P CONNECTORS set (MALE+FEMALE)	CHF	2.20	A
SNK10SG	XSAKE SILICONE GLUE 10ml/TUBE for XSAKE LED STRIPS	CHF	2.45	A
SNK10X10CK	XSAKE 2.5Cm CLIP WHITE for SNK10x10	CHF	0.95	A
SNK10X10ECD	XSAKE SET END CUP + END CUP for SNK10x10	CHF	0.80	A
SNK10X10PF	XSAKE PROFILE 2 Mr for SNK10x10 AL-AN	CHF	7.20	A
SNK10X10SK	XSAKE FLEXIBLE SNAKE CLICK 1Mr for SNK10x10 for WALL/CEILING MOUNTING	CHF	8.35	A
SNK6X12AB	XSAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC AMBER IP67 120°	CHF	19.85	A
SNK6X12B	XSAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC BLUE IP67 120°	CHF	19.85	A
SNK6X12CW	XSAKE LEDS STRIP 8W/m 120LED/m 24V DC 6500K CRI.80 IP67 120° 1m	CHF	19.85	A
SNK6X12G	XSAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC GREEN IP67 120°	CHF	19.85	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
SNK6X12NW	XSNAKE LEDS STRIP 8W/m 120LED/m 24V DC 4000K CRI.80 IP67 120° 1 m	CHF	19.85	A
SNK6X12PK	XSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC PINK IP67 120°	CHF	19.85	A
SNK6X12R	XSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC RED IP67 120°	CHF	19.85	A
SNK6X12WW	XSNAKE LEDS STRIP 8W/m 120LED/m 24V DC 3000K CRI.80 IP67 120° 1 m	CHF	19.85	A
SNK6X12CK	XSNAKE 2.5cm CLIP WHITE for SNK6x12	CHF	0.70	A
SNK6X12ECD	XSNAKE SET END CUP + END CUP for SNK6x12	CHF	0.80	A
SNK6X12PF	XSNAKE PROFILE 2 Mr for SNK6x12 AL-AN	CHF	7.35	A
SNK6X12SK	XSNAKE FLEXIBLE SNAKE CLICK 1Mr for SNK6x12 for WALL/CEILING MOUNTING	CHF	8.35	A
SNK12X20CW	XSNAKE LEDS STRIP 12W/m 120LED/m 24V DC 6500K CRI.80 IP67 120° 1m	CHF	48.90	A
SNK12X20NW	XSNAKE LEDS STRIP 12W/m 120LED/m 24V DC 4000K CRI.80 IP67 120° 1m	CHF	48.90	A
SNK12X20RGB	XSNAKE 1m LEDS STRIP 8W/m 60LED/m 24V DC RGB CRI.80 IP67 120°	CHF	52.30	A
SNK12X20WW	XSNAKE LEDS STRIP 12W/m 120LED/m 24V DC 3000K CRI.80 IP67 120° 1m	CHF	48.90	A
SNK01PSRGBIP66	XSNAKE 4P CONNECTORS set (MALE+FEMALE)	CHF	3.40	A
SNK12X20CK	XSNAKE 2.5cm CLIP WHITE for SNK12x12	CHF	0.95	A
SNK12X20ECD	XSNAKE SET END CUP + END CUP for SNK12x12	CHF	0.80	A
SNK12X20ECT	XSNAKE SET (IN LATERAL) END CUP + END CUP for SNK12x12	CHF	0.80	A
SNK12X20PF	XSNAKE PROFILE 2 Mr for SNK12X12 AL-AN	CHF	17.60	A
SNK12X20SK	XSNAKE FLEXIBLE SNAKE CLICK 1Mr for SNK12x12 for WALL/CEILING MOUNTING	CHF	10.55	A
SNK12X4CWHP	XSNAKE LEDS STRIP 14.4W/m 280LED/m 24V DC 6000K CRI.90 IP67 5m/reel	CHF	208.80	A
SNK12X4NWHP	XSNAKE LEDS STRIP 14.4W/m 280LED/m 24V DC 4000K CRI.90 IP67 5m/reel	CHF	208.80	A
SNK12X4WWHP	XSNAKE LEDS STRIP 14.4W/m 280LED/m 24V DC 3000K CRI.90 IP67 5m/reel	CHF	208.80	A
SNK01FC12	XSNAKE STRIP to STRIP FLEXIBLE CONNECTOR	CHF	8.30	A
SNK01LC12	XSNAKE STRIP to STRIP CONNECTOR	CHF	5.55	A
SNK01PS12	XSNAKE STRIP CONNECTOR TO CABLE	CHF	7.30	A
SNK04MC12	XSNAKE SET OF FIXING CLIP(2pcs)+SCREWS(4pcs)	CHF	0.85	A
SNK12x4ECD	XSNAKE set END CAP WITH HOLE+W/O(2pcs EACH)+GLUE(1tube)	CHF	4.75	A
SLSIP20CW4CRI90	XSOLIS MINI IP20 10W/m ROLA=5m 420LED/m 6000K	CHF	127.60	A
SLSIP20NW4CRI90	XSOLIS MINI IP20 10W/m ROLA=5m 420LED/m 4000K	CHF	127.60	A
SLSIP20WW4CRI90	XSOLIS MINI IP20 10W/m ROLA=5m 420LED/m 3000K	CHF	127.60	A
SLS256CW8CRI90	XSOLIS IP20 8W/m 5m 256LED/m 6000K	CHF	61.65	A
SLS256NW8CRI90	XSOLIS IP20 8W/m 5m 256LED/m 4000K	CHF	61.65	A
SLS256WW8CRI90	XSOLIS IP20 8W/m 5m 256LED/m 3000K	CHF	61.65	A
SLS512CW10CRI90	XSOLIS IP20 14W/m 5m 10mm 512LED/m 6000K	CHF	138.60	A
SLS512CW8CRI90	XSOLIS IP20 12W/m 5m 8mm 512LED/m 6000K	CHF	124.20	A
SLS512NW10CRI90	XSOLIS IP20 14W/m 5m 10mm 512LED/m 4000K	CHF	138.60	A
SLS512NW8CRI90	XSOLIS IP20 12W/m 5m 8mm 512LED/m 4000K	CHF	124.20	A
SLS512WW10CRI90	XSOLIS IP20 14W/m 5m 10mm 512LED/m 3000K	CHF	138.60	A
SLS512WW8CRI90	XSOLIS IP20 12W/m 5m 8mm 512LED/m 3000K	CHF	124.20	A
SLS352CW8CRI90	XSOLIS IP20 10W/m 5m 352LED/m 6000K	CHF	88.40	A
SLS352NW8CRI90	XSOLIS IP20 10W/m 5m 352LED/m 4000K	CHF	88.40	A
SLS352WW8CRI90	XSOLIS IP20 10W/m 5m 352LED/m 3000K	CHF	88.40	A
RB26420CW	XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 6000K CRI.80 >115°	CHF	55.65	A
RB26420NW	XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 4000K CRI.80 >115°	CHF	55.65	A
RB26420UWW	XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 2700K CRI.80 >115°	CHF	55.65	A
RB26420WW	XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 3000K CRI.80 >115°	CHF	55.65	A
RB212820CW	XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 6000K CRI.80 >115°	CHF	83.00	A

Art-Nr.:	Produktbeschreibung			
RB212820NW	XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 4000K CRI.80	CHF	83.00	A
	>115°			
RB212820NW30M	XRIBO IP20 1m LEDS STRIP 12W/m 128 LED/m 24V DC 4000K CRI.80	CHF	449.45	A
	>115°			
RB212820NWCRI90	XRIBO IP20 CRI90 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 4000K	CHF	91.05	A
	>115°			
RB212820UWW	XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 2700K CRI.80	CHF	83.00	A
	>115°			
RB212820UWWCRI90	XRIBO IP20 CRI90 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 2700K	CHF	91.05	A
	>115°			
RB212820WW	XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 3000K CRI.80	CHF	83.00	A
	>115°			
RB212820WW30M	XRIBO IP20 1m LEDS STRIP 12W/m 128 LED/m 24V DC 3000K CRI.80	CHF	449.45	A
	>115°			
RB212820WWCRI90	XRIBO IP20 CRI90 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 3000K	CHF	91.05	A
	>115°			
RB219220CW	XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 6000K CRI.80	CHF	98.45	A
	>115°			
RB219220NW	XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 4000K CRI.80	CHF	98.45	A
	>115°			
RB219220NW30M	XRIBO IP20 1m LEDS STRIP 18W/m 192LED/m 24V DC 4000K CRI.80 >115°	CHF	551.70	A
RB219220NWCRI90	XRIBO IP20 CRI.90 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 4000K	CHF	114.05	A
	>115°			
RB219220UWW	XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 2700K CRI.80	CHF	98.45	A
	>115°			
RB219220UWWCRI90	XRIBO IP20 CRI.90 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 2700K	CHF	114.05	A
	>115°			
RB219220WW	XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 3000K CRI.80	CHF	98.45	A
	>115°			
RB219220WW30M	XRIBO IP20 1m LEDS STRIP 18W/m 192LED/m 24V DC 3000K CRI.80 >115°	CHF	551.70	A
RB219220WWCRI90	XRIBO IP20 CRI.90 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 3000K	CHF	114.05	A
	>115°			
RB224020CW	XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 6000K CRI.80	CHF	115.90	A
	>115°			
RB224020NW	XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 4000K CRI.80	CHF	115.90	A
	>115°			
RB224020UWW	XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 2700K CRI.80	CHF	115.90	A
	>115°			
RB224020WW	XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 3000K CRI.80	CHF	115.90	A
	>115°			
RB26466CW	XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 6000K CRI.80	CHF	75.40	A
	>115°			
RB26466NW	XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 4000K CRI.80	CHF	75.40	A
	>115°			
RB26466UWW	XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 2700K CRI.80	CHF	75.40	A
	>115°			
RB26466WW	XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 3000K CRI.80	CHF	75.40	A
	>115°			
RB212866CW	XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 6000K CRI.80	CHF	98.45	A
	>115°			
RB212866NW	XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 4000K CRI.80	CHF	98.45	A
	>115°			
RB212866UWW	XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 2700K CRI.80	CHF	98.45	A
	>115°			
RB212866WW	XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 3000K CRI.80	CHF	98.45	A
	>115°			
RB219266CW	XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 6000K CRI.80	CHF	126.60	A
	>115°			
RB219266NW	XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 4000K CRI.80	CHF	126.60	A
	>115°			

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
RB219266UWW	XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 2700K CRI.80	CHF	126.60	A
	>115°			
RB219266WW	XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 3000K CRI.80	CHF	126.60	A
	>115°			
RB224066CW	XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 6000K CRI.80	CHF	144.00	A
	>115°			
RB224066NW	XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 4000K CRI.80	CHF	144.00	A
	>115°			
RB224066UWW	XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 2700K CRI.80	CHF	144.00	A
	>115°			
RB224066WW	XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 3000K CRI.80	CHF	144.00	A
	>115°			
RB27265ZCW	XRIBO ZIGZAG 5m/reel IP65 LEDS STRIP 72W/5m 72LED/m 24V DC 6000K	CHF	101.25	A
	CRI.80 >115°			
RB27265ZNW	XRIBO ZIGZAG 5m/reel IP65 LEDS STRIP 72W/5m 72LED/m 24V DC 4000K	CHF	101.25	A
	CRI.80 >115°			
RB27265ZWW	XRIBO ZIGZAG 5m/reel IP65 LEDS STRIP 72W/5m 72LED/m 24V DC 3000K	CHF	101.25	A
	CRI.80 >115°			
ST56020TWCRI90	XSTRIP TUNNING WHITE IP20 10W/m 5m 60LED/m 3000-6500k	CHF	71.95	A
ST56065TWCRI90	XSTRIP TUNNING WHITE IP65 10W/m 5m 60LED/m 3000-6500k	CHF	84.30	A
ST56020RGB	XSTRIP XL 24V 14.4W 60LED/m RGB IP20	CHF	77.15	A
ST56065RGB	XSTRIP RGB IP65 5m/reel LEDS STRIP 14,4W/m 60LED/m 24V DC CRI.80	CHF	90.05	A
	120°			
ST56020RGB+WW	XSTRIP RGB+WW IP20 5m/reel LEDS STRIP 14,4W/m 60LED/m 24V DC	CHF	107.55	A
	RGB+3000K CRI.80 120°			
ST56065RGB+WW	XSTRIP RGB+WW IP65 5m/reel LEDS STRIP 14,4W/m 60LED/m 24V DC	CHF	129.00	A
	RGB+3000K CRI.80 120°			
ST56020RGBDIGI	XSTRIP RGB DIGITAL IP20 14W/m ROLA=5m 60LED/M	CHF	286.80	A
ST56020RGBWDIGI	XSTRIP RGBW DIGITAL IP20 16W/m ROLA=5m 60LED/M	CHF	342.90	A
ST56065RGBWDIGI	XSTRIP RGB DIGITAL IP65 14W/m ROLA=5m 60LED/M	CHF	386.70	A
ST56067RGBDIGI	XSTRIP RGBW DIGITAL IP67 16W/m ROLA=5m 60LED/M	CHF	227.25	A
ST01PS10	XSTRIP POWER SUPPLY ELEMENT for 10 mm LED STRIPS	CHF	4.05	A
ST01PS10RGB	XSTRIP POWER SUPPLY ELEMENT for 10 mm RGB LED STRIPS	CHF	4.20	A
ST01PS8	XSTRIP POWER SUPPLY ELEMENT for 8 mm LED STRIPS	CHF	3.80	A
ST01PSIP65	XSTRIP IP65 POWER SUPPLY ELEMENT for LED STRIPS	CHF	8.05	A
ST01PSRGBIP65	XSTRIP IP65 POWER SUPPLY ELEMENT for RGB LED STRIPS	CHF	8.45	A
ST02FC10	XSTRIP FLEXIBLE CONNECTION ELEMENT 10 mm WIDTH LED STRIPS	CHF	4.20	A
ST02FC10RGB	XSTRIP FLEXIBLE CONNECTION ELEMENT 10 mm WIDTH RGB LED STRIPS	CHF	4.65	A
ST02FC8	XSTRIP FLEXIBLE CONNECTION ELEMENT 8 mm WIDTH LED STRIPS	CHF	4.05	A
ST03LC10	XSTRIP LINEAR CONNECTION ELEMENT 10 mm WIDTH LED STRIPS (set of	CHF	7.20	A
	5 pcs)			
ST03LC10RGB	XSTRIP LINEAR CONNECTION ELEMENT 10 mm WIDTH RGB LED STRIPS	CHF	8.05	A
	(set of 5 pcs)			
ST03LC8	XSTRIP LINEAR CONNECTION ELEMENT 8 mm WIDTH LED STRIPS (set of 5	CHF	6.75	A
	pcs)			
ST04LC8	XTAPE ELEMENT CONEXIUNE LINIARA 128LED/M 8mm 5buc/SET	CHF	6.75	A
ST04MC10	XSTRIP MOUNTING CLIP for 10 mm LED STRIPS (10pcs/set)	CHF	5.50	A
ST04MC12	XSTRIP MOUNTING CLIP for 12 mm LED STRIPS	CHF	5.50	A
ST05EC12	XSTRIP END CAP for 12 mm LED STRIPS	CHF	5.50	A
ST11PSRGBWIP65	IP65 POWER SUPPLY ELEMENT MALE+FEMALE 5P 3A	CHF	10.55	A
MGSNKC2P	XMAGIS & XSNAKE CABLE 2P - 1 mr	CHF	3.55	A
MGSNKC4P	XMAGIS & XSNAKE CABLE 4P - 1 mr	CHF	4.80	A
ST16ECS10IP65	SET OF END CAPS FOR10mm IP65	CHF	13.95	A
ST20CCT3P	POWER SUPPLY CABLE 3P - 1 mr	CHF	3.20	A
ST20RGB4P	POWER SUPPLY CABLE 4P for RGB LED STRIPS - 1 mr	CHF	3.30	A
ST20SC2P	POWER SUPPLY CABLE 2P - 1 mr	CHF	2.00	A
MGSNKC3P	XMAGIS & XSNAKE CABLE 3P - 1 mr	CHF	5.00	A
MGSNKC5P	XMAGIS & XSNAKE CABLE 5P - 1 mr	CHF	5.45	A
ST20RGB4PDG	POWER SUPPLY CABLE 4P for RGB LED STRIPS DIGITAL VERSION - 1 mr	CHF	3.65	A
ST20RGBW5P	POWER SUPPLY CABLE 5P - 1 mr	CHF	3.55	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
ST20RGBW5PDG	XMAGIS & XSNAKE POWE SUPPY CABLE 5P - 1 mr	CHF	4.80	A
ST20RGBWWW6P	POWER SUPPY CABLE 6P - 1 mr	CHF	5.00	A
PRFTDIMM01	ON-OFF SWITCH AND TOUCH DIMMER 50x10 mm for LED STRIPS IP20	CHF	19.20	A
PRFTSW01	LINEAR ON-OFF SWITCH 50x10 mm for LED STRIPS IP20	CHF	15.75	A
PRFMTDIMM01	ON-OFF SWITCH&TOUCH DIMMER (for MOUNTING ON MIRRORS with THICKNESS<5mm) 26x28x7 mm IP20	CHF	32.45	A
PRFTDIMM02	ON-OFF SWITCH & TOUCH DIMMER fi.22 mm IP20	CHF	29.95	A
PRFIRDSW01	INTERNAL IR DOOR PROXIMITY SWITCH 10x55 mm FOR PROFILES IP20	CHF	27.55	A
PRFIRSW01	IR PROXIMITY HAND SENSOR SWITCH 10X55 mm for PROFILES IP20	CHF	46.80	A
PRFIRDIMM01	IR PROXIMITY HAND SENSOR SWITCH/DIMMER 10x55 mm for PROFILES IP20	CHF	27.55	A
PRF020/300SET	PRF016 SET NANOPROFILE 3m for TRIM. INSTAL.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE) for STRIPS <4mm	CHF	73.35	A
PRF020TP01	PRF018/PRF019/PRF020 SET (2pcs) END CAPS with HOLES	CHF	5.95	A
PRF020TP02	PRF018/PRF019/PRF020 SET (2pcs) END CAPS w/o HOLES	CHF	5.95	A
PRF018/300SET	PRF016 SET NANOPROFILE 3m for TRIM. CORNER INSTAL. EXT.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE)	CHF	70.85	A
PRF019/300SET	PRF016 SET NANOPROFILE 3m for TRIM. CORNER INSTAL. INT.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE)	CHF	70.85	A
PRF015/200SET	PRF015 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS	CHF	38.10	A
PRF015ST01	ELEMENT DE FIXARE PT. PRF0015	CHF	1.45	A
PRF015TP01	PRF015 END CAP with HOLE	CHF	1.20	A
PRF015TP02	PRF015 END CAP w/o HOLE	CHF	1.20	A
PRF016/200SET SBK	PRF016 SET AL. PROFILE for ASYM. INSTAL.+DIFFUSER+2 END CAPS with HOLES SBK	CHF	44.20	A
PRF016/200SET SWH	PRF016 SET AL. PROFILE for ASYM. INSTAL.+DIFFUSER+2 END CAPS with HOLES SWH	CHF	44.20	A
PRF016TP01 SBK	PRF016 SET (2 pcs) END CAPS with HOLES SBK	CHF	6.15	A
PRF016TP01 SWH	PRF016 SET (2 pcs) END CAPS with HOLES SWH	CHF	6.15	A
PRF014/200SET	PRF014 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS	CHF	38.10	A
PRF014ST01	ELEMENT DE FIXARE PT. PRF014	CHF	0.40	A
PRF014TP01	PRF014 END CAP with HOLE	CHF	1.20	A
PRF014TP02	PRF014 END CAP w/o HOLE	CHF	1.20	A
PRF017/200SET	PRF017 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS	CHF	36.65	A
PRF007ST01	ELEMENT DE FIXARE PT. PRF007	CHF	0.30	A
PRF017ST01	ELEMENT DE FIXARE PT. PRF017	CHF	0.40	A
PRF017TP01	PRF017 END CAP with HOLE	CHF	1.40	A
PRF017TP02	PRF017 END CAP w/o HOLE	CHF	1.40	A
PRF041/300SET	PRF041 SET PROFILE 3m for TRIM. INSTAL.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE) for STRIPS <12mm	CHF	88.35	A
PRF041TP03	PRF041/PRF044 SET (2pcs) END CAPS with HOLES	CHF	5.95	A
PRF041TP04	PRF041/PRF044 SET (2pcs) END CAPS w/o HOLES	CHF	5.95	A
PRF041/300	PRF041 TRIM. REC. AL. PROFILE (OVER THE GYPSUM) 3 m with PC COVER incl. IP20 AL-AN	CHF	88.45	A
PRF041TP01	PRF041/042 END CAP with HOLE S	CHF	1.15	A
PRF042/300	PRF042 TRIM. REC. AL. PROFILE (UNDER THE GYPSUM) 3 m with PC COVER incl. IP20 AL-AN	CHF	88.45	A
PRF042TP01	PRF042 END CAP with HOLE S = PRF041TP01	CHF	1.15	A
PRF043/300SET	PRF043 SET PROFILE 3m for TRIM. INSTAL.+DIFF.+2 END CAPS w/o HOLE for STRIPS <20.5mm	CHF	185.90	A
PRF043TP02	PRF043 SET (2pcs) END CAPS w/o HOLE	CHF	8.80	A
PRF044/300SET	PRF044 SET PROFILE 3m for REC. INSTAL.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE) for STRIPS <7mm	CHF	95.85	A
PRF170/300SET	PRF170 SET PROFILE 3m for REC. CEILLING+2 END CAPS w/o HOLE	CHF	187.55	A
PRF170TP02	PRF170 SET (2pcs) END CAPS w/o HOLE	CHF	9.35	A
PRF171/300SET	PRF171 SET PROFILE 3m for REC. CEILLING+DIFF.+2 END CAPS w/o HOLE	CHF	167.55	A

Art-Nr.:	Produktbeschreibung			
PRF171TP02	PRF171/PRF172 SET(2pcs) END CAPS w/o HOLES	CHF	7.65	A
PRF172/300SET	PRF172 SET PROFILE 3m for REC. CEILING+DIFF.+2 END CAPS w/o HOLE	CHF	172.55	A
PRF005/200	PROFIL DREPTUNGHILAR INCAS DIN ALUMINIU 2m	CHF	13.95	A
PRF003PX01	PRF004/PRF005 FROSTED POLYCARBONATE DIFFUSER, 2000 mm	CHF	6.00	A
PRF005ST01	PRF005 FIXING CLIP SS	CHF	0.30	A
PRF005TP01	PRF005 END CAP with HOLE	CHF	0.80	A
PRF005TP02	PRF005 END CAP w/o HOLE	CHF	0.80	A
PRF060/300	PRF060 WALL/CEILING REC. AL. PROFILE 3 m	CHF	51.30	A
PRF060PX01	PRF060 FROSTED POLYCARBONATE DIFFUSER 3 m	CHF	18.35	A
PRF060ST01	PRF060 FIXING CLIP SS	CHF	3.45	A
PRF060TP01	PRF060 END CAP with HOLE	CHF	1.60	A
PRF060TP02	PRF060 END CAP w/o HOLE	CHF	1.60	A
PRF061/300	PRF061 WALL/CEILING REC. AL. PROFILE 3 m	CHF	76.95	A
PRF061PX01	PRF061 FROSTED POLYCARBONATE DIFFUSER 3 m	CHF	23.55	A
PRF061ST01	PRF061 FIXING CLIP SS	CHF	2.95	A
PRF061TP01	PRF061 END CAP with HOLE	CHF	1.60	A
PRF061TP02	PRF061 END CAP w/o HOLE	CHF	1.60	A
PRF062/300	PRF062 WALL/CEILING REC. AL. PROFILE 3 m	CHF	102.60	A
PRF062PX01	PRF062 FROSTED POLYCARBONATE DIFFUSER 3 m	CHF	26.15	A
PRF062ST01	PRF062 FIXING CLIP SS	CHF	3.45	A
PRF062TP01	PRF062 END CAP with HOLE	CHF	1.60	A
PRF062TP02	PRF062 END CAP w/o HOLE	CHF	1.60	A
PRF063/057	PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 570 mm	CHF	39.60	A
	MWH			
PRF063/114	PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 1140 mm	CHF	79.15	A
	MWH			
PRF063/171	PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 1710 mm	CHF	118.75	A
	MWH			
PRF063/200	PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 2000 mm	CHF	132.15	A
	MWH			
PRF063/228	PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 2280 mm	CHF	151.70	A
	MWH			
PRF063LC01	PRF063 90dgr AL. CONNECTOR with DIFFUSER incl. MWH	CHF	85.45	A
PRF063TC01	PRF063 T-shape AL. CONNECTOR with DIFFUSER incl. MWH	CHF	119.65	A
PRF063XC01	PRF063 X-shape AL. CONNECTOR with DIFFUSER incl. MWH	CHF	153.80	A
PRF050/300	PRF050 REC. AL. PROFILE 3 m	CHF	71.45	A
PRF050PX01	PRF050 FROSTED PMMA DIFFUSER 3 m	CHF	26.15	A
PRF050TP01	PRF050 END CAP with HOLE	CHF	1.60	A
PRF050TP02	PRF050 END CAP w/o HOLE	CHF	1.60	A
PRF052/200	PRF052 REC. AL. PROFILE 2 m	CHF	40.70	A
PRF052AB01	PRF052 FLAT AL. PROFILE for COOLING 2 m	CHF	5.15	A
PRF052PX01	PRF052 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	26.15	A
PRF052ST02	PRF052 FIXING CLIP	CHF	0.50	A
PRF052TP01	PRF052 END CAP with HOLE	CHF	1.60	A
PRF052TP02	PRF052 END CAP w/o HOLE	CHF	1.60	A
PRF052TP03	PRF052 INNER END CAP with HOLE	CHF	0.90	A
PRF052TP04	PRF052 INNER END CAP w/o S	CHF	0.90	A
PRF051/300	PRF051 REC./SURF. AL. PROFILE 3 m	CHF	55.90	A
PRF051AB02	PRF051 FLAT AL. PROFILE for COOLING 3 m	CHF	7.70	A
PRF051PX01	PRF051 SQ. FROSTED POLYCARBONATE DIFFUSER 3 m	CHF	39.25	A
PRF051ST02	PRF051 FIXING CLIP	CHF	0.50	A
PRF051TP01	PRF051 END CAP with HOLE	CHF	1.60	A
PRF051TP02	PRF051 END CAP w/o HOLE	CHF	1.60	A
PRF051TP03	PRF051 INNER END CAP with HOLE	CHF	0.90	A
PRF051TP04	PRF051 INNER END CAP w/o S	CHF	0.90	A
PRF121/300 SET	PRF121 SET PROFILE 3m for WALL REC./PLINTH TYPE+DIFF.	CHF	92.55	A
PRF130/200	PRF130 REC. WALL MOUNTING AL. PROFILE 2 m	CHF	74.35	A
PRF130PX01	PRF130 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	10.25	A
PRF130ST02	PRF130 FIXING CLIP	CHF	3.10	A
PRF130TP01	PRF130 END CAP with HOLE	CHF	2.35	A
PRF130TP02	PRF130 END CAP w/o HOLE	CHF	2.35	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PRF120/300 AL	PRF120 WALL MOUNTING AL. PROFILE (PLINTH TYPE), with PC COVER incl. 3 m AL-AN	CHF	161.30	A
PRF120/300 MBK	PRF120 WALL MOUNTING AL. PROFILE (PLINTH TYPE), with PC COVER incl. 3 m MBK	CHF	183.50	A
PRF120/300 MWH	PRF120 WALL MOUNTING AL. PROFILE (PLINTH TYPE), with PC COVER incl. 3 m MWH	CHF	183.50	A
PRF120TP01 MBK	PRF120 END CAP with HOLE MBK	CHF	3.00	A
PRF120TP01 MWH	PRF120 END CAP with HOLE MWH	CHF	3.00	A
PRF120TP01 S	PRF120 END CAP with HOLE S	CHF	3.00	A
PRF120TP02 MBK	PRF120 END CAP w/o HOLE MBK	CHF	3.00	A
PRF120TP02 MWH	PRF120 END CAP w/o HOLE MWH	CHF	3.00	A
PRF120TP02 S	PRF120 END CAP w/o HOLE S	CHF	3.00	A
PRF011/300 SBK	PRF011 AL. PROFILE 3m SBK	CHF	97.75	A
PRF011/300 SWH	PRF011 AL. PROFILE 3m SWH	CHF	97.75	A
PRF011C90 SBK	PRF011 90dgr CONNECTOR SAME PLANE SBK	CHF	105.50	A
PRF011C90 SWH	PRF011 90dgr CONNECTOR SAME PLANE SHW	CHF	105.50	A
PRF011EAC SBK	PRF011 90dgr CONNECTOR EXTERNAL ANGLE SBK	CHF	105.50	A
PRF011EAC SWH	PRF011 90dgr CONNECTOR EXTERNAL ANGLE SHW	CHF	105.50	A
PRF011IAC SBK	PRF011 90dgr CONNECTOR INTERNAL ANGLE SBK	CHF	105.50	A
PRF011IAC SWH	PRF011 90dgr CONNECTOR INTERNAL ANGLE SHW	CHF	105.50	A
PRF011LC	PRF011 ACCESSORY FOR LINEAR CONNECTION of TWO PRF011 PRIFLES	CHF	2.70	A
PRF011ST01	PRF011 FIXING CLIP	CHF	0.60	A
PRF011TP01 SBK	PRF011 END CAP WITH HOLE SBK	CHF	3.05	A
PRF011TP01 SWH	PRF011 END CAP WITH HOLE SWH	CHF	3.05	A
PRF011TP02 SBK	PRF011 END CAP W/O HOLE SBK	CHF	3.05	A
PRF011TP02 SWH	PRF011 END CAP W/O HOLE SWH	CHF	3.05	A
PRF040/300	PRF040 REC./SURF. MOUNTING AL. PROFILE + DIFFUSER (with MAGNETIC FIXING) 3 m with PC COVER incl. IP20 AL-AN	CHF	56.45	A
PRF040C90	PRF040 STAINLESS STEEL 90grd CONNECTOR	CHF	2.60	A
PRF040LC	PRF040 STAINLESS STEEL LINEAR CONNECTOR	CHF	2.20	A
PRF040RMC	PRF040 CIRCLE MAGNETIC CLIP	CHF	1.60	A
PRF040ST01	PRF040 FIXING CLIP SS	CHF	0.70	A
PRF040TP01	PRF040 END CAP with HOLE S	CHF	0.85	A
PRF040TP02	PRF040 END CAP w/o HOLE	CHF	0.85	A
PRF040VAC	PRF040 STAINLESS STEEL 90grd VERTICAL CONNECTOR	CHF	2.60	A
PRF004/200	PROFIL DREPTUNGHIULAR DIN ALUMINIU H8mm, 2m	CHF	12.30	A
PRF004ST02	PRF004 FIXING CLIP	CHF	0.30	A
PRF004TP01	PRF004 END CAP with HOLE	CHF	0.80	A
PRF004TP02	PRF004 END CAP w/o HOLE	CHF	0.80	A
PRF007/200	PROFIL DE COLT DIN ALUMINIU 2m	CHF	10.45	A
PRF007PX03	DISPERSOR FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	5.25	A
PRF007ST02	PRF007 FIXING CLIP	CHF	0.30	A
PRF007TP01	PRF007 END CAP with HOLE	CHF	0.90	A
PRF007TP02	PRF007 END CAP w/o HOLE	CHF	0.90	A
PRF008/200	PRF008 SURF. AL. PROFILE DOUBLE CHAMBERS 2 m	CHF	22.25	A
PRF008PX01	PRF008 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	17.45	A
PRF008ST01	PRF008 FIXING CLIP SS	CHF	0.90	A
PRF008TP01	PRF008 END CAP with HOLE	CHF	1.10	A
PRF008TP02	PRF008 END CAP w/o HOLE	CHF	1.10	A
PRF009/200	PRF009 SURF. AL. FLEXIBLE PROFILE 2 m	CHF	18.80	A
PRF009PX01	PRF009 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	14.30	A
PRF009ST02	PRF009 FIXING CLIP	CHF	0.30	A
PRF009TP01	PRF009 END CAP with HOLE	CHF	1.10	A
PRF009TP02	PRF009 END CAP w/o HOLE	CHF	1.10	A
PRF010/200	PRF010 SURF. AL. 3 POSITIONS PROFILE 2 m	CHF	17.25	A
PRF010PX01	PRF010 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	14.65	A
PRF010ST02	PRF010 FIXING CLIP	CHF	0.30	A
PRF010TP01	PRF010 END CAP with HOLE	CHF	0.40	A
PRF010TP02	PRF010 END CAP w/o HOLE	CHF	0.40	A
PRF174/300SET	PRF174 SET PROFILE 3m for SURF. INSTAL on CORNERS+2 DIFF.+2 END CAPS w/o HOLES	CHF	213.35	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PRF174TP02	PRF174 SET (2pcs) END CAPS w/o HOLES	CHF	13.60	A
PRF080/057 MBK	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 570 mm MBK	CHF	75.55	A
PRF080/057 MWH	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 570 mm MWH	CHF	75.55	A
PRF080/114 MBK	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1140 mm MBK	CHF	142.05	A
PRF080/114 MWH	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1140 mm MWH	CHF	142.05	A
PRF080/171 MBK	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1710 mm MBK	CHF	210.65	A
PRF080/171 MWH	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1710 mm MWH	CHF	210.65	A
PRF080/200 MBK	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2000 mm MBK	CHF	233.55	A
PRF080/200 MWH	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2000 mm MWH	CHF	233.55	A
PRF080/228 MBK	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2280 mm MBK	CHF	281.50	A
PRF080/228 MWH	PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2280 mm MWH	CHF	281.50	A
PRF080LC01 MBK	PRF080 90dgr AL. CONNECTOR with DIFFUSER incl. MBK	CHF	129.90	A
PRF080LC01 MWH	PRF080 90dgr AL. CONNECTOR with DIFFUSER incl. MWH	CHF	129.90	A
PRF080TC01 MBK	PRF080 T-shape AL. CONNECTOR with DIFFUSER incl. MBK	CHF	170.90	A
PRF080TC01 MWH	PRF080 T-shape AL. CONNECTOR with DIFFUSER incl. MWH	CHF	170.90	A
PRF080XC01 MBK	PRF080 X-shape AL. CONNECTOR with DIFFUSER incl. MBK	CHF	222.20	A
PRF080XC01 MWH	PRF080 X-shape AL. CONNECTOR with DIFFUSER incl. MWH	CHF	222.20	A
PRF100/200	PRF100 WALL MOUNTING AL. PROFILE 2 m, for INDIRECT LIGHTING	CHF	43.25	A
PRF100PX01	PRF100 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	12.20	A
PRF100ST02	PRF100 FIXING CLIP	CHF	0.85	A
PRF100TP01	PRF100 END CAP with HOLE MWH	CHF	1.75	A
PRF100TP02	PRF100 END CAP w/o HOLE MWH	CHF	1.75	A
PRF101/200	PRF101 WALL MOUNTING AL. PROFILE 2 m, for DIRECT / INDIRECT LIGHTING	CHF	88.55	A
PRF101PX01	PRF101 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	13.95	A
PRF101TP01	PRF101 END CAP with HOLE MWH	CHF	4.35	A
PRF101TP02	PRF101 END CAP w/o HOLE MWH	CHF	4.35	A
PRF150/200	PRF150 for STEP MOUNTING, AL. PROFILE 2 m	CHF	53.20	A
PRF150PX01	PRF150 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	13.20	A
PRF150TP01	PRF150 END CAP with HOLE	CHF	2.35	A
PRF150TP02	PRF150 END CAP w/o HOLE	CHF	2.35	A
PRF151/250	PRF151 for STEP MOUNTING, AL. PROFILE, with PC COVER incl. 2,5 m	CHF	162.45	A
PRF151TP01	PRF151 END CAP with HOLE S	CHF	2.55	A
PRF151TP02	PRF151 END CAP w/o HOLE SILVER	CHF	2.55	A
PRF002/200	PRF002 FLAT AL. PROFILE for COOLING 2 m	CHF	10.30	A
PRF160/200	PRF160 for SHELVES AL. PROFILE 2 m	CHF	27.30	A
PRF160PX01	PRF160 FROSTED POLYCARBONATE DIFFUSER 2 m	CHF	11.75	A
PRF160TP01	PRF160 END CAP with HOLE	CHF	1.45	A
PRF160TP02	PRF160 END CAP w/o HOLE	CHF	1.45	A
PRF161/200	PRF161 for GLASS SHELVES AL. PROFILE 2 m	CHF	57.85	A
PRF161SR01	PRF161 SILICONE ROPE for INSTALING/SECURING THE GLASS SHELF	CHF	3.20	A
PRF161TP01	PRF161 END CAP with HOLE	CHF	2.00	A
PRF161TP02	PRF161 END CAP w/o HOLE	CHF	2.00	A
PRF110/200	PRF110 for CLOSETS/DRESSINGS AL. PROFILE + DIFFUSER(to SUPPORT HANGERS) 2 m	CHF	82.10	A
PRF110HD	PRF110 SUPPORT ELEMENT	CHF	3.95	A
PRF110TP03	PRF110 SET INNER END CAPs (WITH and W/O HOLE) S	CHF	6.00	A
PRF110TP04	PRF110 SET OUTER END CAPs FOR HOLDER (2PCS/SET) S	CHF	8.60	A
PRF005/200 SET	PRF005 SET REC. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS	CHF	16.25	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
PRF004/200 SET	PRF004 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS	CHF	14.10	A
PRF007/200 SET	PRF007 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS	CHF	14.90	A
CM09NW BK	XCOMBO 09 LED MODULE 1x20W 220-240V AC 4000K CRI.80 IP20 36° BK	CHF	74.35	A
CM09NW WH	XCOMBO 09 LED MODULE 1x20W 220-240V AC 4000K CRI.80 IP20 36° WH	CHF	74.35	A
CM09WW BK	XCOMBO 09 LED MODULE 1x20W 220-240V AC 3000K CRI.80 IP20 36° BK	CHF	74.35	A
CM09WW WH	XCOMBO 09 LED MODULE 1x20W 220-240V AC 3000K CRI.80 IP20 36° WH	CHF	74.35	A
CM12NW MBK	XCOMBO 12 LED MODULE 1x9W 220-240V AC 4000K CRI.90 IP20 38° MBK	CHF	42.75	A
CM12NW MWH	XCOMBO 12 LED MODULE 1x9W 220-240V AC 4000K CRI.90 IP20 38° MWH	CHF	42.75	A
CM12REF15	XCOMBO 12 OPTICAL SYSTEM 15°	CHF	3.55	A
CM12REF60	XCOMBO 12 OPTICAL SYSTEM 60°	CHF	3.55	A
CM12UWW MBK	XCOMBO 12 LED MODULE 1x9W 220-240V AC 27000K CRI.90 IP20 38° MWH	CHF	42.75	A
CM12UWW MWH	XCOMBO 12 LED MODULE 1x9W 220-240V AC 2700K CRI.90 IP20 38° MWH	CHF	42.75	A
CM12WW MBK	XCOMBO 12 LED MODULE 1x9W 220-240V AC 3000K CRI.90 IP20 38° MBK	CHF	42.75	A
CM12WW MWH	XCOMBO 12 LED MODULE 1x9W 220-240V AC 3000K CRI.90 IP20 38° MWH	CHF	42.75	A
LD350.14	DRIVER CC 350mA 14W 25-40V DC IP20 (for CU01)	CHF	17.00	A
LD350.3MINI	DRIVER 350mA AC194-264V DC2-4V 3W (for SK01/2)	CHF	10.90	A
LD350.4MINI	DRIVER CC 350mA 3W 2-4V DC IP20	CHF	14.70	A
LD700.3MINI	DRIVER 700mA AC194-264V DC2-4V 3W (for TW01/2)	CHF	11.90	A
LD700.7MINI	DRIVER CC 700mA 7W 5-10V DC IP20	CHF	11.25	A
LD1050.42	DRIVER CC 1050mA 42W 33-40V DC IP20	CHF	24.35	A
LD500.20	DRIVER CC 500mA 20W 25-40V DC IP20 (for CU01/CU02)	CHF	21.35	A
LD700.28	DRIVER CC 700mA 28W 33-40V DC IP20	CHF	25.55	A
LD900.36	DRIVER CC 950-1000mA 36W 30-42V DC IP20	CHF	27.80	A
AT102	DRIVER CC 350mA 18W IP20	CHF	27.75	A
AT1050.60	DRIVER CC 1050mA 60W IP20	CHF	42.55	A
AT1400.60	DRIVER CC 1400mA 60W IP20	CHF	38.55	A
AT201	DRIVER CC 500mA 18W IP20	CHF	28.00	A
AT301	DRIVER CC 700mA 18W IP20	CHF	27.75	A
AT350.10	DRIVER CC 350mA 10W IP20	CHF	20.30	A
AT350.15	DRIVER CC 350mA 15W IP20	CHF	22.35	A
AT350.25	DRIVER CC 350mA 25W IP20	CHF	25.25	A
AT500.10	DRIVER CC 500mA 10W IP20	CHF	20.30	A
AT500.15	DRIVER CC 500mA 15W IP20	CHF	22.35	A
AT700.15	DRIVER CC 700mA 15W IP20	CHF	20.95	A
LDC1100-1500.63D	DRIVER CC DIMMABLE 1100-1500mA 46-63W 25-42V DC IP20	CHF	105.00	A
LDC250-500.21D	DRIVER CC DIMMABLE 250-500mA 11-21W 25-42V DC IP20	CHF	85.05	A
LDC550-1050.44D	DRIVER CC DIMMABLE 550-1050mA 23-44W 25-42V DC IP20	CHF	90.65	A
LDL1100-1500.63D	DRIVER CC DIMMABLE LINEAR 1100-1500mA 46-63W 25-42V DC IP20	CHF	88.35	A
LDL1550-2000.84D	DRIVER CC DIMMABLE LINEAR 1550-2000mA 65-84W 25-42V DC IP20	CHF	96.10	A
LDL250-500.21D	DRIVER CC DIMMABLE LINEAR 250-500mA 8-21W 25-42V DC IP20	CHF	79.20	A
LDL550-750.32D	DRIVER CC DIMMABLE LINEAR 550-750mA 32W 25-42V DC IP20	CHF	84.35	A
LDL800-1050.44D	DRIVER CC DIMMABLE LINEAR 800-1050mA 34-44W 25-42V DC IP20	CHF	83.05	A
ATD1050.18	DRIVER CC DIM 1050mA 18W IP20	CHF	29.90	A
ATD1050.25	DRIVER CC DIM 1050mA 25W IP20	CHF	31.30	A
ATD1400.18	DRIVER CC DIM 1400mA 18W IP20	CHF	29.90	A
ATD350.09	DRIVER CC DIM 350mA 9W IP20	CHF	20.30	A
ATD350.12	DRIVER CC DIM 350mA 12W IP20	CHF	20.85	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
ATD350.18	DRIVER CC DIM 350mA 18W IP20	CHF	29.80	A
ATD350.25	DRIVER CC DIM 350mA 25W IP20	CHF	31.30	A
ATD500.09	DRIVER CC DIM 500mA 9W IP20	CHF	20.40	A
ATD500.12	DRIVER CC DIM 500mA 12W IP20	CHF	20.85	A
ATD500.18	DRIVER CC DIM 500mA 18W IP20	CHF	29.90	A
ATD500.25	DRIVER CC DIM 500mA 25W IP20	CHF	31.20	A
ATD700.09	DRIVER CC DIM 700mA 9W IP20	CHF	20.30	A
ATD700.12	DRIVER CC DIM 700mA 12W IP20	CHF	20.85	A
ATD700.18	DRIVER CC DIM 700mA 18W IP20	CHF	29.80	A
ATD700.25	DRIVER CC DIM 700mA 25W IP20	CHF	31.20	A
ATD1050.30	DRIVER CC DIM 1050mA 30W IP20	CHF	42.05	A
ATD1050.40	DRIVER CC DIM 1050mA 40W IP20	CHF	45.80	A
ATD1050.45	DRIVER CC DIM 1050mA 45W IP20	CHF	48.20	A
ATD1400.40	DRIVER CC DIM 1400mA 40W IP20	CHF	45.80	A
ATD350.40	DRIVER CC DIM 350mA 40W IP20	CHF	45.80	A
ATD500.30	DRIVER CC DIM 500mA 30W IP20	CHF	42.05	A
ATD500.40	DRIVER CC DIM 500mA 40W IP20	CHF	45.80	A
ATD700.30	DRIVER CC DIM 700mA 30W IP20	CHF	41.95	A
ATD700.40	DRIVER CC DIM 700mA 40W IP20	CHF	45.80	A
ATD850.45	DRIVER CC DIM 850mA 45W IP20	CHF	46.60	A
PR350	DIMMER 10-350W 1,5A 220-240V AC	CHF	74.80	A
AT350.10IP65	DRIVER CC 350mA 10W IP65	CHF	20.70	A
AT500.10IP65	DRIVER CC 500mA 10W IP65	CHF	21.15	A
AT700.10IP65	DRIVER CC 700mA 10W IP65	CHF	21.10	A
AT12.120	DRIVER TC 12V 120W IP20	CHF	41.00	A
AT12.150	DRIVER TC 12V 150W IP20	CHF	49.50	A
AT12.200	DRIVER TC 12V 200W IP20	CHF	57.40	A
AT12.240	DRIVER TC 12V 240W IP20	CHF	65.90	A
AT12.40	DRIVER TC 12V 36W IP20	CHF	24.80	A
AT12.60	DRIVER TC 12V 60W IP20	CHF	30.10	A
AT24.120	DRIVER TC 24V 120W IP20	CHF	41.00	A
AT24.150	DRIVER TC 24V 150W IP20	CHF	49.50	A
AT24.200	DRIVER TC 24V 200W IP20	CHF	57.40	A
AT24.240	DRIVER TC 24V 240W IP20	CHF	65.90	A
AT24.40	DRIVER TC 24V 36W IP20	CHF	24.80	A
AT24.60	DRIVER TC 24V 60W IP20	CHF	30.10	A
ATN24.100	DRIVER NARROW TC 24V 100W IP20	CHF	57.90	A
ATN24.150	DRIVER NARROW TC 24V 150W IP20	CHF	71.35	A
ATN24.300	DRIVER NARROW TC 24V 300W IP20	CHF	91.55	A
ATN24.35	DRIVER NARROW TC 24V 35W IP20	CHF	30.00	A
ATN24.60	DRIVER NARROW TC 24V 60W IP20	CHF	51.10	A
ATS24.100	DRIVER SLIM TC 24V 100W IP20	CHF	118.95	A
ATS24.30	DRIVER SLIM TC 24V 30W IP20	CHF	50.45	A
ATS24.45	DRIVER SLIM TC 24V 45W IP20	CHF	52.30	A
ATS24.60	DRIVER SLIM TC 24V 60W IP20	CHF	83.30	A
ATS24.75	DRIVER SLIM TC 24V 75W IP20	CHF	89.90	A
ATUS24.20	DRIVER FLAT TC 24V 20W IP20	CHF	32.20	A
ATUS24.30	DRIVER FLAT TC 24V 30W IP20	CHF	46.00	A
ATUS24.50	DRIVER FLAT TC 24V 50W IP20	CHF	62.80	A
AT12.100IP67	DRIVER TC 12V 100W IP67	CHF	61.90	A
AT12.150IP67	DRIVER TC 12V 150W IP67	CHF	102.40	A
AT12.250IP67	DRIVER TC 12V 250W IP67	CHF	141.40	A
AT12.30IP67	DRIVER TC 12V 30W IP67	CHF	30.55	A
AT12.60IP67	DRIVER TC 12V 60W IP67	CHF	47.15	A
AT24.100IP67	DRIVER TC 24V 100W IP67	CHF	61.90	A
AT24.150IP67	DRIVER TC 24V 150W IP67	CHF	102.40	A
AT24.250IP67	DRIVER TC 24V 250W IP67	CHF	141.40	A
AT24.30IP67	DRIVER TC 24V 30W IP67	CHF	30.55	A
AT24.60IP67	DRIVER TC 24V 60W IP67	CHF	47.15	A
ATD24.100	DRIVER DIMMABLE TC 24V 100W IP20	CHF	176.50	A
ATD24.50	DRIVER DIMMABLE TC 24V 50W IP20	CHF	79.15	A
ATD24.100IP67	DRIVER DIMMABLE TC 24V 100W IP67	CHF	210.65	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
ATD24.200IP67	DRIVER DIMMABLE TC 24V 200W IP67	CHF	286.10	A
CTR001	CONTROLLER RGB 12V DC 8A IR	CHF	12.65	A
CTR104	CONTROLLER RGBW 4Z 12/24V DC	CHF	74.55	A
CTR114	DIMMER 4Z 12/24V DC 12A	CHF	59.45	A
CTR124	CCT & BRIGHTNESS CONTROLLER 12/24V DC 12A 144/288W	CHF	50.65	A
AT48.100	DRIVER 48V 100W MEANWELL	CHF	87.35	A
AT48.150	DRIVER 48V 150W MEANWELL	CHF	95.85	A
AT48.200	DRIVER 48V 200W MEANWELL	CHF	126.40	A
AT48.350	DRIVER 48V 350W MEANWELL	CHF	159.10	A
AMP100	RGB SIGNAL AMPLIFIER	CHF	24.25	A
CTR002SCTY	DIMMER TUYA	CHF	41.20	A
CTR003CCTTY	CCT CONTROLLER TUYA	CHF	41.20	A
CTR004RGB2TY	RGB CONTROLLER TUYA	CHF	41.20	A
CTR005RGBWTY	RGBW CONTROLLER TUYA	CHF	28.80	A
CTR125	DRIVER TC DIM 12/24V 144/288W IP20	CHF	52.10	A
CTR126	DUAL CONTROLLER RGB SIGNAL AMPL	CHF	59.80	A
CTR20DMXM/SPIM	DUAL-PORT OFFLINE DMX512/SPI SIGNALS CONTROLLER	CHF	478.45	A
CTR01DMXM	DMX MASTER CONTROLER 12V DC 512 CANALE	CHF	629.85	A
CTR02DMXS	DECODOR DMX TENSUONE COSTANTA 12-24V DC 240/480W	CHF	169.60	A
CTR10DMXM	CONTROLLER FOR DMX512/1990 signal (generator)	CHF	3'070.00	A
AMP200DMX	DMX/DMX AMPLIFIER	CHF	205.80	A
CTR12DMXS	CONTROLLER FOR DMX512/1990 signal slave version	CHF	1'578.90	A
ATD36.200-1200DMX	DRIVER DIMABIL CC 200-240V AC 10-54V 200-1200mA, 2-36W	CHF	181.10	A
ATD50.500-1750DMX	DRIVER DIMABIL CC 100-240V AC, 10-54V, 200-1200mA 5-50W	CHF	197.80	A
WY10M ADN	XWAY AP. ARROW DOWN NEW	CHF	112.80	A
WY10M ALN	XWAY AP. ARROW LEFT NEW	CHF	112.80	A
WY10M ARN	XWAY AP. ARROW RIGHT NEW	CHF	112.80	A
WY10M AUN	XWAY AP. ARROW UP NEW	CHF	112.80	A
WY10M HN	XWAY AP. HIDRANT NEW	CHF	112.80	A
WY20M ADN	XWAY SUS. ARROW DOWN NEW	CHF	112.80	A
WY20M AN	XWAY SUS. ARROW LEFT/RIGHT NEW	CHF	112.80	A
WY20M AUN	XWAY SUS. ARROW UP NEW	CHF	112.80	A
WY30M ADN	XWAY INC. ARROW DOWN NEW	CHF	112.80	A
WY30M AN	XWAY INC. ARROW LEFT/RIGHT NEW	CHF	112.80	A
GO10M ADN	XGO ARROW DOWN NEW	CHF	41.75	A
GO10M ALN	XGO ARROW LEFT NEW	CHF	41.75	A
GO10M ARN	XGO ARROW RIGHT NEW	CHF	41.75	A
GO10M AUN	XGO ARROW UP NEW	CHF	41.75	A
GO10M HN	XGO HIDRANT NEW	CHF	41.75	A
GO20M ADN	XGO ARROW DOWN TRANSPARENT NEW	CHF	41.75	A
GO20M ARN	XGO ARROW RIGHT TRANSPARENT NEW	CHF	41.75	A
RN01AN	XRUN STICKER ARROW NEW	CHF	3.55	A
RN01HN	XRUN STICKER HIDRANT NEW	CHF	3.55	A
RN01M/NM	XRUN 3W LED 200LM 3H M IP20	CHF	56.30	A
RN01RB	XRUN ACCESORIU MONTAJ INCASTRAT PERETE	CHF	4.85	A
RN01RF	XRUN ACCESORIU MONTAJ INCASTRAT RIGIPS	CHF	3.20	A
AW10AN	XARROW PICTOGRAMA SAGEATA 309x87 NEW	CHF	1.95	A
AW10HN	XARROW PICTOGRAMA HIDRANT 309x87 NEW	CHF	1.65	A
AW10LEDM	XARROW 5W LED 3h M	CHF	72.70	A
AW10LEDNM	XARROW 5W LED 3h NM	CHF	67.05	A
AW10PG	GRILA PROTECTIE AW10	CHF	31.85	A
AW30AN	XARROW PICTOGRAMA SAGEATA 279x95 NEW	CHF	1.90	A
AW30LEDM	XARROW PL 5W LED 3h M	CHF	85.20	A
AW30LEDNM	XARROW PL 5W LED 3h NM	CHF	79.55	A
AW30RF	XARROW RECESSED FRAME	CHF	22.10	A
AW40AN	XARROW PICTOGRAMA SAGEATA 210x70 NEW	CHF	1.85	A
AW40HN	XARROW PICTOGRAMA HIDRANT 210x70 NEW	CHF	1.65	A
AW40LEDM	XARROW 2.8W 220-240V LED M	CHF	69.00	A
AW40LEDNM	XARROW 1W 220-240V LED NM	CHF	65.45	A
AW40RF	XARROW BRIDA INCASTRARE AW40LED	CHF	4.90	A
AW60AD	XARROW DOWN 324x158mm	CHF	6.80	A
AW60ARL	XARROW RIGHT/LEFT 324x158mm	CHF	6.80	A

Preis exkl. MWST und Lieferung

Art-Nr.:	Produktbeschreibung			
AW60AU	XARROW UP 324x158mm	CHF	6.80	A
AW60H	XARROW HIDRANT 324x158mm	CHF	6.80	A
AW60LEDM/NM	XARROW 5in1 MOUNTING TYPES 4W LED 3h M/NM	CHF	112.05	A
AW50LEDNM	XARROW DOWNLIGHT 1X3W 220-240V LED NM	CHF	74.80	A
UP03/1.5	KIT EMERGENTA LED 1.5h Uout 60-120V	CHF	113.60	A
UP03/3	KIT EMERGENTA LED 3h Uout 60-120V	CHF	125.05	A
UP04/3	KIT EMERGENTA LED 3h Ue(V) 20-60V	CHF	146.20	A
UP05/3	KIT EMERGENTA LED 3h Ue(V) 60-120V	CHF	142.55	A
UP06/1.5/3	KIT EMERGENTA LED 1.5h/3h 180-38mA 10-55V DC 2/4W	CHF	76.95	A
UP07/3	KIT EMERGENTA LED 3h 180-38mA 10-55V DC 2W	CHF	99.10	A
UP08/3	EMERGENCY KIT LED 200-33mA 10-60V DC 2W 3h	CHF	79.15	A
UP09/3	EMERGENCY KIT LED 300mA 10-60V DC 4W 3h	CHF	105.55	A
UP10/3	EMERGENCY KIT LED 300mA 60-300V DC 4W 3h	CHF	112.60	A



Proflight AG
Chollerstrasse 32
CH-6300 Zug
T +41 41 761 22 22
F +41 41 761 23 23
info@proflight.ch
www.proflight.ch

Wo viel Licht ist, ist starker Schatten.
Johann Wolfgang von Goethe (1749 – 1832)